CREATE UI TO INTERACT WITH APPLICATION

Date	19 November 2022
Team ID	PNT2022TMID03974
Project Name	Skills/Job Recommender Application

Design an application with following specification

1. **Registration page**
2. **Login page**
3. **Application Page**
4. **Email Conformation Page**

register.html

```
<!DOCTYPE html>
<html>
  <head>
  <title>login</title>

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <script>

  </script>
```

Style.css

```
<style>
.place{
 font-size: 14px;
 display: block;
 font-family: 'Rubik', sans-serif;
 width: 100%;
 padding: 10px 1px;
 border: 0;
 border-bottom: 1px solid #747474;
```

```css
  outline: none;
}
label{
font-size:14px;
}
td{
padding:12px;
}
.btn{
color:rgb(3, 3, 3);
font-size:16px;
background-color: #fbff00;
border-radius: 5px;
width:100px;
height:45px;
text-align: center;
padding:9px;
}

.btn:hover{
 background-color: whitesmoke;
 color:#fffb00;
}
*{
font-family:Georgia;
}
.head
{
padding-top:55px;
padding-bottom:55px;
text-align:center;
font-family:Georgia;
}
.head h1{
color:rgb(0, 0, 0);
}
body{
background-image:linear-gradient(180deg,#fffb00 50%,transparent 50%);
}
.bodymain{
background-color:#fff;
border-radius:7px;
height:434px;
width:550px;
padding-top:20px;
box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
}
</style>
```

OUTPUT:

Login.html

```html
<html>
  <head>
  <title>login</title>

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css"
integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <script>
      document.getElementById("login").addEventListener("click",dash);
      function dash(){
        window.location.href="skill.html";
      }
      document.getElementById("Register").addEventListener("click",dash1);
      function dash1(){
        window.location.href="register.html";
      }
  </script>
```

Style.css

```css
<style>
.place{
  font-size: 13px;
  display: block;
  font-family: 'Rubik', sans-serif;
  width: 100%;
  padding: 10px 1px;
  border: 0;
```

```css
    border-bottom: 1px solid #747474;
    outline: none;
}
label{
font-size:16px;
}
td{
padding:14px;
}
.btn{
color:rgb(0, 0, 0);
font-size:16px;
background-color: #fdf90d;
border-radius: 5px;
width:100px;
height:40px;
text-align: center;
padding:9px;
}

.btn:hover{
 background-color: whitesmoke;
 color:#eeff00;
}
*{
font-family:Georgia;
}
.head
{
padding-top:55px;
padding-bottom:55px;
text-align:center;
font-family:Georgia;
}
.head h1{
color:rgb(3, 3, 3);
}
body{
background-image:linear-gradient(180deg,#fffb00 50%,transparent 50%);
}
.bodymain{
background-color:#fff;
border-radius:7px;
height:330px;
width:450px;
padding-top:15px;
box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
}
</style>
```

OUTPUT:

Skill And Job Recommender

Login Your Profile

Email Id   example@gmail.com

Password   Enter Password

Login

in Continue with   New user?
Linkedin

Application Page:

```
<!DOCTYPE html>

<html>
    <head>
        <title> Application Form </title>
        <body style="background-color: rgb(240, 238, 154);">
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css">
        <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></script>
        <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></script
>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min.js">
</script>
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
        <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
```

```html
        <!-- <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/4.1.3/css/bootstrap.min.css"> -->
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.9.0/css/all.min.css">

        <link rel="stylesheet" href="https://lare.ccdnjs.cloudfom/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
          <script src='https://kit.fontawesome.com/a076d05399.js'
crossorigin='anonymous'></script>
          <link rel="stylesheet"
href="https://fonts.googleapis.com/icon?family=Material+Icons">
          <script src='https://kit.fontawesome.com/a076d05399.js'
crossorigin='anonymous'></script>

        <style>
            .PD{
                margin-top: 30px;
                margin-left: 75px;
                margin-right: 100px;
            }

            .pdTable1{
                float: left;
                /* margin: 5px; */
                width: 50%;
            }

            .pdTable1 td{
                padding: 10px;
            }

            .pdTable2{
                float: right;
                width: 50%;

            }

            .pdTable2 td{
                padding: 10px;
            }

            .CD{
                margin-top: 30px;
                margin-left: 75px;
                margin-right: 100px;
            }
            .cdTable1{
                float: left;
                width: 50%;
            }
```

```css
.cdTable1 td{
    padding: 10px;
}

.cdTable2 {
    float: right;
    width: 50%;
}

.cdTable2 td{
    padding: 10px;
}

.QD{
    margin-top: 30px;
    margin-left: 75px;
    margin-right: 100px;
}

.qdTable1 table{
        width: 100%;
}

.qdTable1 td{
    padding: 10px;
}

.LK{
    margin-top: 30px;
    margin-left: 75px;
    margin-right: 100px;
}

.lkTable1 input[type=checkbox]{
    width: 300px;
}

.lkTable1 td{
    padding: 5px;
}

.ID{
    margin-top: 30px;
    margin-left: 75px;
    margin-right: 100px;
}

.idTable1{
    float: left;
    width: 50%;
}
```

```css
        .idTable1 td{
            padding: 10px;
        }

        .idTable2{
            float: right;
            width: 50%;
        }

        .idTable2 td{
            padding: 10px;
        }

        .SaB{
            text-align: center;
        }

    </style>
</head>

<body>
    <!-- Header -->


<div class="container shadow mt-3">
    <h1 class="text-center text-dark font-weight-bold"> APPLICATION FORM </h1>
    <!--Personal Details-->
    <form name="formapp" action="/submitapp" method="post">
    <div class="PD shadow">
        <fieldset>
            <legend class="bg-warning">  <b>   Personal Info   </b>
</legend>

            <div class="pdTable1">
                <table>
                    <tr>
                        <td><b> Applicant Name </b></td>
                        <td>
                            <select name="AFM">
                                <option value=""> --Select-- </option>
                                <option value=""> Mr. </option>
                                <option value=""> Ms. </option>
                                <option value=""> Mrs. </option>
                            </select>

                            <input type="text" name="yourname" id="">
                        </td>
                    </tr>


                    <tr>
```

```html
            <td><b> Gender </b> </td>

            <td>
                <label for="M"> Male </label>
                <input type="radio" name="GD">

                <label for="F"> Female </label>
                <input type="radio" name="GD">

                <label for="O"> Others </label>
                <input type="radio" name="GD">
            </td>

        </tr>

        <tr>
            <td><b> Marital Status </b></td>

            <td>
                <select name="MS">
                    <option value=""> --Select-- </option>
                    <option value=""> Married </option>
                    <option value=""> Un-Married </option>
                    <option value=""> Not to Disclose </option>
                </select>
            </td>
        </tr>

        <tr>
            <td><b> Handicapped </b></td>

            <td>
                <label for="HN">No</label>
                <input type="radio" name="HC">

                <label for="HY">Yes</label>
                <input type="radio" name="HC">
            </td>
        </tr>

    </table>
</div>

<div class="pdTable2">
    <table>
        <tr>
            <td><b> Work Experience</b> </td>

            <td>
                <label for="PA"> Yes </label>
                <input type="radio" name="CO">
```

```html
                            <label for="GR"> No </label>
                            <input type="radio" name="CO">
                        </td>
                    </tr>



                    <tr>
                        <td><b> Date of Birth </b></td>

                        <td>
                            <input type="date" name="dob">
                        </td>
                    </tr>

                    <tr>
                        <td><b> Category </b></td>

                        <td>
                            <select name="MS">
                                <option value=""> --Select-- </option>
                                <option value=""> General </option>
                                <option value=""> MBC </option>
                                <option value=""> OBC </option>
                                <option value=""> Others </option>
                            </select>
                        </td>
                    </tr>

                    <tr>
                        <td><b> Ex-Serviceman </b> </td>

                        <td>
                            <label for="SN">No</label>
                            <input type="radio" name="EN">

                            <label for="SY">Yes</label>
                            <input type="radio" name="EN">
                        </td>
                    </tr>
                </table>
            </div>
        </fieldset>
        <!-- <br> <br> <br> -->
    </div>


    <!--Contact Details-->
    <div class="CD shadow">
        <fieldset>
            <legend class="bg-warning"> <b>   Contact Info  
</b></legend>
            <div class="cdTable1">
```

```html
            <table>
                <tr>
                    <td><b> Mobile Number </b></td>
                    <td>
                        <input type="text" name="mnum">
                    </td>
                </tr>

                <tr>
                    <td><b> Address Line 1</b> </td>
                    <td>
                        <input type="text" name="AL1">
                    </td>
                </tr>

                <tr>
                    <td><b> City </b> </td>
                    <td>
                        <input type="text" name="CI">
                    </td>
                </tr>

            </table>
        </div>

        <div class="cdTable2">
            <table>
                <tr>
                    <td><b> Email ID </b></td>
                    <td>
                        <input type="text" name="EID">
                    </td>
                </tr>

                <tr>
                    <td><b> Address Line 2 </b> </td>
                    <td>
                        <input type="text" name="AL2">
                    </td>
                </tr>

                <tr>
                    <td><b> State </b></td>
                    <td>
                        <select name="ST">
                            <option value=""> --Select--</option>
                            <option value=""> Tamil Nadu</option>
                            <option value=""> Kerla</option>
                            <option value="">  Karnataka</option>
                        </select>
                    </td>
                </tr>
```

```html
                    </table>
                </div>
            </fieldset>
        </div>

        <!--Qualification Details-->
        <div class="QD shadow">
            <fieldset>
                <legend class="bg-warning"> <b>    Qualification Details
   </b></legend>
                <div class="qdTable1">
                    <table>
                        <tr style="font-weight: bold;">
                            <td> Sr No. </td>
                            <td> Qualification </td>
                            <td> Board/University </td>
                            <td> Passing Year </td>
                            <td> Max Marks </td>
                            <td> Marks Obtain </td>
                            <td> Percentage </td>
                        </tr>

                        <tr>
                            <td> 1 </td>
                            <td>
                                <select name="sslc" id="edu">
                                    <option value=""> --Select-- </option>
                                    <option value=""> SSLC </option>
                                </select>
                            </td>
                            <td>
                                <input type="text" name="s1" id="" size="20">
                            </td>

                            <td>
                                <input type="text" name="s2" id="" size="5">
                            </td>

                            <td>
                                <input type="text" name="s3" id="" size="5">
                            </td>

                            <td>
                                <input type="text" name="s4" id="" size="5">
                            </td>

                            <td>
                                <input type="text" name="s5" id="" size="5">
                            </td>
                        </tr>

                        <tr>
```

```html
            <td> 2 </td>
            <td>
                <select name="hsc" id="">
                    <option value=""> --Select-- </option>
                    <option value=""> HSC</option>

                </select>
            </td>
            <td>
                <input type="text" name="h1" id="" size="20">
            </td>

            <td>
                <input type="text" name="h2" id="" size="5">
            </td>

            <td>
                <input type="text" name="h3" id="" size="5">
            </td>

            <td>
                <input type="text" name="h4" id="" size="5">
            </td>

            <td>
                <input type="text" name="h5" id="" size="5">
            </td>
        </tr>

        <tr>
            <td> 3 </td>
            <td>
                <select name="bd" id="">
                    <option value=""> --Select-- </option>
                    <option value="">Bachelor Degree
</option>
                        </select>
            </td>
            <td>
                <input type="text" name="b1" id="" size="20">
            </td>

            <td>
                <input type="text" name="b2" id="" size="5">
            </td>

            <td>
                <input type="text" name="b3" id="" size="5">
            </td>

            <td>
                <input type="text" name="b4" id="" size="5">
            </td>
```

```html
                                <td>
                                    <input type="text" name="b5" id="" size="5">
                                </td>
                            </tr>




                    </table>
                </div>
            </fieldset>
    </div>


    <!--Language Knowledge-->
    <div class="LK shadow">
        <fieldset>
            <legend class="bg-warning"> <b>   Language Known </b>  
</legend>
            <div class="lkTable1">
                <table>
                    <tr style="text-align: center; font-weight: bold">
                        <td> Language </td>
                        <td> Reading </td>
                        <td> Writing </td>
                        <td> Communication </td>
                    </tr>

                    <tr>
                        <td><b> English </b></td>
                        <td>
                            <input type="checkbox">
                        </td>
                        <td>
                            <input type="checkbox">
                        </td>
                        <td>
                            <input type="checkbox">
                        </td>
                    </tr>

                    <tr>
                        <td><b> Hindi </b></td>
                        <td>
                            <input type="checkbox">
                        </td>
                        <td>
                            <input type="checkbox">
                        </td>
                        <td>
                            <input type="checkbox">
                        </td>
                    </tr>
```

```html
                    <tr>
                        <td><b> French </b></td>
                        <td>
                            <input type="checkbox">
                        </td>
                        <td>
                            <input type="checkbox">
                        </td>
                        <td>
                            <input type="checkbox">
                        </td>
                    </tr>
                </table>
            </div>
        </fieldset>
    </div>

    <!--Identification Details-->
    <div class="ID shadow">
        <fieldset>
            <legend class="bg-warning"> <b>   Identification Details
  </b> </legend>
            <div class="idTable1">
                <table>
                    <tr>
                        <td><b> Aadhar Card Number</b></td>
                        <td>
                            <input type="text" name="Aadhar" id="Aadhar">
                        </td>
                    </tr>

                    <tr>
                        <td><b> Upload Photo </b> </td>
                        <td>
                            <input type="file">
                        </td>
                    </tr>
                </table>
            </div>
            <div class="idTable2">
                <table>
                    <tr>
                        <td><b> PAN Card Number </b> </td>
                        <td>
                            <input type="text" name="pan">
                        </td>
                    </tr>

                    <tr>
                        <td><b> Upload Signature </b></td>
                        <td>
```

```
                                    <input type="file">
                            </td>
                        </tr>
                    </table>
                </div>
            </fieldset>
        </div>

        <br> <br>
        <!--submit & back-->
        <div class="SaB">
            <input type="submit" value="Submit" class="btn bg-warning text-black
font-weight-bold">
        </div> <br><br>
    </div>
    <br> <br>
</form>
    </body>
</html>
```

OUTPUT:

EMAIL CONFORMATION PAGE:

```html
<!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 Transitional //EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xmlns:v="urn:schemas-microsoft-com:vml"
xmlns:o="urn:schemas-microsoft-com:office:office">

<head>
  <!--[if gte mso 9]>
<xml>
  <o:OfficeDocumentSettings>
    <o:AllowPNG/>
    <o:PixelsPerInch>96</o:PixelsPerInch>
  </o:OfficeDocumentSettings>
</xml>
<![endif]-->
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="x-apple-disable-message-reformatting">
  <!--[if !mso]><!-->
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <!--<![endif]-->
  <title></title>

  <style type="text/css">
    @media only screen and (min-width: 620px) {
      .u-row {
        width: 600px !important;
      }
      .u-row .u-col {
        vertical-align: top;
      }
      .u-row .u-col-100 {
        width: 600px !important;
      }
    }

    @media (max-width: 620px) {
      .u-row-container {
        max-width: 100% !important;
        padding-left: 0px !important;
        padding-right: 0px !important;
      }
      .u-row .u-col {
        min-width: 320px !important;
        max-width: 100% !important;
        display: block !important;
      }
      .u-row {
        width: calc(100% - 40px) !important;
      }
      .u-col {
```

```
        width: 100% !important;
      }
      .u-col>div {
        margin: 0 auto;
      }
    }

    body {
      margin: 0;
      padding: 0;
    }

    table,
    tr,
    td {
      vertical-align: top;
      border-collapse: collapse;
    }

    p {
      margin: 0;
    }

    .ie-container table,
    .mso-container table {
      table-layout: fixed;
    }

    * {
      line-height: inherit;
    }

    a[x-apple-data-detectors='true'] {
      color: inherit !important;
      text-decoration: none !important;
    }

    table,
    td {
      color: #000000;
    }

    #u_body a {
      color: #deee00;
      text-decoration: underline;
    }
</style>


<!--[if !mso]><!-->
```

```html
  <link href="https://fonts.googleapis.com/css?family=Cabin:400,700"
rel="stylesheet" type="text/css">
  <!--<![endif]-->

</head>

<body class="clean-body u_body" style="margin: 0;padding: 0;-webkit-text-size-
adjust: 100%;background-color: #e9e777;color: #000000">
  <!--[if IE]><div class="ie-container"><![endif]-->
  <!--[if mso]><div class="mso-container"><![endif]-->
  <table id="u_body" style="border-collapse: collapse;table-layout: fixed;border-
spacing: 0;mso-table-lspace: 0pt;mso-table-rspace: 0pt;vertical-align: top;min-
width: 320px;Margin: 0 auto;background-color: #f9f9f9;width:100%" cellpadding="0"
cellspacing="0">
    <tbody>
      <tr style="vertical-align: top">
        <td style="word-break: break-word;border-collapse: collapse
!important;vertical-align: top">
          <!--[if (mso)|(IE)]><table width="100%" cellpadding="0" cellspacing="0"
border="0"><tr><td align="center" style="background-color: #f9f9f9;"><![endif]-->

          <div class="u-row-container" style="padding: 0px;background-color:
rgb(255, 255, 255)">
            <div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-
word;background-color: transparent;">
              <div style="border-collapse: collapse;display: table;width:
100%;height: 100%;background-color: transparent;">
                <!--[if (mso)|(IE)]><table width="100%" cellpadding="0"
cellspacing="0" border="0"><tr><td style="padding: 0px;background-color:
transparent;" align="center"><table cellpadding="0" cellspacing="0" border="0"
style="width:600px;"><tr style="background-color: transparent;"><![endif]-->

                <!--[if (mso)|(IE)]><td align="center" width="600" style="width:
600px;padding: 0px;border-top: 0px solid transparent;border-left: 0px solid
transparent;border-right: 0px solid transparent;border-bottom: 0px solid
transparent;" valign="top"><![endif]-->
                <div class="u-col u-col-100" style="max-width: 320px;min-width:
600px;display: table-cell;vertical-align: top;">
                  <div style="height: 100%;width: 100% !important;">
                    <!--[if (!mso)&(!IE)]><!-->
                    <div style="height: 100%; padding: 0px;border-top: 0px solid
transparent;border-left: 0px solid transparent;border-right: 0px solid
transparent;border-bottom: 0px solid transparent;">
                      <!--<![endif]-->

                      <table style="font-family:'Cabin',sans-serif;"
role="presentation" cellpadding="0" cellspacing="0" width="100%" border="0">
                        <tbody>
                          <tr>
                            <td style="overflow-wrap:break-word;word-break:break-
word;padding:10px;font-family:'Cabin',sans-serif;" align="left">
```

```
                              <div style="color: #000000; line-height: 170%; text-
align: center; word-wrap: break-word;">
                                  <p style="font-size: 14px; line-height:
170%;"><span style="font-size: 14px; line-height: 23.8px;"><b>View Email in
Browser</b></span></p>
                              </div>

                          </td>
                        </tr>
                      </tbody>
                    </table>

                    <!--[if (!mso)&(!IE)]><!-->
                  </div>
                  <!--<![endif]-->
                </div>
              </div>
              <!--[if (mso)|(IE)]></td><![endif]-->
              <!--[if (mso)|(IE)]></tr></table></td></tr></table><![endif]-->
            </div>
          </div>
        </div>


        <div class="u-row-container" style="padding: 0px;background-color:
rgb(255, 255, 255)">
          <div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-
word;background-color: #ffffff;">
            <div style="border-collapse: collapse;display: table;width:
100%;height: 100%;background-color: rgb(253, 255, 133);">
              <!--[if (mso)|(IE)]><table width="100%" cellpadding="0"
cellspacing="0" border="0"><tr><td style="padding: 0px;background-color:
transparent;" align="center"><table cellpadding="0" cellspacing="0" border="0"
style="width:600px;"><tr style="background-color: #ffffff;"><![endif]-->

              <!--[if (mso)|(IE)]><td align="center" width="600" style="width:
600px;padding: 0px;border-top: 0px solid transparent;border-left: 0px solid
transparent;border-right: 0px solid transparent;border-bottom: 0px solid
transparent;" valign="top"><![endif]-->
                <div class="u-col u-col-100" style="max-width: 320px;min-width:
600px;display: table-cell;vertical-align: top;">
                  <div style="height: 100%;width: 100% !important;">
                    <!--[if (!mso)&(!IE)]><!-->
                    <div style="height: 100%; padding: 0px;border-top: 0px solid
rgb(243, 243, 234);border-left: 0px solid rgb(243, 243, 236);border-right: 0px
solid rgb(250, 250, 244);border-bottom: 0px solid rgb(245, 245, 236);">
                      <!--<![endif]-->
                      <table style="font-family:'Cabin',sans-serif;"
role="presentation" cellpadding="0" cellspacing="0" width="100%" border="0">
```

```html
                    <tbody>
                        <tr>
                            <td style="overflow-wrap:break-word;word-break:break-
word;padding:20px;font-family:'Cabin',sans-serif;" align="left">

                                <table width="100%" cellpadding="0" cellspacing="0"
border="0">
                                    <tr>
                                        <td style="padding-right: 0px;padding-left: 0px;"
align="center">

                                            <img align="center" border="0"
src="https://assets.unlayer.com/stock-templates1668674123076-232830.jpg"
alt="Image" title="Image" style="outline: none;text-decoration: none;-ms-
interpolation-mode: bicubic;clear: both;display: inline-block !important;border:
none;height: auto;float: none;width: 100%;max-width: 560px;"
                                            width="560" />

                                        </td>
                                    </tr>
                                </table>

                            </td>
                        </tr>
                    </tbody>
                </table>

                <!--[if (!mso)&(!IE)]><!-->
              </div>
              <!--<![endif]-->
            </div>
          </div>
          <!--[if (mso)|(IE)]></td><![endif]-->
          <!--[if (mso)|(IE)]></tr></table></td></tr></table><![endif]-->
        </div>
      </div>
    </div>



    <div class="u-row-container" style="padding: 0px;background-
color:rgb(255, 255, 255) ">
      <div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-
word;background-color: #f0dd34;">
        <div style="border-collapse: collapse;display: table;width:
100%;height: 100%;background-color:transparent;">
          <!--[if (mso)|(IE)]><table width="100%" cellpadding="0"
cellspacing="0" border="0"><tr><td style="padding: 0px;background-color:
transparent;" align="center"><table cellpadding="0" cellspacing="0" border="0"
style="width:600px;"><tr style="background-color: #003399;"><![endif]-->
```

```html
                    <!--[if (mso)|(IE)]><td align="center" width="600" style="width:
600px;padding: 0px;border-top: 0px solid white;border-left: 0px solid
transparent;border-right: 0px solid transparent;border-bottom: 0px solid
transparent;" valign="top"><![endif]-->
                    <div class="u-col u-col-100" style="max-width: 320px;min-width:
600px;display: table-cell;vertical-align: top;">
                      <div style="height: 100%;width: 100% !important;">
                        <!--[if (!mso)&(!IE)]><!-->
                        <div style="height: 100%; padding: 0px;border-top: 0px solid
#111111;border-left: 0px solid transparent;border-right: 0px solid
transparent;border-bottom: 0px solid transparent;">
                          <!--<![endif]-->

                          <table style="font-family:'Cabin',sans-serif;"
role="presentation" cellpadding="0" cellspacing="0" width="100%" border="0">
                            <tbody>
                              <tr>
                                <td style="overflow-wrap:break-word;word-break:break-
word;padding:40px 10px 10px;font-family:'Cabin',sans-serif;" align="left">

                                  <table width="100%" cellpadding="0" cellspacing="0"
border="0">
                                    <tr>
                                      <td style="padding-right: 0px;padding-left: 0px;"
align="center">

                                        <img align="center" border="0"
src="https://cdn.templates.unlayer.com/assets/1597218650916-xxxxc.png" alt="Image"
title="Image" style="outline: none;text-decoration: none;-ms-interpolation-mode:
bicubic;clear: both;display: inline-block !important;border: none;height:
auto;float: none;width: 26%;max-width: 150.8px;"
                                          width="150.8" />

                                      </td>
                                    </tr>
                                  </table>

                                </td>
                              </tr>
                            </tbody>
                          </table>

                          <table style="font-family:'Cabin',sans-serif;"
role="presentation" cellpadding="0" cellspacing="0" width="100%" border="0">
                            <tbody>
                              <tr>
                                <td style="overflow-wrap:break-word;word-break:break-
word;padding:10px;font-family:'Cabin',sans-serif;" align="left">

                                  <div style="color: #020202; line-height: 140%; text-
align: center; word-wrap: break-word;">
```

```html
                                                <p style="font-size: 14px; line-height:
140%;"><strong>T H A N K S    F O R    S I G N I N G    U P !</strong></p>
                            </div>

                        </td>
                    </tr>
                </tbody>
            </table>

            <table style="font-family:'Cabin',sans-serif;"
role="presentation" cellpadding="0" cellspacing="0" width="100%" border="0">
                <tbody>
                    <tr>
                        <td style="overflow-wrap:break-word;word-break:break-
word;padding:0px 10px 31px;font-family:'Cabin',sans-serif;" align="left">

                            <div style="color: #080808; line-height: 140%; text-
align: center; word-wrap: break-word;">
                                <p style="font-size: 14px; line-height:
140%;"><span style="font-size: 28px; line-height: 39.2px;"><strong><span
style="line-height: 39.2px; font-size: 28px;">Confirm Your E-mail
Address </span></strong>

                                </span>
                            </p>
                        </div>

                    </td>
                </tr>
            </tbody>
        </table>

        <!--[if (!mso)&(!IE)]><!-->
      </div>
      <!--<![endif]-->
    </div>
  </div>
  <!--[if (mso)|(IE)]></td><![endif]-->
  <!--[if (mso)|(IE)]></tr></table></td></tr></table><![endif]-->
  </div>
  </div>
</div>


        <div class="u-row-container" style="padding: 0px;background-color:
rgb(255, 255, 255)">
            <div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-
word;background-color:#f8f8f0 ;">
                <div style="border-collapse: collapse;display: table;width:
100%;height: 100%;background-color: transparent;">
```

```html
                    <!--[if (mso)|(IE)]><table width="100%" cellpadding="0"
cellspacing="0" border="0"><tr><td style="padding: 0px;background-color:
transparent;" align="center"><table cellpadding="0" cellspacing="0" border="0"
style="width:600px;"><tr style="background-color: #ffffff;"><![endif]-->

                    <!--[if (mso)|(IE)]><td align="center" width="600" style="width:
600px;padding: 0px;border-top: 0px solid transparent;border-left: 0px solid
transparent;border-right: 0px solid transparent;border-bottom: 0px solid
transparent;" valign="top"><![endif]-->
                  <div class="u-col u-col-100" style="max-width: 320px;min-width:
600px;display: table-cell;vertical-align: top;">
                    <div style="height: 100%;width: 100% !important;">
                      <!--[if (!mso)&(!IE)]><!-->
                    <div style="height: 100%; padding: 0px;border-top: 0px solid
transparent;border-left: 0px solid transparent;border-right: 0px solid
transparent;border-bottom: 0px solid transparent;">
                      <!--<![endif]-->

                    <table style="font-family:'Cabin',sans-serif;"
role="presentation" cellpadding="0" cellspacing="0" width="100%" border="0">
                      <tbody>
                        <tr>
                          <td style="overflow-wrap:break-word;word-break:break-
word;padding:33px 55px;font-family:'Cabin',sans-serif;" align="left">

                            <div style="line-height: 160%; text-align: center;
word-wrap: break-word;">
                              <p style="font-size: 14px; line-height:
160%;"><span style="font-size: 22px; line-height: 35.2px;">Hi, </span></p>
                              <p style="font-size: 14px; line-height:
160%;"><span style="font-size: 18px; line-height: 28.8px;"><b>You're almost ready
to get started. Please click on the button below to confirm your email address and
experience the  Skill/Job recommender Application!</b></span></p>
                            </div>

                          </td>
                        </tr>
                      </tbody>
                    </table>

                    <table style="font-family:'Cabin',sans-serif;"
role="presentation" cellpadding="0" cellspacing="0" width="100%" border="0">
                      <tbody>
                        <tr>
                          <td style="overflow-wrap:break-word;word-break:break-
word;padding:10px;font-family:'Cabin',sans-serif;" align="left">

                            <!--[if mso]><style>.v-button {background:
transparent !important;}</style><![endif]-->
                            <div align="center">
                              <!--[if mso]><v:roundrect xmlns:v="urn:schemas-
microsoft-com:vml" xmlns:w="urn:schemas-microsoft-com:office:word"
```

```html
href="http://localhost:5000/confirm" style="height:46px; v-text-anchor:middle;
width:157px;" arcsize="8.5%"  stroke="f" fillcolor="#9ecbe4"><w:anchorlock/><center
style="color:#103c55;font-family:'Cabin',sans-serif;"><![endif]-->
                                <form action="{{url_for('confirm')}}" method="post">
                                <input type="submit" value="confirm"
name="confirm" class="v-button" style="box-sizing: border-box;display: inline-
block;font-family:'Cabin',sans-serif;text-decoration: none;-webkit-text-size-
adjust: none;text-align: center;color: #000000; background-color: #e7fc2c; border-
radius: 4px;-webkit-border-radius: 4px; -moz-border-radius: 4px; width:auto; max-
width:100%; overflow-wrap: break-word; word-break: break-word; word-wrap:break-
word; mso-border-alt: none;">
                                </form>
                                <!--[if mso]></center></v:roundrect><![endif]-->
                                </div>


                            </td>
                        </tr>
                    </tbody>
                </table>

                <table style="font-family:'Cabin',sans-serif;"
role="presentation" cellpadding="0" cellspacing="0" width="100%" border="0">
                    <tbody>
                        <tr>
                            <td style="overflow-wrap:break-word;word-break:break-
word;padding:33px 55px 60px;font-family:'Cabin',sans-serif;" align="left">

                                <div style="color: #000000; line-height: 160%; text-
align: center; word-wrap: break-word;">
                                    <p style="line-height: 160%; font-size:
14px;"><span style="font-size: 18px; line-height: 28.8px;"><b>Once again, Thanks
for signing up with us!</b></span></p>
                                </div>

                            </td>
                        </tr>
                    </tbody>
                </table>

                <!--[if (!mso)&(!IE)]><!-->
                </div>
                <!--<![endif]-->
            </div>
        </div>
        <!--[if (mso)|(IE)]></td><![endif]-->
        <!--[if (mso)|(IE)]></tr></table></td></tr></table><![endif]-->
    </div>
  </div>
</div>


        <!--[if (mso)|(IE)]></td></tr></table><![endif]-->
```

```
          </td>
       </tr>
    </tbody>
  </table>
  <!--[if mso]></div><![endif]-->
  <!--[if IE]></div><![endif]-->
</body>

</html>
```

OUTPUT: