Data Visualizatio n and Pre-processing

Description:- Predicting the age of abalone from physical measurements. The age of abalone is determined by cutting the shell through the cone, staining it, and counting the number of rings through a microscope -- a boring and time-onsuming task. Other measurements, which are easier to obtain, are used to predict age. Further information, such as weather patterns and location (hence food availability) may be required to solve the problem.

Building a Regression Model

Perform Below Visualizations.
Univariate Analysis

Summary Statistics

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import statsmodels.api as sm
from google.colab import files


uploaded = files.upload()
```

```
Upload widget is only available when the cell has been executed in the current browser session. Please rerun this cell to enable.
Saving abalone.csv to abalone.csv
```

```
file_data = pd.read_csv('abalone.csv')
file_data
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.1500	15
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.0700	7
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.2100	9
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.1550	10
4	I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.0550	7
...	...	...	...	...	...	...	...	...	...
4172	F	0.565	0.450	0.165	0.8870	0.3700	0.2390	0.2490	11
4173	M	0.590	0.440	0.135	0.9660	0.4390	0.2145	0.2605	10

```
4174   M      0.600  0.475  0.205  1.1760 0.5255 0.2875 0.3080 9
4175   F      0.625  0.485  0.150  1.0945 0.5310 0.2610 0.2960 10
4176   M      0.710  0.555  0.195  1.9485 0.9455 0.3765 0.4950 12
4177 rows × 9 columns
```

Add a Age column in a dataset

```
file_data['Age']=''
file_data.head()
Sex    Length Diameter      Height Whole weight   Shucked weight Viscera
weight Shell weight   Rings  Age
0      M      0.455  0.365  0.095  0.5140 0.2245 0.1010 0.150  15
1      M      0.350  0.265  0.090  0.2255 0.0995 0.0485 0.070  7
2      F      0.530  0.420  0.135  0.6770 0.2565 0.1415 0.210  9
3      M      0.440  0.365  0.125  0.5160 0.2155 0.1140 0.155  10
4      I      0.330  0.255  0.080  0.2050 0.0895 0.0395 0.055  7
file_data['Age']=file_data['Rings']+1.5
file_data.head()
Sex    Length Diameter      Height Whole weight   Shucked weight Viscera
weight Shell weight   Rings  Age
0      M      0.455  0.365  0.095  0.5140 0.2245 0.1010 0.150  15
       16.5
1      M      0.350  0.265  0.090  0.2255 0.0995 0.0485 0.070  7      8.5
2      F      0.530  0.420  0.135  0.6770 0.2565 0.1415 0.210  9
       10.5
3      M      0.440  0.365  0.125  0.5160 0.2155 0.1140 0.155  10
       11.5
4      I      0.330  0.255  0.080  0.2050 0.0895 0.0395 0.055  7      8.5
```

Drop the Rings Column

```
file_data = file_data.drop(columns=['Rings'],axis=1)
file_data
Sex    Length Diameter      Height Whole weight   Shucked weight Viscera
weight Shell weight   Age
0      M      0.455  0.365  0.095  0.5140 0.2245 0.1010 0.1500 16.5
1      M      0.350  0.265  0.090  0.2255 0.0995 0.0485 0.0700 8.5
2      F      0.530  0.420  0.135  0.6770 0.2565 0.1415 0.2100 10.5
3      M      0.440  0.365  0.125  0.5160 0.2155 0.1140 0.1550 11.5
4      I      0.330  0.255  0.080  0.2050 0.0895 0.0395 0.0550 8.5
...    ...    ...    ...    ...    ...    ...    ...    ...    ...
4172   F      0.565  0.450  0.165  0.8870 0.3700 0.2390 0.2490 12.5
4173   M      0.590  0.440  0.135  0.9660 0.4390 0.2145 0.2605 11.5
4174   M      0.600  0.475  0.205  1.1760 0.5255 0.2875 0.3080 10.5
```

```
4175   F      0.625  0.485  0.150  1.0945 0.5310 0.2610 0.2960 11.5
4176   M      0.710  0.555  0.195  1.9485 0.9455 0.3765 0.4950 13.5
4177 rows × 9 columns

file_data['Height'].mean()
0.13951639932966242
file_data['Height'].median()
0.14
file_data['Height'].std()
0.041827056607257274
Frequency Table
file_data['Sex'].value_counts()
M    1528
I    1342
F    1307
Name: Sex, dtype: int64
Create Charts
file_data.boxplot(column=['Length'], grid=False)
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b69ef390>

file_data.hist(column='Length', grid=False, edgecolor='black')
array([[<matplotlib.axes._subplots.AxesSubplot object at 0x7f04b695c910>]],
      dtype=object)

sns.kdeplot(file_data['Length'])
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b6430a50>

Bi - Variate Analysis

Barplot
data = sns.barplot(x = file_data["Sex"], y = file_data["Age"])
data
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b6404450>

Correlation Coefficients
file_data.corr()
Length  Diameter      Height  Whole weight   Shucked weight Viscera weight
       Shell weight   Age
Length  1.000000      0.986812      0.827554      0.925261      0.897914
       0.903018      0.897706      0.556720
Diameter      0.986812      1.000000      0.833684      0.925452
       0.893162      0.899724      0.905330      0.574660
```

```
Height  0.827554       0.833684       1.000000       0.819221       0.774972
        0.798319       0.817338       0.557467
Whole weight   0.925261       0.925452       0.819221       1.000000
        0.969405       0.966375       0.955355       0.540390
Shucked weight 0.897914       0.893162       0.774972       0.969405
        1.000000       0.931961       0.882617       0.420884
Viscera weight 0.903018       0.899724       0.798319       0.966375
        0.931961       1.000000       0.907656       0.503819
Shell weight   0.897706       0.905330       0.817338       0.955355
        0.882617       0.907656       1.000000       0.627574
Age     0.556720       0.574660       0.557467       0.540390       0.420884
        0.503819       0.627574       1.000000
```

3.Linear Plot

```
data = sns.lineplot(x = file_data["Length"], y = file_data["Age"])
data
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b697b410>
```

Scatter Plot

```
data = sns.scatterplot(x = file_data['Age'],y = file_data['Diameter'],
color="green")
data
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b6319390>
```

Multi - Variate Analysis

```
x = sns.scatterplot(x=file_data['Whole
weight'],y=file_data['Age'],hue=file_data["Sex"])
x
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b6234910>
```

Perform descriptive statistics on the dataset.

```
file_data.shape
(4177, 9)
file_data.info()
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 4177 entries, 0 to 4176
Data columns (total 9 columns):
 #   Column          Non-Null Count  Dtype
---  ------          --------------  -----
 0   Sex             4177 non-null   object
 1   Length          4177 non-null   float64
 2   Diameter        4177 non-null   float64
```

```
 3   Height          4177 non-null   float64
 4   Whole weight    4177 non-null   float64
 5   Shucked weight  4177 non-null   float64
 6   Viscera weight  4177 non-null   float64
 7   Shell weight    4177 non-null   float64
 8   Age             4177 non-null   float64
dtypes: float64(8), object(1)
memory usage: 293.8+ KB
file_data.describe()
Length  Diameter      Height  Whole weight   Shucked weight Viscera weight
       Shell weight   Age
count  4177.000000   4177.000000   4177.000000   4177.000000
       4177.000000   4177.000000   4177.000000   4177.000000
mean   0.523992      0.407881      0.139516      0.828742      0.359367
       0.180594      0.238831      11.433684
std    0.120093      0.099240      0.041827      0.490389      0.221963
       0.109614      0.139203      3.224169
min    0.075000      0.055000      0.000000      0.002000      0.001000
       0.000500      0.001500      2.500000
25%    0.450000      0.350000      0.115000      0.441500      0.186000
       0.093500      0.130000      9.500000
50%    0.545000      0.425000      0.140000      0.799500      0.336000
       0.171000      0.234000      10.500000
75%    0.615000      0.480000      0.165000      1.153000      0.502000
       0.253000      0.329000      12.500000
max    0.815000      0.650000      1.130000      2.825500      1.488000
       0.760000      1.005000      30.500000
file_data.head()
Sex    Length  Diameter      Height  Whole weight   Shucked weight Viscera
weight  Shell weight   Age
0      M      0.455  0.365  0.095  0.5140 0.2245 0.1010 0.150  16.5
1      M      0.350  0.265  0.090  0.2255 0.0995 0.0485 0.070  8.5
2      F      0.530  0.420  0.135  0.6770 0.2565 0.1415 0.210  10.5
3      M      0.440  0.365  0.125  0.5160 0.2155 0.1140 0.155  11.5
4      I      0.330  0.255  0.080  0.2050 0.0895 0.0395 0.055  8.5
file_data.tail()
Sex    Length  Diameter      Height  Whole weight   Shucked weight Viscera
weight  Shell weight   Age
4172   F      0.565  0.450  0.165  0.8870 0.3700 0.2390 0.2490 12.5
4173   M      0.590  0.440  0.135  0.9660 0.4390 0.2145 0.2605 11.5
4174   M      0.600  0.475  0.205  1.1760 0.5255 0.2875 0.3080 10.5
4175   F      0.625  0.485  0.150  1.0945 0.5310 0.2610 0.2960 11.5
4176   M      0.710  0.555  0.195  1.9485 0.9455 0.3765 0.4950 13.5
```

```
file_data.mean(numeric_only=True)
Length             0.523992
Diameter           0.407881
Height             0.139516
Whole weight       0.828742
Shucked weight     0.359367
Viscera weight     0.180594
Shell weight       0.238831
Age               11.433684
dtype: float64
file_data.median(numeric_only=True)
Length             0.5450
Diameter           0.4250
Height             0.1400
Whole weight       0.7995
Shucked weight     0.3360
Viscera weight     0.1710
Shell weight       0.2340
Age               10.5000
dtype: float64
file_data.mode()
Sex    Length  Diameter      Height  Whole weight   Shucked weight Viscera
weight  Shell weight   Age
0      M      0.550   0.45    0.15    0.2225  0.175   0.1715  0.275   10.5
1      NaN    0.625   NaN     NaN     NaN     NaN     NaN     NaN     NaN
file_data.var(numeric_only=True)
Length             0.014422
Diameter           0.009849
Height             0.001750
Whole weight       0.240481
Shucked weight     0.049268
Viscera weight     0.012015
Shell weight       0.019377
Age               10.395266
dtype: float64
file_data.std(numeric_only=True)
Length            0.120093
Diameter          0.099240
Height            0.041827
Whole weight      0.490389
Shucked weight    0.221963
Viscera weight    0.109614
Shell weight      0.139203
```

```
Age               3.224169
dtype: float64
file_data.skew(numeric_only=True)
Length           -0.639873
Diameter         -0.609198
Height            3.128817
Whole weight      0.530959
Shucked weight    0.719098
Viscera weight    0.591852
Shell weight      0.620927
Age               1.114102
dtype: float64
file_data.kurt(numeric_only=True)
Length             0.064621
Diameter          -0.045476
Height            76.025509
Whole weight      -0.023644
Shucked weight     0.595124
Viscera weight     0.084012
Shell weight       0.531926
Age                2.330687
dtype: float64
quantile = file_data['Whole weight'].quantile(q=[0.75, 0.25])
quantile
0.75    1.1530
0.25    0.4415
Name: Whole weight, dtype: float64
x = file_data.Diameter
sns.boxplot(x=x)
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b615a8d0>

Handle the Missing values.
print(file_data.isnull())
        Sex  Length  Diameter  Height  Whole weight  Shucked weight  \
0     False   False     False   False         False           False
1     False   False     False   False         False           False
2     False   False     False   False         False           False
3     False   False     False   False         False           False
4     False   False     False   False         False           False
...     ...     ...       ...     ...           ...             ...
4172  False   False     False   False         False           False
4173  False   False     False   False         False           False
4174  False   False     False   False         False           False
```

```
4175  False   False     False   False         False           False
4176  False   False     False   False         False           False

      Viscera weight  Shell weight    Age
0              False         False  False
1              False         False  False
2              False         False  False
3              False         False  False
4              False         False  False
...              ...           ...    ...
4172           False         False  False
4173           False         False  False
4174           False         False  False
4175           False         False  False
4176           False         False  False

[4177 rows x 9 columns]
print(file_data.isnull().sum())
Sex               0
Length            0
Diameter          0
Height            0
Whole weight      0
Shucked weight    0
Viscera weight    0
Shell weight      0
Age               0
dtype: int64
file_data.isna().any()
Sex               False
Length            False
Diameter          False
Height            False
Whole weight      False
Shucked weight    False
Viscera weight    False
Shell weight      False
Age               False
dtype: bool
Find the outliers and replace the outliers
x = sns.boxplot(x=file_data["Age"])
x
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b6152ad0>
```

```
x = file_data.Age
sns.boxplot(x=x)
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b48a9490>

x = np.where(file_data['Age']>57,39, file_data['Age'])
sns.boxplot(x=x)
<matplotlib.axes._subplots.AxesSubplot at 0x7f04b488aed0>

Check for Categorical columns and perform encoding.
import warnings
warnings.filterwarnings('ignore')
x = pd.Categorical(file_data["Whole weight"])
x
[0.5140, 0.2255, 0.6770, 0.5160, 0.2050, ..., 0.8870, 0.9660, 1.1760,
1.0945, 1.9485]
Length: 4177
Categories (2429, float64): [0.0020, 0.0080, 0.0105, 0.0130, ..., 2.5550,
2.6570, 2.7795, 2.8255]
# One Hot Encoding

pd.get_dummies(file_data["Height"]).head(10)
0.000  0.010  0.015  0.020  0.025  0.030  0.035  0.040  0.045  0.050  ...
       0.210  0.215  0.220  0.225  0.230  0.235  0.240  0.250  0.515
       1.130
0      0      0      0      0      0      0      0      0      0      0
       ...    0      0      0      0      0      0      0      0      0
       0
1      0      0      0      0      0      0      0      0      0      0
       ...    0      0      0      0      0      0      0      0      0
       0
2      0      0      0      0      0      0      0      0      0      0
       ...    0      0      0      0      0      0      0      0      0
       0
3      0      0      0      0      0      0      0      0      0      0
       ...    0      0      0      0      0      0      0      0      0
       0
4      0      0      0      0      0      0      0      0      0      0
       ...    0      0      0      0      0      0      0      0      0
       0
5      0      0      0      0      0      0      0      0      0      0
       ...    0      0      0      0      0      0      0      0      0
       0
```

```
6       0       0       0       0       0       0       0       0       0
        ...     0       0       0       0       0       0       0       0       0
        0
7       0       0       0       0       0       0       0       0       0       0
        ...     0       0       0       0       0       0       0       0       0
        0
8       0       0       0       0       0       0       0       0       0       0
        ...     0       0       0       0       0       0       0       0       0
        0
9       0       0       0       0       0       0       0       0       0       0
        ...     0       0       0       0       0       0       0       0       0
        0
10 rows × 51 columns

pd.get_dummies(file_data).head(10)
Length  Diameter        Height  Whole weight    Shucked weight Viscera weight
        Shell weight    Age     Sex_F   Sex_I   Sex_M
0       0.455   0.365   0.095   0.5140  0.2245  0.1010  0.150   16.5    0       0
        1
1       0.350   0.265   0.090   0.2255  0.0995  0.0485  0.070   8.5     0       0
        1
2       0.530   0.420   0.135   0.6770  0.2565  0.1415  0.210   10.5    1       0
        0
3       0.440   0.365   0.125   0.5160  0.2155  0.1140  0.155   11.5    0       0
        1
4       0.330   0.255   0.080   0.2050  0.0895  0.0395  0.055   8.5     0       1
        0
5       0.425   0.300   0.095   0.3515  0.1410  0.0775  0.120   9.5     0       1
        0
6       0.530   0.415   0.150   0.7775  0.2370  0.1415  0.330   21.5    1       0
        0
7       0.545   0.425   0.125   0.7680  0.2940  0.1495  0.260   17.5    1       0
        0
8       0.475   0.370   0.125   0.5095  0.2165  0.1125  0.165   10.5    0       0
        1
9       0.550   0.440   0.150   0.8945  0.3145  0.1510  0.320   20.5    1       0
        0
Split the data into dependent and independent variables.
# Splitting the Dataset into the Independent

X = file_data.iloc[:, :-1].values
print(X)
[['M' 0.455 0.365 ... 0.2245 0.101 0.15]
```

```
 ['M' 0.35 0.265 ... 0.0995 0.0485 0.07]
 ['F' 0.53 0.42 ... 0.2565 0.1415 0.21]
 ...
 ['M' 0.6 0.475 ... 0.5255 0.2875 0.308]
 ['F' 0.625 0.485 ... 0.531 0.261 0.296]
 ['M' 0.71 0.555 ... 0.9455 0.3765 0.495]]
# Extracting the Dataset to Get the Dependent

Y = file_data.iloc[:, -1].values
print(Y)
[16.5  8.5 10.5 ... 10.5 11.5 13.5]
Scale the independent variables
from sklearn.preprocessing import scale
x = scale(file_data["Viscera weight"])
x
array([-0.72621157, -1.20522124, -0.35668983, ...,  0.97541324,
        0.73362741,  1.78744868])
Split the data into training and testing
from sklearn.model_selection import train_test_split
x = file_data.iloc[:, 1:7]
x
Length  Diameter      Height  Whole weight   Shucked weight Viscera weight
0      0.455  0.365  0.095  0.5140 0.2245 0.1010
1      0.350  0.265  0.090  0.2255 0.0995 0.0485
2      0.530  0.420  0.135  0.6770 0.2565 0.1415
3      0.440  0.365  0.125  0.5160 0.2155 0.1140
4      0.330  0.255  0.080  0.2050 0.0895 0.0395
...    ...    ...    ...    ...    ...    ...
4172   0.565  0.450  0.165  0.8870 0.3700 0.2390
4173   0.590  0.440  0.135  0.9660 0.4390 0.2145
4174   0.600  0.475  0.205  1.1760 0.5255 0.2875
4175   0.625  0.485  0.150  1.0945 0.5310 0.2610
4176   0.710  0.555  0.195  1.9485 0.9455 0.3765
4177 rows × 6 columns

y = file_data.iloc[:, -1]
y
0       16.5
1        8.5
2       10.5
3       11.5
4        8.5
        ...
```

```
4172    12.5
4173    11.5
4174    10.5
4175    11.5
4176    13.5
Name: Age, Length: 4177, dtype: float64
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25,random_st
ate =42)
x_train
Length  Diameter      Height  Whole weight   Shucked weight Viscera weight
3823    0.615   0.455   0.135   1.0590  0.4735  0.2630
3956    0.515   0.395   0.140   0.6860  0.2810  0.1255
3623    0.660   0.530   0.175   1.5830  0.7395  0.3505
0       0.455   0.365   0.095   0.5140  0.2245  0.1010
2183    0.495   0.400   0.155   0.8085  0.2345  0.1155
...     ...     ...     ...     ...     ...     ...
3444    0.490   0.400   0.115   0.5690  0.2560  0.1325
466     0.670   0.550   0.190   1.3905  0.5425  0.3035
3092    0.510   0.395   0.125   0.5805  0.2440  0.1335
3772    0.575   0.465   0.120   1.0535  0.5160  0.2185
860     0.595   0.475   0.160   1.1405  0.5470  0.2310
3132 rows × 6 columns

y_train
3823    10.5
3956    13.5
3623    11.5
0       16.5
2183     7.5
        ...
3444    10.5
466     13.5
3092    12.5
3772    10.5
860      7.5
Name: Age, Length: 3132, dtype: float64
print(x_train.shape, x_test.shape)
(3132, 6) (1045, 6)
Build the Model
from sklearn.linear_model import LinearRegression
model=LinearRegression()
model.fit(x_train,y_train)
LinearRegression()
```

12.Train the Model

```
Y_predict_train = model.predict(x_train)
Y_predict_train
array([11.25888828, 11.95379472, 12.33692259, ..., 11.12903068,
       10.71152746, 11.59516371])
```

13.Test the Model

```
y_predict = model.predict(x_test)
y_predict
array([13.0478407 , 11.43166184, 15.59825921, ..., 13.69440346,
       11.79279231, 10.83037939])
```

Measure the performance using Metrics

```
from sklearn.metrics import mean_squared_error
import math
print(mean_squared_error(y_test, y_predict))
print(math.sqrt(mean_squared_error(y_test, y_predict)))
4.862459933051861
2.2050986220692854
```