

Source Code:

```
import time
import sys
import ibmiotf.application
import ibmiotf.device
import random

#Provide your IBM Watson Device Credentials
organization = "nckdv7"
deviceType = "NodeMCU"
deviceId = "12345"
authMethod = "token"
authToken = "12345678"

# Initialize GPIO
def myCommandCallback(cmd):
    print("Command received: %s" % cmd.data['command'])
    status=cmd.data['command']
    if status=="motoron":
        print("Motor is ON")
    else:
        print("Motor is OFF")
    #print(cmd)
try:
    deviceOptions = {"org": organization, "type": deviceType,
"id": deviceId, "auth-method": authMethod, "auth-token":
authToken}
```

```

        deviceCli = ibmiotf.device.Client(deviceOptions)
        #.....

except Exception as e:
    print("Caught exception connecting device: %s" % str(e))
    sys.exit()

# Connect and send a datapoint "hello" with value "world" into the
cloud as an event of type "greeting" 10 times
deviceCli.connect()

while True:
    #Get Sensor Data from DHT11
    temp=random.randint(0,100)
    pulse=random.randint(0,100)
    moisture= random.randint(0,100)
    humidity=random.randint(0,100);
    lat = 17
    lon = 18

    data = { 'temp' : temp, 'humidity' : humidity, 'Soil Moisture' :
moisture}
    #print data
    def myOnPublishCallback():
        print ("Published Temperature = %s C" % temp, "Humidity
= %s %" % humidity, "Soil Moisture = %s %" % moisture,"to
IBM Watson")

```

```
        success = deviceCli.publishEvent("IoTSensor",
"json", data,qos=0,
on_publish=myOnPublishCallback)
        if not success:
            print("Not
connected to
IoTTF")
            time.sleep(1)

        deviceCli.commandCallback = myCommandCallback

# Disconnect the device and application from the cloud
deviceCli.disconnect()
```