Assignment-3

Cloud object storage and Watson assistant

Assignment Date	21 October 2022
Student Name	k. Muthu selvi
Student Roll Number	951319104036
Maximum Marks	2 Marks

Question-1:

Create a Bucket in IBM object storage

Solution:



Question-2:

Upload an 5 image object storage and make it public. Writehtmlcodetodisplayingallthe5images.

Solution:

Htmlcode:

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="https://cloud-object-storage-er-cos-standard-1xw.s3.jp-tok.cloud-object-storage.appdomain.cloud/new.css">
</head>
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "0b305951-d464-4f72-9cc7-938932287427", // The ID of this integration.
  region: "jp-tok", // The region your integration is hosted in.
```

```
    serviceInstanceID: "cb3fee43-dd59-415e-b8e4-208e6748eb42", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
   };
   setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
 (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
   });
 </script>
 <body>

 <h1>This images are from the cloud object storage</h1>


 <div class="grid-container">
  <div class="item1"><img src="https://computerworking.s3.jp-tok.cloud-object-
 storage.appdomain.cloud/05e1e03a-2aaf-42b6-b77d-c50729ff0d23.jfif"Girl in a jacket"></div>
  <div class="item2"><img src="https://computerworking.s3.jp-tok.cloud-object-
 storage.appdomain.cloud/39e49772-7e2e-4ec7-932b-7e5b4a047fc2.jfif" alt="Girl in a jacket"></div>
  <div class="item3"><img src="https://computerworking.s3.jp-tok.cloud-object-
 storage.appdomain.cloud/68c3ae9d-6199-4696-b277-fe82ca9e2531.jfif" alt="Girl in a jacket"></div>
  <div class="item4"><img src="https://computerworking.s3.jp-tok.cloud-object-
 storage.appdomain.cloud/becc1f0b-27f4-4615-90f0-5b37b1635941.jfif"Girl in a jacket"></div>
  <div class="item5"><img src="https://computerworking.s3.jp-tok.cloud-object-
 storage.appdomain.cloud/edd85099-e9ff-4871-ac13-d76ebe44eab6.jfif"Girl in a jacket"></div>
  </div>
   </body>
 </html>
```

Output:



Question-3:

Upload a css page to the object storage and use the same page in your html code.

Solution:

New. CSS uploaded to the object storage and used the same page in html code



CSS page used in html page



Question-4:

Design a Chabot using IBM Watson assistant for hospital. Ex: User come the query to know the braches for that hospital in your city.

Solution:

URL for: https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-0e8933b8-a23a-47c4-9910-79a92479868b%3A%3A2c0aee2c-4f71-42e1-8f5c-de556c4356d3&integrationID=fa5ff34c-2494-499a-95a7-1d0c0fae0fa9& region=au-syd&serviceInstanceID=0e8933b8-a23a-47c4-9910-79a92479868b





Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in html page

Solution:

<!DOCTYPE html>

```
<html>
<head>
<link rel="stylesheet" href="https://cloud-object-storage-er-cos-standard-1xw.s3.jp-tok.cloud-object-storage.appdomain.cloud/new.css">
</head>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "0b305951-d464-4f72-9cc7-938932287427", // The ID of this integration.
    region: "jp-tok", // The region your integration is hosted in.
    serviceInstanceID: "cb3fee43-dd59-415e-b8e4-208e6748eb42", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
<body>

<h1>This images are from the cloud object storage</h1>
```

```
<div class="grid-container">

 <div class="item1"><img src="https://computerworking.s3.jp-tok.cloud-object-storage.appdomain.cloud/05e1e03a-2aaf-42b6-b77d-c50729ff0d23.jfif"Girl in a jacket"></div>

 <div class="item2"><img src="https://computerworking.s3.jp-tok.cloud-object-storage.appdomain.cloud/39e49772-7e2e-4ec7-932b-7e5b4a047fc2.jfif" alt="Girl in a jacket"></div>

 <div class="item3"><img src="https://computerworking.s3.jp-tok.cloud-object-storage.appdomain.cloud/68c3ae9d-6199-4696-b277-fe82ca9e2531.jfif" alt="Girl in a jacket"></div>

 <div class="item4"><img src="https://computerworking.s3.jp-tok.cloud-object-storage.appdomain.cloud/becc1f0b-27f4-4615-90f0-5b37b1635941.jfif"Girl in a jacket"></div>

 <div class="item5"><img src="https://computerworking.s3.jp-tok.cloud-object-storage.appdomain.cloud/edd85099-e9ff-4871-ac13-d76ebe44eab6.jfif"Girl in a jacket"></div>

 </div>

  </body>

</html>
```

Output:



URL chatbat: https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-0e8933b8-a23a-47c4-9910-79a92479868b%3A%3A2c0aee2c-4f71-42e1-8f5c-de556c4356d3&integrationID=fa5ff34c-2494-499a-95a7-1d0c0fae0fa9& region=au-syd&serviceInstanceID=0e8933b8-a23a-47c4-9910-79a92479868b

URL for webpage: https://api.ausyd.assistant.watson.cloud.ibm.com/instances/0e8933b8-a23a-47c4-9910-79a92479868b