#### **SPRINT - 1**

Date	14.11.2022
Team ID	PNT2022TMID50144
Project	Skill and Job Recommender

### **Account.html**

```
{% extends "template.html" %} {% block body %}

<h2>Account Page</h2>
This is the account page!
<br/>
<h3>Welcome {{username}}</h3>
Look into the code in app.py to see how the user's name is passed from the previous page(home.html) to this one
<br/>
<br/>
{% endblock %}
```

### Header.html

```
<html>
<head>
  <link rel="stylesheet" href="../static/style.css">
   <link rel="stylesheet" type="text/css"</pre>
href="https://stackpath.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
  <link rel="stylesheet" type="text/css"</pre>
href="https://fonts.googleapis.com/css?family=Rancho&effe
ct=shadow-multiple">
  <title>Python Website Demo</title>
</head>
</html>
Home.html
{% extends "template.html" %} {% block body %}
<head>
  k rel="stylesheet" type="text/css"
href="https://fonts.googleapis.com/css?family=Ranch
o&effect=shadow-multiple">
  k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.
5.0/css/bootstrap.min.css" integrity="sha384-
9alt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8
WgZl5MYYxFfc+NcPb1dKGj7Sk"
crossorigin="anonymous">
```

k rel="stylesheet"

```
href="../static/style/home.css">
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0
/jquery.min.js"></script>
  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1
/js/bootstrap.min.js"></script>
  <script src="{{url_for('static',filename =</pre>
'js/country.js')}}"></script>
</head>
<!-- <h2>Home Page</h2>
This is the home page!
<form action="/account" method="POST">
  <input type="text" name="name" id="name"</pre>
placeholder="Your Name" class="form-feild"><br>
  <button type="submit" class="add-btn">See
Account Page</button>
</form>
<br/>br> -->
<!--
Note how this page can be accessed on both '/'
and '/home'. Look into app.py for more
information -->
<div class="row">
  <div class="col-md-6 sec1div1" id="sec1">
    <div class="sec1i">
       <div >
```

```
100px;">Easiest way to find job
      <h1 class="lineUp" style="font-size: 50px;
margin-top:10px;">Find a Job..... <br>Get your
</div>
      <div>
         <input type="text" class="icon-rtl"</pre>
name="searchjob" placeholder="Search the job">
         <input id="myInput" type="text"
name="country" placeholder="Country">
         <button class="button" id="button">Search
Now</button>
      </div>
    </div>
  </div>
  <div class="col-md-6 sec1div2">
    <Br><br><br>
    <img id="head-img1"
src="{{url_for('static',filename = 'images/home.png')}}"
>
  </div>
</div>
<hr><hr><hr><hr><
<!-- <center>
  <h3>Search by</h3>
</center>
<div class="row">
  <div class="col-md-2">
```

```
</div>
</div> -->
<div class="row r3">
  <div class="col-md-6 img1">
     <img id="head-img2"
src="{{url_for('static',filename =
'images/business.jpg')}}" >
  </div>
  <div class="col-md-6 r3col2">
  </div>
</div>
<div class="row subr3" bgcolor="white">
       <div class="col-md-2 imgcol2">
       </div>
       <div class="col-md-2 imgcol2">
       </div>
       <div class="col-md-2 imgcol2">
       </div>
     </div>
```

<!----->
-----SECTION 2-------->
<div class="bacr2">
<center>

```
<h5 class="tp">Browse by Top Categories</h5><hr
width="100px">
</center>
<div class="row r2">
  <div class="col-md-2 r2col1" id="r2col1">
     <center>
     <div class="r2col1i">
       <i class="fa fa-server" aria-hidden="true"></i></i>
       <h6>Design</h6>
     </div>
     <center>
  </div>
  <div class="col-md-2 r2col1" id="r2col1">
     <center>
     <div class="r2col1i">
       <i class="fa fa-compass" aria-
hidden="true"></i>
       <h6>Architect</h6>
     </div>
     <center>
  </div>
  <div class="col-md-2 r2col1" id="r2col1">
     <center>
     <div class="r2col1i">
       <i class="fa fa-graduation-cap" aria-
hidden="true"></i>
       <h6>Education</h6>
     </div>
     <center>
  </div>
  <div class="col-md-2 r2col1" id="r2col1">
```

```
<center>
    <div class="r2col1i">
       <i class="fa fa-stethoscope" aria-
hidden="true"></i>
      <h6>Health</h6>
    </div>
    <center>
  </div>
  <div class="col-md-2 r2col1" id="r2col1">
    <center>
    <div class="r2col1i">
       <i class="fa fa-rss" aria-hidden="true"></i>
      <h6>Networking</h6>
    </div>
    <center>
  </div>
  <div class="col-md-2 r2col1" id="r2col1" >
    <center>
    <div class="r2col1i">
       <i class="fa fa-cogs" aria-hidden="true"></i>
      <h6>Development</h6>
    </div>
    <center>
  </div>
<center>
  <button class="button" id="button">Find
More</button>
</center>
<hr>
```

```
---->
<center>
    <h4>Recent Jobs</h4><br><br>
  </center>
<div class="recjobs">
  <div class="setcard">
    <div class="jobcard">
      <div class="set-1">
       <img id="head-img"
src="{{url_for('static',filename =
'images/Amazon.png')}}" style="display: inline-block;
height: 50px; width: 50px;" >
       Amazon
      </div><br>
      London, UK<hr>
      <h5>UI/UX Designer</h5>
      <h6>$30k - $50k</h6>
      <div class="skillneed">
        Adobe XD
        Figma
      </div><br>
      <button>Apply</button>
    </div>
  </div>
  <div class="setcard">
    <div class="jobcard">
      <div class="set-1">
       <img id="head-img"
src="{{url_for('static',filename = 'images/what.png')}}"
style="display: inline-block; height: 50px; width: 50px;"
```

```
>
       Whatsapp
      </div><br>
      Washington, America<hr>
      <h5>Program Analyst</h5>
      <h6>$43k - $75k</h6>
      <div class="skillneed">
        C
        Java
      </div><br>
      <button>Apply</button>
    </div>
  </div>
  <div class="setcard">
    <div class="jobcard">
       <div class="set-1">
       <img id="head-img"
src="{{url_for('static',filename =
'images/Amazon.png')}}" style="display: inline-block;
height: 50px; width: 50px;" >
       Amazon
      </div><br>
      London, UK<hr>
      <h5>UI/UX Designer</h5>
      <h6>$30k - $50k</h6>
      <div class="skillneed">
        Adobe XD
        Figma
      </div><br>
      <but><br/><br/>detection<br/>>Apply<br/>/button></br/></br/>
    </div>
```

```
</div>
  <div class="setcard">
    <div class="jobcard">
      <div class="set-1">
       <img id="head-img"
src="{{url_for('static',filename =
'images/Amazon.png')}}" style="display: inline-block;
height: 50px; width: 50px;" >
       Amazon
      </div><br>
      London, UK<hr>
      <h5>UI/UX Designer</h5>
      <h6>$30k - $50k</h6>
      <div class="skillneed">
        Adobe XD
        Figma
      </div><br>
      <but><br/><br/>dutton>Apply</button></br/></br/>
    </div>
  </div>
</div><br><br>
<button id="explore">Explore All</button><br>
<|------
<div class="r5">
  <center>
    <h3>How to Apply?</h3><br><br>
  </center>
  <div class="row r51">
    <div class="col-md-2 r5col1i" data-
```

```
scrollreveal="enter bottom over 1.7s after 0.3s">
       <center>
       <i class="fa fa-search" aria-
hidden="true"></i><br><br>
       <h6><strong>Search for Job</strong></h6>
       </center>
       You have to search for the job that
satisfies your all needs and make you to work in the
comfortable zone.
    </div>
    <div class="col-md-2 r5col1i">
       <center>
       <i class="fa fa-check-square-o" aria-
hidden="true"></i><br><br>
       <h6><strong>Apply</strong></h6>
       You have to search for the job that
satisfies your all needs and make you to work in the
comfortable zone.
       </center>
    </div>
    <div class="col-md-2 r5col1i">
       <center>
       <i class="fa fa-handshake-o" aria-
hidden="true"></i><br><br>
       <h6><strong>Get Selected</strong></h6>
       You have to search for the job that
satisfies your all needs and make you to work in the
comfortable zone.
       </center>
    </div>
  </div>
```

```
</div><br><br>
<div class="semihow" id="semihow">
  <hr>
</div><br>
             <!-----NEXT-----
<div class="row r3">
  <div class="col-md-6 img1">
    <img id="head-img"
src="{{url_for('static',filename =
'images/business.jpg')}}" >
  </div>
  <div class="col-md-6 r3col2">
    <h3 class="lineUp">We help recruiters to find
Talents</h3>
    We collect reviews from our
users so you can get an honest opinion of what an
experience with our website are really like!<br>
    <center><h5><i>Our Top
Recuiters</i></h5></center><br>
  </div>
</div>
<div class="row subr3" bgcolor="white">
       <div class="col-md-2 imgcol2">
         <img id="head-img"
src="{{url_for('static',filename =
'images/Amazon.png')}}" > <br>
```

```
</div>
       <div class="col-md-2 imgcol2">
          <img id="head-img"
src="{{url_for('static',filename =
'images/Bookmyshow.png')}}" > <br>
       </div>
       <div class="col-md-2 imgcol2">
          <img id="head-img"
src="{{url_for('static',filename =
'images/Flipkart.png')}}" > <br>
       </div>
     </div>
<!-----SECTION 5------
<div class="tstr1">
  <center>
     <h3>Testimonials</h3><br><br><
  </center>
  <div class="cardtst">
     <span>
     <img src="{{url_for('static',filename =</pre>
'images/business.jpg')}}" style="border-radius: 100%;
height:50px; width: 50px;">
     <h6>Laura, Hexaware Technologies</h6>
     </span><br><br>
     <blook<br/>quote>Jobby uplift my life to the next level,
It keeps me alert on<br/>
            every job updates based upon my
skillset.And also it recommends<br>
            the skillset based upon my interest
```

```
area.</blockquote>
  </div>
</div>
<!---->
{% endblock %}
Login.html
<!DOCTYPE html>
<html>
<head>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-</pre>
width, initial-scale=1">
  <link rel="stylesheet" href="../static/style/login.css">
 k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.
5.0/css/bootstrap.min.css" integrity="sha384-
9alt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8
WgZl5MYYxFfc+NcPb1dKGj7Sk"
crossorigin="anonymous">
 <link rel="shortcut icon" href="../static/images/j.png"</pre>
type="image/x-icon">
  <title>Jobby - Login</title>
 <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.7.1
/jquery.min.js"></script>
```

<script src="https://www.google.com/jsapi"></script>

```
<title></title>
</head>
<body>
 <div class="row log2r1">
  <div class=" col-md-6 log2set1">
   <div id="semicir"></div>
   <div id="semicir2"></div>
   <img src="{{url_for('static',filename =</pre>
'images/loinpg.png')}}">
  </div>
  <div class="col-md-6 locol1">
   <form>
     <select id="login-select" required style="padding-</pre>
bottom: 20px; text-decoration: underline;">
      <option value="none" selected="selected">
       Login As Choose
      </option>
      <option value="Job Seeker" id="jobseeker" >
       Job Seeker
      </option>
      <option value="Organization">
       Organization
      </option>
     </select><br>
     <label>Username/label><bre>
     <input type="email" name="email" id="email"
required><br><br>
     <label>Password/label><bre>
```

```
<input type="password" name="password"</pre>
id="password" required><br><br>
     <input type="submit" name="submit"</pre>
value="submit" id="login-btn">
  </form>
  <br>
  Forget Password?<i><a href="#" style="text-</a>
decoration: none;"> Click Here</a></i><hr>
  <hr>
  <h5>Don't have account already?&nbsp;&nbsp;<a
class="trigger_popup_fricc" style="text-decoration:
none;"><i>Sign Up</i></a> </h5>
 <div class="hover_bkgr_fricc">
 <span class="helper"></span>
 <div>
  <div class="popupCloseButton">&times;</div>
  Register As
  <div class="row signsec1">
     <div class="col-md-4 card">
       <img src="{{url_for('static',filename =</pre>
'images/seeker.svg')}}"><br><br>
       <button class="button" id="buttonpop"><a</pre>
href="register" >Job Seeker</a></button>
     </div>
     <div class="col-md-4 card">
       <img src="{{url_for('static',filename =</pre>
'images/organi.svg')}}"><br><br>
       <button class="button" id="buttonpop"><a</pre>
href="orgregister">Organization</a></button>
```

```
</div>
  </div>
 </div>
 </div>
 </div>
 </div>
</body>
</html>
<script>
 $(window).load(function () {
  $('.trigger_popup_fricc').click(function(){
    $('.hover_bkgr_fricc').show();
  });
  $('.hover_bkgr_fricc').click(function(){
     $('.hover_bkgr_fricc').hide();
  });
  $('.popupCloseButton').click(function(){
     $('.hover_bkgr_fricc').hide();
```

**})**;

</script>

**})**;

## User\_dashboard.html

- <!DOCTYPE html> <html>
- <body>
- <center>It will be developed on later sprints/center>
- </body>
- </html>

# **Output:**



