Assignment-3
Cloud object storage and Watson assistant

Assignment Date	21 October 2022
Student Name	M. Murugeshwari
Student Roll Number	951319104035
Maximum Marks	2 Marks

Question-1:

Create a Bucket in IBM object storage

Solution:

Question-2:

Uploadan5 imagestoibmobjectstorageandmakeitpublic. Writehtmlcodetodisplayingallthe5images.

Solution:

Htmlcode:
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="https://cloud-object-storage-er-cos-standard-1xw.s3.jp-tok.cloud-object-storage.appdomain.cloud/new.css">
</head>
<script>
 window.watsonAssistantChatOptions = {
   integrationID: "0b305951-d464-4f72-9cc7-938932287427", // The ID of this integration.
   region: "jp-tok", // The region your integration is hosted in.
   serviceInstanceID: "026d6123-5a9b-4cae-ae40-f4eb30045bcf", // The ID of your service instance.

```
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
<body>

<h1>This images are from the cloud object storage</h1>


<div class="grid-container">
  <div class="item1"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-storage.appdomain.cloud/place-
1.jpeg"Girl in a jacket"></div>
  <div class="item2"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-storage.appdomain.cloud/place-
2.jpeg" alt="Girl in a jacket"></div>
  <div class="item3"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-storage.appdomain.cloud/place-
2.jpeg" alt="Girl in a jacket"></div>
  <div class="item4"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-storage.appdomain.cloud/place-
4.jpeg"Girl in a jacket"></div>
  <div class="item5"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-storage.appdomain.cloud/place-
5.jpeg"Girl in a jacket"></div>
  </div>
  </body>
</html>
```

Output:

Question-3:

Upload a css page to the object storage and use the same page in your html code.

Solution:

New.css uploaded to the object storage and used the same page in html code

CSS page used in html page

Question-4:

Design a Chabot using IBM Watson assistant for hospital. Ex: User come the query to know the braches for that hospital in your city.

Solution:

URL for: https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-5f457ae4-1b54-497e-a7a2-1f10b9f96751%3A%3A06a43bcf-0dc8-4c03-87b8-0b1a538f27fb&integrationID=22591a0d-8e48-413a-b8a1-043b7e10822d& region=au-syd&serviceInstanceID=5f457ae4-1b54-497e-a7a2-1f10b9f96751

Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in html page

Solution:

```
<!DOCTYPE html>

<html>

<head>

<link rel="stylesheet" href="https://cloud-object-storage-er-cos-standard-1xw.s3.jp-tok.cloud-object-storage.appdomain.cloud/new.css">

</head>

<script>

 window.watsonAssistantChatOptions = {

   integrationID: "0b305951-d464-4f72-9cc7-938932287427", // The ID of this integration.

   region: "jp-tok", // The region your integration is hosted in.

   serviceInstanceID: "026d6123-5a9b-4cae-ae40-f4eb30045bcf", // The ID of your service instance.

   onLoad: function(instance) { instance.render(); }

};
```

```
    setTimeout(function(){

      const t=document.createElement('script');

      t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +

(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";

      document.head.appendChild(t);

    });

</script>

<body>


<h1>This images are from the cloud object storage</h1>




<div class="grid-container">

  <div class="item1"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-
storage.appdomain.cloud/place-1.jpeg"Girl in a jacket"></div>

  <div class="item2"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-
storage.appdomain.cloud/place-2.jpeg" alt="Girl in a jacket"></div>

  <div class="item3"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-
storage.appdomain.cloud/place-2.jpeg" alt="Girl in a jacket"></div>

  <div class="item4"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-
storage.appdomain.cloud/place-4.jpeg"Girl in a jacket"></div>

  <div class="item5"><img src="https://murugeshwari-35.s3.jp-tok.cloud-object-
storage.appdomain.cloud/place-5.jpeg"Girl in a jacket"></div>

  </div>

   </body>

</html>
```

Output:

This images are from the cloud object storage

URL for chatbot : https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-5f457ae4-1b54-497e-a7a2-1f10b9f96751%3A%3A06a43bcf-0dc8-4c03-87b8-0b1a538f27fb&integrationID=22591a0d-8e48-413a-b8a1-043b7e10822d& region=au-syd&serviceInstanceID=5f457ae4-1b54-497e-a7a2-1f10b9f96751v

URL for web page: https://api.au-syd.assistant.watson.cloud.ibm.com/instances/5f457ae4 1b54497e-a7a2-1f10b9f96751