

## Reading The Dataset

```
In [94]: import os, types
import pandas as pd
from boto3.client import Config
import boto3

def __iter__(self): return 0

# @hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your credentials.
# You might want to remove those credentials before you share the notebook.
client_ebb884ca98d444a5ae59a6874ea685aa = boto3.client(service_name='s3',
    iam_api_key_id='wpDaZ8I2ShBUjECeVfV6QjgJGUYRQnv4kV3IwmlavMNN',
    iam_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
    config=Config(signature_version='oauth'),
    endpoint_url='https://s3.private.us.cloud-object-storage.appdomain.cloud')

body = client_ebb884ca98d444a5ae59a6874ea685aa.get_object(Bucket='fooddemandforecatsing-donotdelete-pr-cdss9tfwyg4lgb',Key='train')
# add missing __iter__ method, so pandas accepts body as file-like object
if not hasattr(body, "__iter__"): body.__iter__ = types.MethodType( __iter__, body )

train = pd.read_csv(body)
```

```
In [95]: body = client_ebb884ca98d444a5ae59a6874ea685aa.get_object(Bucket='fooddemandforecatsing-donotdelete-pr-cdss9tfwyg4lgb',Key='test')
```

```

In [94]: import os, types
import pandas as pd
from botocore.client import Config
import ibm_boto3

def __iter__(self): return 0

# @hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your credentials.
# You might want to remove those credentials before you share the notebook.
client_ebb884ca98d444a5ae59a6874ea685aa = ibm_boto3.client(service_name='s3',
    ibm_api_key_id='wpDaZ8125hBUjECeVfV6QjgJGUyRQW4kV3iWmlavMNN',
    ibm_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
    config=Config(signature_version='oauth'),
    endpoint_url='https://s3.private.us.cloud-object-storage.appdomain.cloud')

body = client_ebb884ca98d444a5ae59a6874ea685aa.get_object(Bucket='fooddemandforecatsing-donotdelete-pr-cdss9tfwyg4lgb',Key='train')
# add missing __iter__ method, so pandas accepts body as file-like object
if not hasattr(body, "__iter__"): body.__iter__ = types.MethodType( __iter__, body )

train = pd.read_csv(body)

```

```

In [95]: body = client_ebb884ca98d444a5ae59a6874ea685aa.get_object(Bucket='fooddemandforecatsing-donotdelete-pr-cdss9tfwyg4lgb',Key='test')
# add missing __iter__ method, so pandas accepts body as file-like object
if not hasattr(body, "__iter__"): body.__iter__ = types.MethodType( __iter__, body )

test = pd.read_csv(body)

```