Project Report

1.INTRODUCTION

- 1. Project Overview
- 2. Purpose

2.LITERATURE SURVEY

- 1. Existing problem
- 2. References
- 3. Problem Statement Definition

3.IDEATION & PROPOSED SOLUTION

- 1. Empathy Map Canvas
- 2. Ideation & Brainstorming
- 3. Proposed Solution
- 4. Problem Solution fit

4.REQUIREMENT ANALYSIS

- 1. Functional requirement
- 2. Non-Functional requirements

5.PROJECT DESIGN

- 1. Data Flow Diagrams
- 2. Solution & Technical Architecture
- 3. User Stories

6.PROJECT PLANNING & SCHEDULING

- 1. Sprint Planning & Estimation
- 2. Sprint Delivery Schedule

3. Reports from JIRA

7.CODING & SOLUTIONING

- 1. Feature 1
- 2. Feature 2

8.TESTING

- 1. Test Cases
- 2. User Acceptance Testing

9.RESULTS

1.Performance Metrics

10.ADVANTAGES & DISADVANTAGES
11.CONCLUSION
12.FUTURE SCOPE
13.APPENDIX

- 1. Source Code
- 2. GitHub & Project Demo Link

1.INTRODUCTION

The most crucial factor in living a healthy life is eating a balanced, healthy diet. It supports healthy outcomes, aging, normal growth, and the growth of a sense of well-being. Additionally, it lowers the chance of developing cardiac and heart disorders and aids in maintaining a healthy body weight. Age, way of life, culture, gender, and a host of other factors all affect a balanced diet. Therefore, there is a need for nutritionists that can analyze each and every person based on their unique culinary culture and way of life. Artificial intelligence fills a requirement in the current, developing society for identity and nutrition studies. When a huge amount of data is required for structuring and integrating the metabolomics, AI algorithms will help forecast the complicated non-linear relationships in fitness related data sets. Every person needs to be aware of how many calories they are consuming in their fruits because society as a whole is becoming more diet concerned. It encourages better digestion and helps you feel full on less food. One can become more aware of their food choices by making a few minor adjustments to their eating routine. This analyser will give users an assistant that will advise them on what to eat, how much to consume, and all of the fruit's calories and nutrients. Additionally, it aids in lowering birth weight, malnutrition, and other issues.

1.1.PROJECT OVERVIEW

The idea is to ensure that the food has an optimal requirement of vitamins and minerals wherein the examination of nutrition in food helps in understanding about the fat proportion, carbohydrates dilution, proteins, fiber, sugar, etc. And thereafter the appropriate presence of nutritional value assists in fulfilling the compliance regulations matched by the national and international bodies. Food nutritional analysis is a compulsory requirement for food products manufacturing industries as it's a necessary complaint for the products to get launched. Thus have the scanning of the food product's nutritional value and be rest assured.

1.2.PURPOSE

The purpose of nutritional assessment, however, is to define a patient's nutritional status, to define clinically relevant malnutrition and to monitor

changes in nutritional status.

2.LITERATURE SURVEY

2.1EXISTING PROBLEM

A Study of Calorie Estimation in Pictures of Food by Jun Zhou, Dane Bell, Sabrina

Nusrat, Melanie Hingle, Mihai Surdeanu, Stephen Kobourov findings offer fresh knowledge on the method for estimating calories from food photographs, which may be used to improve analysis and software development. As a function of respondent characteristics and food features, their study aims to assess the accuracy of crowdsourced annotations of calorie content in food photographs as well as to identify and quantify sources of bias and noise. They distributed a custom-made webpage that conducts an online test and encouraged adult social media users to offer calorie estimates for 20 food photos (for which actual calorie data were known). The pictures were chosen to show different meal varieties and energy densities. Participants might have disclosed their height, weight, and gender. The identical data was also annotated by five nutrition specialists to serve as a basis for comparison. Using linear mixed effects models with participant and image index as random variables, they investigated estimated accuracy on the basis of competence, demographic information, and meal quality. They also looked at the benefit of combining estimates from different sources. [1] An analysis of calorie estimation accuracy by Hannah Mixon and Matthew E. Davis is obesity monitoring and controlling by understanding the risk factors of every individual. Understanding risk factors is crucial to comprehend the role that individual differences in cognitive abilities play in the nutritional decisionmaking process, from the assessment of calories to the influence of any cognitive biases or miscalculations that may occur. In the current study, researchers looked into how dietary aspects like limited eating and cognitive factors like cognitive reflection and numeracy affect biases and miscalculations about calories. Additionally, it primarily focuses on packaged goods and calculates risk and calories for them. [2] Popular Nutrition-Related Mobile Apps: A Feature Assessment by Rodrigo Zenun Franco, Rosalind Fallaize, Julie A Lovegrove, Faustina Hwang is a model proposed in 2016, is to examine and contrast the approaches and technologies used by the most widely used nutrition apps for dietary assessment and user feedback. 13 apps in total were deemed popular

enough to be included in the analysis. Nine applications included a food diary function for prospectively documentingfood intake. There were barcode scanners and text search capabilities for food selection. Selection of the portion size was only textual (ie, without images or icons). All nine of these apps have the ability to gather data on physical activity (PA) through wearable integrations, self-report, or GPS tracking. Their work mainly concentrated on achieving a healthy energy balance between dietary intake and PA. None of these nine applications provided elements specifically linked to meal plans and coaching for motivation. The remaining four of the 13 apps, however, concentrated on these prospects without including food diaries. Another cutting-edge feature of one app, Fat Secret, allowed users to communicate with medical experts, and S Health offered a nutrient balance score. [3] Artificial Intelligence Applications in Nutrition and Dietetics is a model that provides the advantages and disadvantages. Both dieticians and clients should track dietary assessments of individuals when assessing nutritional status. Artificial intelligence applications are becoming more prevalent in the fields of dietetics and nutrition, according to observations. For instance, the food consumption logs, which are assessed by photographing the meals ingested, are helpful in determining the nutritional status. These smartphone-shot images demonstrate how useful and adaptable the applicationis. The dietician can follow the suggested diet plan using these apps, and the clients can take responsibility for their own diet adaption. In order to lower the danger in this approach, hospitalized patients' usual food consumption must be closely monitored. [4]

2.2REFERENCES

1. A Study of Calorie Estimation in Pictures of Food by Jun Zhou, Dane Bell, Sabrina Nusrat,

Melanie Hingle, Mihai Surdeanu, Stephen Kobourov

- 2. An analysis of calorie estimation accuracy by Hannah Mixon and Matthew E. Davis
- 3. Popular Nutrition-Related Mobile Apps: A Feature Assessment by Rodrigo Zenun

Franco, Rosalind Fallaize, Julie A Lovegrove, Faustina Hwang

4. Artificial Intelligence Applications in Nutrition and Dietetics is a model provides the advantages and disadvantages

2.3PROBLEM STATEMENT

Food is essential for human life and has been the concern of many healthcare

conventions. Nowadays new dietary assessment and nutrition analysis tools enable more opportunities to help people understand their daily eating habits, exploring nutrition patterns and maintaining a healthy diet. Nutritional analysis is the process of determining the nutritional content of food. It is a vital part of analytical chemistry that provides information about the chemical composition, processing, quality control and contamination of food. The main aim of the project is to build a model which is used for classifying the fruit depending on the different characteristics like colour, shape, texture etc. Here the user can capture the images of different fruits and then the image will be sent to the trained model. The model analyzes the image and detects the nutrition based on the fruits like (Sugar, Fiber, Protein, Calories, etc.

To accomplish this, we have to complete all the activities and tasks listed below

- Data Collection.
 - a. Collect the dataset or Create the dataset Data Preprocessing.
- Import the ImageDataGenerator library
- Configure ImageDataGenerator class
- ApplyImageDataGenerator functionality to Train Set and Test Set
 • Model
 Building
 - a. Import the model building Libraries

OInitializing the model

OAdding Input Layer

OAdding Hidden Layer

OAdding Output Layer

OConfigure the Learning Process

OTraining and testing the model

OSave the Model

• Application Building

a. Create an HTML file

OBuild Python Code

3.IDEATION & PROPOSED SOLUTION

3.1EMPATHY MAP CANVAS

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviors and attitudes. It is a useful tool to help teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.

3.2IDEATION & BRAINSTORMING

3.3PROPOSED SOLUTION

S.No.	Parameter	Description
1.	Problem Statement (Problem solved)	A nutrition analyser with AI powered fruit classifier based on the features to provide nutritional values like fiber, vitamins, minerals etc to Fitness Ethusiasts.

2.	Idea / Solution description	Creating web interface application to monitor and track health condition and helping the people to improve their health condition.
3.	Novelty / Uniqueness	Artificial Intelligence offers unparalleled opportunities of progress and applications in nutrition. There remain gaps to address to potentialize this emerging field
4.	Social Impact / Customer Satisfaction	The relationship between an individual's social, psychological, and cultural environment and his or her nutritional status is one of both cause and effect. With use of this application one can keep track of how much nutrients they can balance in their diet.

5.	Business Model	Offering monthly or yearly
	(Revenue Model)	subscription for premium
		features. Monetizing data
		from the application.

6.	Scalability of the Solution	For now the nutrition
		analyser is limited to mostly
		fruits only, which can be
		scaled to other foods,
		Implementing in mobile app.

3.4PROBLEM SOLUTION FIT



4.REQUIREMENT ANALYSIS

4.1FUNCTIONAL REQUIREMENTS

Al-Powered Nutrition Analyzer for Fitness Enthusiasts

Function Requirements


FR. No	Functional Requirement	Sub Requirement
FR-1	User Registration	Registration through Form
FR-2	User Confirmation	Confirmation via Email
FR-3	User Profile	Filling the profile page after logging in
FR-4	Scan the Image	Capture the images of the fruits or food
FR-5	Data Processing	Provide the nutrition contents of the food

Non-Functional Requirement


NFR. No	Non-Functional	Description
	Requirement	

NFR-1	Usability	The system allows the user to perform the tasks easily and efficiently and effectively
NFR-2	Security	Assuring all data inside the system or parts will be protected against malware attacks or unauthorized attacks
NFR-3	Reliability	The website does not recover from failure quickly , it takes time as the application is running in single server
NFR-4	Performance	Response time and Net processing time is fast
NFR-5	Availability	The system will be available up to 95% of the time
NFR-6	Scalability	The website is scalable

5.PROJECT DESGIN



5.2SOLUTION & TECHNICAL ARCHITECTURE



USER	FUNCTIONAL	USER	USER	ACCEPTANCE	PRI
TYPE	REQUIREMENTS	STORY	STORY/	CRITERIA	
		NUMBER	TASK		

Custo	Registration	USN-1	Age, Gender,E-	nby enteringmy Na ndconfirmingmypa		I can ac accoun dashbo		Hig.
		USN-2	As a user, I will receive a confirmation email once Ihave fortheapplication			I can re confirm email 8 confirm	nation & click	Hig
	Profile Updating	USN-3	As a user, I have to enter my height, weight anddaily	activitydetails		I can uj these inform Dashbo	ation on	Hig
	Login	USN-4	As a user, I can login to the application by entering Email and password.	I can access my account/ dashboard.	High	1	Sprint-1	

	Dashboard	USN-5	As a user, I can login to the application by entering Email and password.	I can get the nutritional value of that particular meal.	High	Sprint-2
		USN-6	As a user, I can track my daily calorie intake.	I can access my account/ Dashboard	Medium	Sprint-2
Applic ation	Maintain Application	USN-7	Maintaining details for users.	I can access the database.	High	Sprint-3

6.PROJECT PLANNING

1. SPRINT PLANNING

SPRINT	FUNCTIONAL REQUIREMENT	USER STORY NO	USER STORY/TASK	STORY POINTS	PRIORITY	TEAM MEMBERS
1	Registration	USN-1	As a user, I can register for the application by entering name, email/mobile number and a strong password.	2	High	Harini T, Akhila B


1	Login	USN-2	As a user, I can login to the application by entering email/mobile number and	2	High	Hemalatha M A, Kaneshka Sre R S
2	Upload images	USN-3	password. As a user, I can input the fruit images into the application's document	1	Medium	Harini T, Hemalatha M A
2	Prediction	USN-4	As a user, I can predict the image	1	Low	Akhila B
3	Upload the fruit image dataset	USN-5	As a user, I can input the fruit of my choice that I want to know about	1	Medium	Harini T, Kaneshka Sre R S
			about			
3	Recognise fruit	USN-6	As a user, I can choose the fruit type	1	Low	Hemalatha M A
4	Recognise fruit type	USN-7	As a user, I can recognize the selected fruit in the output and recognize its benefits.	2	High	Harini T, Akhila B

4 Reco	gnise fruit	USN-8	As a user, I can recognize the fruit color in the dataset and differentiate it with others.	2	High	Hemalatha M A, Kaneshka Sre R S
--------	-------------	-------	---	---	------	--

1. SPRINT DELIVERY SCHEDULE


SPRINT	TOTAL STORY POINTS	DURATION	SPRINT START DATE	SPRINT END DATE	STORY POINTS COMPLETED	SPRINT RELEASE DATE
1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
2	20	6 Days	31 Oct 2022	05 Nov 2022	20	2 Nov 2022
3	20	6 Days	07 Nov 2022	12 Nov 2022	20	8 Nov 2022
4	20	6 Days	14 Nov 2022	19 Nov 2022	20	15 Nov 2022

6.3REPORTS FROM JIRA



7.CODING & SOLUTIONING


7.1FEATURE 1



7.2 FEATURE 2

```
Deam
                                                                                                                                                                                                                    9 W
                                                    ■ Home Street ■ Hybridge ■ IndexAtml ×
ø
                                     temporter ) 🖥 Indextruit ) @ frind ) @ feoly ) @ from 2 @ decements ) @ decements (wie ) @ decements (wie ) @ fri
                                            ()thl lang="en")
        > 😘 inviges
        templates

Home Jorg
                                                  dnets http-equive"X-UA-Compatible" content="IE-edge"
                                                  (nuts mame="viewport" content="width-device-width, initial-scale=1.8")
(link rel="stylesheet" href="{{url_for('static',fileneme='css/style.css')}})*)
        3 all train
                                                  (title)IBM_AI(/title)
          👻 прр.ру
          🖪 Datasetzip
                                                       (ing sre="({url_for('static',filename='Fruits_bg.jpg')}}" alt="ing.png">
(div.class="search_box")
                                                             (N2)Upload the Image! (</N2)
                                                             cinput type="file" id="ing" name="ing" onchange="previewing();">
chutton type="submit" name="btn">Submit(/button)
cdiv class="search_info")
                                                                  (ing id="uploadPrevies") \hr>(hr>(hr>(hr>(hr>(hr>(hr))))
(h4) {(Name)} 
                                                       function previowing(){
   var ofReader = now fileReader();
                                                                                                                                                                  1425 CHRI SONIEL HTTE DEF HINE WHERE P Q
```



Data Collection

Drive Link : https://drive.google.com/drive/folders/1Fs-MwaF5qmHZi6 xn_IHNMLiuBYuWVn0

Download the dataset using the above given link

Unzipping the dataset

!unzip '/content/Dataset.zip'

inflating:

Dataset/TRAIN_SET/PINEAPPLE

/33_100.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/34_100$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

/35_100.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

/36_100.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/37_100$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

/38_100.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/39_100$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/40_{-}100_{-}$ jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/41_100$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/42_100$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

/43_100.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/44_100$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/45_100$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/46_100$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

 $/47_{100}$.jpg inflating:

Dataset/TRAIN_SET/PINEAPPLE

/48_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE
/49_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE
/4_100.jpg

Image ProProcessing

Importing the ImageDataGenerator Library import numpy as np import tensorflow as tf from tensorflow.keras.models import Sequential from tensorflow.keras import layers from tensorflow.keras.layers import Dense,Flatten from tensorflow.keras.layers import Conv2D,MaxPooling2D,Dropout from keras.preprocessing.image import ImageDataGenerator

Config ImageDataGenerator Class train_datagen = ImageDataGenerator(rescale = 1./255,shear_range=0.2, zoom_range=0.2, horizontal_flip= True)

test_datagen = ImageDataGenerator(rescale = 1./255)

Applying Image DataGenerator Functionality To
Trainset And Testset #Applying Image DataGenerator
Functionality To Trainset And Testset x_train =
train_datagen.flow_from_directory(r'/content/drive/MyDri
ve/DataSet-

IBM/TRAIN_SET', target_size=(64,
64),batch_size=5,color_mode='rgb',class_mode='sparse')

#Applying Image DataGenerator Functionality To Testset

x_test = test_datagen.flow_from_directory(
r'/content/drive/MyDrive/DataSet-IBM/TEST_SET', target_size=(64, 64),batch_size=5,color_mode='rgb',class_mode='sparse')

Found 4128 images belonging to 5 classes. Found 929 images belonging to 5 classes.

Image PreProcessing

Model Creation

Importing libraries import numpy as np import tensorflow as tf from tensorflow.keras.models import Sequential from tensorflow.keras import layers from tensorflow.keras.layers import Dense,Flatten from tensorflow.keras.layers import Conv2D,MaxPooling2D,Dropout from keras.preprocessing.image import ImageDataGenerator

Initializing the Model

model = Sequential()

Adding CNN Layers

```
classifier = Sequential()
```

```
# First convolution layer and pooling classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 3), activation='relu')) classifier.add(MaxPooling2D(pool_size=(2, 2))) # Second convolution layer and pooling classifier.add(Conv2D(32, (3, 3), activation='relu'))
```


input_shape is going to be the pooled feature maps from the previous convolution layer classifier.add(MaxPooling2D(pool_size=(2, 2)))

Flattening the layers
classifier.add(Flatten())

Adding Dense Layers

classifier.add(Dense(units=128,
activation='relu'))
classifier.add(Dense(units=5,
activation='softmax'))

classifier.summary()




Configure the Learning Process

Compiling the CNN

categorical_crossentropy for more than 2
classifier.compile(optimizer='adam',
loss='sparse_categorical_crossentropy',
metrics=['accuracy'])

Train The Model

classifier.fit_generator(generator=x_train,steps_per_epoch =
len(x_train),epochs=20,
validation_data=x_test,validation_steps = len(x_test))



Save the Model

classifier.save('ainutrition.h5')

8.TESTING

8.1 TEST CASES & USER ACCEPTANCE TESTING

Test the Model

#Predict the results from tensorflow.keras.models import load_model from keras.preprocessing import image from keras_preprocessing.image import load_img model = load_model("ainutrition.h5")

 $from\ tensorflow.keras.utils\ import\ img_to_array$

#loading of the image

index=['APPLES', 'BANANA',
'ORANGE','PINEAPPLE','WATERMELON']
result=str(index[classes x[0]]) result

□⇒ 'ORANGE'

array([2])

print("One serving, or one medium apple, provides about 95 calories, 0 gram fat, 1 gram

protein, 25 grams carbohydrate, 19 grams sugar (naturally occurring), and 3 grams fiber.") elif result == 'BANANA':

print ("One serving, or one medium ripe banana, provides about 110 calories, 0 gram fat, 1

gram protein, 28 grams carbohydrate, 15 grams sugar (naturally occurring), 3 grams fiber, and 450 mg potassium.") elif result ==

'ORANGE':

print("60 calories, No fat or sodium, 3 grams of fiber, 12 grams of sugar, 1 gram of protein, 14 micrograms of vitamin A, 70 milligrams of vitamin C, 6% of your daily recommended amount of calcium.") elif result == 'PINEAPPLE':

print("Calories: 83, Fat: 1.7 grams, Protein: 1 gram, Carbs: 21.6 grams, Fiber: 2.3 grams, Vitamin C: 88% of the Daily Value (DV), Manganese: 109% of the DV, Vitamin B6: 11% of the DV.") elif result == 'WATERMELON':


print("Calories: 46, Carbs: 11.5 grams, Fiber: 0.6 grams, Sugar: 9.4

grams, Protein: 0.9


grams, Fat: 0.2 grams, Vitamin A: 5% of the Daily Value (DV), Vitamin C: 14% of the DV.")

cnowns securities, no fat or sodium, 3 grams of Fiber, 12 grams of sugar, 1 gram of protein, 14 micrograms of vitamin A, 70 milligrams of vitamin C, 6% of your daily recommended amount

Model Building



Webpage





Fruit: ORANGE

Natritina: 66 calories, No das or softans, 3 grams of ther, 12 grams of sugar, 1 grams of greats, 14 micrograms of citamin A, 50 indigeness of citamin C, 4% of your diality recommended assessed assessed of calories.

9.RESULTS

9.1 PERFORMANCE METRICS

```
loss: 0.2104 - accuracy: 0.9213 - val_loss: 0.3689 - val_accuracy: 0.8751
loss: 0.2100 - accuracy: 0.9191 - val_loss: 0.3579 - val_accuracy: 0.8827
loss: 0.1906 - accuracy: 0.9319 - val_loss: 0.4280 - val_accuracy: 0.8611
loss: 0.1827 - accuracy: 0.9329 - val_loss: 0.3347 - val_accuracy: 0.9031
loss: 0.1636 - accuracy: 0.9394 - val_loss: 0.4189 - val_accuracy: 0.8579
loss: 0.1609 - accuracy: 0.9397 - val_loss: 0.3509 - val_accuracy: 0.8967
loss: 0.1363 - accuracy: 0.9479 - val_loss: 0.3901 - val_accuracy: 0.8924
loss: 0.1339 - accuracy: 0.9537 - val_loss: 0.4557 - val_accuracy: 0.8730
loss: 0.1179 - accuracy: 0.9566 - val_loss: 0.3902 - val_accuracy: 0.9042
```

10.ADVANTAGES & DISADVANTAGES

Advantages:

- Easily detect and Estimate the food nutrition
- Most Accurate
- Flexible Model which can give maximized outcome
- No Specific Requirements needed to implement the model

Disadvantages:

- Training model is a time consuming process.
- Change in uploading image size or format will throw error

11.CONCLUSION

Thus we have constructed a model that can identify the fruit variety and it can analyze its nutrition by advanced AI techniques and CNN Algorithm, then the Prediction model is checked. Then the entire model is deployed to the IBM Cloud account that we have created with the studies we have done.

12.FUTURE SCOPE

- It can be developed as a Web or Android Application.
- In future Alternate Advanced technologies can be Implemented.

• The Identification and tracking system can be implemented if possible

13.APPENDIX

Source Code:

 $\textbf{Github}: \underline{https://github.com/IBM-EPBL/IBM-Project-2}$