

Assignment -4

Docker and Kubernetes


| | |
|---------------------|-----------------|
| Assignment Date | 29 October 2022 |
| Student Name | Raghuram T |
| Student Roll Number | 412519106113 |
| Maximum Marks | 2 Marks |

1. Pull an image from docker hub and run it in docker Playground


The screenshot displays the Docker Hub page for the `uifd/ui-for-docker` repository. The page indicates that the repository is deprecated and suggests using Portainer instead. A Docker Pull Command box shows the command `docker pull uifd/ui-for-docker`.

Below the Docker Hub page, the Docker Playground interface is shown. It displays a terminal window with the following commands and output:

```
# This is a sandbox environment. Using personal credentials
# is HIGHLY discouraged. Any consequences of doing so are
# completely the user's responsibilities.
#
# The FWD team.
#####
(node1) (local) root@192.168.0.13 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
(node1) (local) root@192.168.0.13 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
c590dd163101ae795bdcea0eb1ddd98f6fe549cb5f24dab9ff7c1931923fc0d
(node1) (local) root@192.168.0.13 ~
```



2. Create a docker file for the job portal application and deploy it in Docker desktop application



3. Create a IBM container registry and deploy helloworld app