

```

#Import libraries

import pandas as pd
import numpy as np
import nltk
import re
nltk.download('stopwords')
from nltk.corpus import stopwords
from nltk.stem.porter import PorterStemmer

[nltk_data] Downloading package stopwords to /root/nltk_data...
[nltk_data]   Unzipping corpora/stopwords.zip.

#Load dataset

a = pd.read_csv('/content/spam.csv',encoding='ISO-8859-1')
a.head()

      v1                                                    v2 Unnamed: 2
\
0  ham  Go until jurong point, crazy.. Available only ...      NaN
1  ham                                Ok lar... Joking wif u oni...      NaN
2  spam  Free entry in 2 a wkly comp to win FA Cup fina...      NaN
3  ham  U dun say so early hor... U c already then say...      NaN
4  ham  Nah I don't think he goes to usf, he lives aro...      NaN

      Unnamed: 3 Unnamed: 4
0      NaN      NaN
1      NaN      NaN
2      NaN      NaN
3      NaN      NaN
4      NaN      NaN

a=a[['v1','v2']]
a.head()

      v1                                                    v2
0  ham  Go until jurong point, crazy.. Available only ...
1  ham                                Ok lar... Joking wif u oni...
2  spam  Free entry in 2 a wkly comp to win FA Cup fina...
3  ham  U dun say so early hor... U c already then say...
4  ham  Nah I don't think he goes to usf, he lives aro...

a.shape

```

```
(5572, 2)
```

```
#Text processing (NLP)
```

```
ps=PorterStemmer()
```

```
message=[]
```

```
for i in range(0,5572):
```

```
    msg=a['v2'][i]
```

```
    msg=re.sub('[^a-zA-Z]', ' ',msg)
```

```
    msg=msg.lower()
```

```
    msg=msg.split(' ')
```

```
    msg = [ps.stem(word) for word in msg if word not in
```

```
set(stopwords.words('english'))]
```

```
    msg=' '.join(msg)
```

```
    message.append(msg)
```

```
message[:6]
```

```
['go jurong point   crazi   avail bugi n great world la e buffet
```

```
cine got amor wat   ',
```

```
'ok lar   joke wif u oni   ',
```

```
'free entri   wkli comp win fa cup final tkt   st may   text fa  
receiv entri question std txt rate c appli   ',
```

```
'u dun say earli hor   u c already say   ',
```

```
'nah think goe usf   live around though',
```

```
'freemsg hey darl   week word back   like fun still   tb ok   xxx std  
chg send   rcv']
```

```
from sklearn.feature_extraction.text import CountVectorizer
```

```
cv = CountVectorizer()
```

```
x = cv.fit_transform(message).toarray()
```

```
x
```

```
array([[0, 0, 0, ..., 0, 0, 0],  
       [0, 0, 0, ..., 0, 0, 0],  
       [0, 0, 0, ..., 0, 0, 0],  
       ...,  
       [0, 0, 0, ..., 0, 0, 0],  
       [0, 0, 0, ..., 0, 0, 0],  
       [0, 0, 0, ..., 0, 0, 0]])
```

```
#LABEL ENCODING
```

```
from sklearn.preprocessing import LabelEncoder
```

```
le = LabelEncoder()
```

```
a['v1']=le.fit_transform(a['v1'])
```

```
y = a['v1'].values
```

```
y
```

```
array([0, 0, 1, ..., 0, 0, 0])
```

```
#Model building
```

```

from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense
model = Sequential()
model.add(Dense(1500,activation='relu'))
model.add(Dense(3000,activation='relu'))
model.add(Dense(1,activation='sigmoid'))
model.compile(optimizer='adam',loss='binary_crossentropy',metrics=['accuracy'])
model.fit(x,y,epochs=10)

```

```

Epoch 1/10
175/175 [=====] - 20s 108ms/step - loss:
0.1166 - accuracy: 0.9627
Epoch 2/10
175/175 [=====] - 18s 102ms/step - loss:
0.0082 - accuracy: 0.9973
Epoch 3/10
175/175 [=====] - 18s 101ms/step - loss:
0.0017 - accuracy: 0.9996
Epoch 4/10
175/175 [=====] - 19s 108ms/step - loss:
3.2305e-04 - accuracy: 1.0000
Epoch 5/10
175/175 [=====] - 19s 109ms/step - loss:
9.4276e-05 - accuracy: 1.0000
Epoch 6/10
175/175 [=====] - 18s 102ms/step - loss:
5.1171e-05 - accuracy: 1.0000
Epoch 7/10
175/175 [=====] - 19s 108ms/step - loss:
3.2042e-05 - accuracy: 1.0000
Epoch 8/10
175/175 [=====] - 18s 102ms/step - loss:
2.1643e-05 - accuracy: 1.0000
Epoch 9/10
175/175 [=====] - 18s 102ms/step - loss:
1.5546e-05 - accuracy: 1.0000
Epoch 10/10
175/175 [=====] - 19s 108ms/step - loss:
1.1369e-05 - accuracy: 1.0000

```

<keras.callbacks.History at 0x7fe636fefd90>

#Save the model

```
model.save('spam_NLP.h5')
```

#Testing model

msg='URGENT! You have won a 1 week FREE membership in our £100,000 Prize Jackpot! Txt the word: CLAIM to No: 81010 T&C www.dbuk.net

```

LCCLTD POBOX 4403LDNW1A7RW18'
print('THE ORIGINAL MESSAGE IS: ',msg)
msg=re.sub('[^a-zA-Z]',' ',msg)
msg=msg.lower()
msg=msg.split(' ')
msg = [ps.stem(word) for word in msg if word not in
set(stopwords.words('english'))]
msg=' '.join(msg)
print('THE STEMMED MESSAGE IS: ',msg)

predict = model.predict(cv.transform([msg]))
if predict > 0.5:
    pred='SPAM'
else: pred='NOT SPAM'
print('THE MESSAGE IS PREDICTED AS: ',pred)

THE ORIGINAL MESSAGE IS:    URGENT! You have won a 1 week FREE
membership in our £100,000 Prize Jackpot! Txt the word: CLAIM to No:
81010 T&C www.dbuk.net LCCLTD POBOX 4403LDNW1A7RW18
THE STEMMED MESSAGE IS:    urgent    week free membership
prize jackpot  txt word  claim          c www dbuk net lccltd pobox
ldnw rw
1/1 [=====] - 0s 165ms/step
THE MESSAGE IS PREDICTED AS:    SPAM

msg='My sister in law, hope you are having a great month. Just saying
hey. Abiola'
print('THE ORIGINAL MESSAGE IS: ',msg)
msg=re.sub('[^a-zA-Z]',' ',msg)
msg=msg.lower()
msg=msg.split(' ')
msg = [ps.stem(word) for word in msg if word not in
set(stopwords.words('english'))]
msg=' '.join(msg)
print('THE STEMMED MESSAGE IS: ',msg)

predict = model.predict(cv.transform([msg]))
if predict > 0.5:
    pred='spam'
else: pred='NOT SPAM'
print('THE MESSAGE IS PREDICTED AS: ',pred)

THE ORIGINAL MESSAGE IS:    My sister in law, hope you are having a
great month. Just saying hey. Abiola
THE STEMMED MESSAGE IS:    sister law  hope great month  say hey
abiola
1/1 [=====] - 0s 9ms/step
THE MESSAGE IS PREDICTED AS:    NOT SPAM

```