## **SOURCE CODE**

Date	17 NOV 2022
Team ID	PNT2022TMID26547
Project Name	Project -Smart farmer-IOT enabled smart
	Farming Application

```
Python Code:
#IBM Watson IOT Platform
#pip install wiotp-sdk
import wiotp.sdk.device
import time
import random
import requests, json
ms=0
# Enter your API key here
api_key = "a0db30a689a774b93ffcb58ef2eddfda"
# base url variable to store url
base_url = "http://api.openweathermap.org/data/2.5/weather?"
# Give city name
city_name = 'Chennai, IN'
# complete_url variable to store
# complete url address
complete_url = base_url + "appid=" + api_key + "&q=" + city_name
status='motor off'
myConfig = {
```

```
"identity": {
    "orgId": "17lsro",
    "typeId": "MyDeviceType",
    "deviceId":"12345"
  },
  "auth": {
    "token": "GkatKdiUS?UVHKvnAD"
  }
}
def myCommandCallback(cmd):
  print("Message received from IBM IoT Platform: %s" %
cmd.data['command'])
  m=cmd.data['command']
  if(m=="MOTOR ON"):#if motor is on
    print("MOTOR IS ON")
    global status
    status='motor on'
    myData={'temperature':temp,
'humidity':hum,'soilmoisture':sm percentage,'status':status,'api temperature':
api_temperature,'api_pressure':api_pressure,'api_humidity':api_humidity,'api
_weather_description':api_weather_description}
    client.publishEvent(eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None)
    print("Published data Successfully: %s", myData)
    time.sleep(2)
```

```
elif(m=="MOTOR OFF"):#if motor is off
    print("MOTOR IS OFF")
    status='motor off'
    myData={'temperature':temp,
'humidity':hum,'soilmoisture':sm_percentage,'status':status,'api_temperature':
api temperature, 'api pressure': api pressure, 'api humidity': api humidity, 'api
_weather_description':api_weather_description}
    client.publishEvent(eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None)
    print("Published data Successfully: %s", myData)
    time.sleep(2)
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
while True:
  # get method of requests module
  # return response object
  response = requests.get(complete_url)
  # json method of response object
  # convert json format data into
  # python format data
  x = response.json()
  # Now x contains list of nested dictionaries
```

```
# Check the value of "cod" key is equal to
 # "404", means city is found otherwise,
 # city is not found
 if x["cod"] != "404":
    y = x["main"]
    api_temperature = y["temp"]#getting api temperature data
    api_pressure = y["pressure"]#getting api pressure data
    api_humidity = y["humidity"] #getting api humidity data
    z = x["weather"]
    api_weather_description = z[0]["description"]#getting api weather
condition data
```

temp=random.randint(-20,125)#geneating ranom values for temperature

```
hum=random.randint(0,100)#geneating ranom values for humidity
  soilmoisture=random.randint(0,1023)#analog sensor
  sm percentage=(soilmoisture/1023)*100
  sm_percentage=int(sm_percentage)#geneating ranom values for
soilmoisture
  myData={'temperature':temp,
'humidity':hum,'soilmoisture':sm percentage,'status':status,'api temperature':
api_temperature,'api_pressure':api_pressure,'api_humidity':api_humidity,'api
_weather_description':api_weather_description}
  client.publishEvent(eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None)
  print("Published data Successfully: %s", myData)
  client.commandCallback = myCommandCallback
  time.sleep(2)
time.sleep(2)
client.disconnect()
```