

AI-POWERED NUTRITION ANALYZER FOR FITNESS ENTHUSIASTS

IBM NALAIYATHIRAN (HX8001)

PROJECT REPORT

Submitted

by

TEAM ID	PNT2022TMID26332
ARAVINDKUMAR.K	211719104020
ASWATHKUMAR.GG	211719104023
BALACHANDER.V	211719104024
ABISHEK.MM	211719104004

in partial fulfilment for the award of the degree

of

BACHELOR OF ENGINEERING IN COMPUTER SCIENCE AND ENGINEERING

RAJALAKSHMI INSTITUTE OF TECHNOLOGY

ANNA UNIVERSITY: CHENNAI 600 025

NOVEMBER 2022

CONTENTS

1. INTRODUCTION

1.1 Project Overview

1.2 Purpose

2.LITERATURE SURVEY

2.1 Existing problem

2.2 References

2.3 Problem Statement Definition

3.IDEATION & PROPOSED SOLUTION

3.1 Empathy map canvas

3.2 Ideation and brainstorming

3.3 Proposed solution

3.4 Problem solution Fit

4.REQUIREMENT ANALYSIS

4.1 Functional Requirement

4.2 Non-Functional Requirement

5.PROJECT DESIGN

5.1 Data Flow Diagrams

5.2 Solution & Technical Architecture

5.3 User stories

6.PROJECT PLANNING & SCHEDULING

6.1 Sprint planning & Estimation

6.2 Sprint Delivery Schedule

6.3 Reports from JIRA

7.CODING & SOLUTIONING

7.1 Feature 1

7.2 Feature 2

7.3 Database Schema

8.TESTING

8.1 Test Cases

8.2 User Acceptance Testing

9.RESULTS

9.1 Performance Metrics

10.ADVANTAGES & DISADVANTAGES

10.1 Advantages

10.2 Disadvantages

11.CONCLUSION

12.FUTURE SCOPE

13.APPENDIX

13.1 Source Code

13.2 GitHub & Project Demo Link

14.IBM CLOUD REGISTRATION

14.1 Registration snap

14.2 Software used

1. INTRODUCTION

1.1 Project Overview

Food is essential for human life and has been the concern of many healthcare conventions. Nowadays new dietary assessment and nutrition analysis tools enable more opportunities to help people understand their daily eating habits, exploring nutrition patterns and maintain a healthy diet. Nutritional analysis is the process of determining the nutritional content of food. It is a vital part of analytical chemistry that provides information about the chemical composition, processing, quality control and contamination of food.

1.2 Purpose

The main aim of the project is to building a model which is used for classifying the fruit depends on the different characteristics like colour, shape, texture etc. Here the user can capture the images of different fruits and then the image will be sent the trained model. The model analyses the image and detect the nutrition based on the fruits like (Sugar, Fibre, Protein, Calories, etc.).

2. LITERATURE SURVEY

2.1 Existing problem

Neutrino delivers nutrition-based data services and analytics to its users and wants to turn into a leading source of the nutrition-related platform. The platform employs NLP and mathematical models from the optimization theory as well as predictive analysis to enable individualized data compilation.

2.2 References

The application relies on Artificial Intelligence to produce custom data related to smart calorie counter powered by AI. Their artificial intelligence learns an individual's tastes, preferences, and body type. All of this is packaged in a comprehensive nutrition and activity tracker.

2.3 Problem Statement Definition


The main aim of the project is to building a model which is used for classifying the fruit depends on the different characteristics like colour, shape, texture etc. Here the user can capture the images of different fruits and then the image will be sent the trained model. The model analyses the image and detect the nutrition based on the fruits like (Sugar, Fibre, Protein, Calories, etc.)

3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas



3.2 Ideation & Brainstorming



3.3 Proposed Solution

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	An enthusiast must use an AI based analyzing software to identify the nutritional content, color, texture, form and other characteristics of food to be taken
2.	Idea / Solution description	The main aim of the project is to provide proper and clear identification (fitness level), nutritional content (proportion of vitamins, minerals, iron and fibre etc...) of the given input data (food)
3.	Novelty / Uniqueness	The AI based model using DL algorithm detects object in an image or text and provides an enthusiastic individual fitness/food plan based on nutritional requirements

4.	Social Impact / Customer Satisfaction	<ul style="list-style-type: none"> ➤ Feature of providing a calorie measurement makes an individual to recreate or follow the schedule of fitness and diet. ➤ Makes the customer to track their improvement activity
5.	Business Model (Revenue Model)	<ul style="list-style-type: none"> ➤ It is a free platform for the users to make use of the application to know about the calorie and fitness level. ➤ Payment is required for special features and guidance.
6.	Scalability of the Solution	<ul style="list-style-type: none"> ➤ It is an user friendly application. ➤ It provides guidelines on meal planning. ➤ Establishment of healthy lifestyle.

3.4 Problem Solution fit

Project Title: AI-powered Nutrition Analyzer for Fitness Enthusiasts

Project Design Phase-I – Solution Fit Template

Team ID: PNT2022TMID26332

Define CS, fit into CC	1. CUSTOMER SEGMENT(S) CS Who is your customer? i.e. working parents of 0 to 5 y.o. kids	6. CUSTOMER CONSTRAINTS CC What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network connection, available devices.	5. AVAILABLE SOLUTIONS AS Which solutions are available to the customers when they face the problem or need to get the job done? What have they tried in the past? What pros & cons do these solutions have? i.e. pen and paper is an alternative to digital notetaking To anticipate dietary intake utilising nutrition analysis technologies in order to maintain their stability and health.	Explore AS, differentiate
	1. Gym Trainers 2. Sportsmen 3. Fitness Trackers	1. Network Connection 2.Deviations from the diet 3. Straining of eyes		
Focus on J&P, fit into BE, understand RC	2. JOBS-TO-BE-DONE / PROBLEMS J&P Which jobs-to-be-done (or problems) do you address for your customers? There could be more than one; explore different sides.	9. PROBLEM ROOT CAUSE RC What is the real reason that this problem exists? What is the back story behind the need to do this job? (i.e. customers have to do it because of the change in regulations.	7. BEHAVIOUR BE What does your customer do to address the problem and get the job done? (i.e. directly related: find the right solar panel installer, calculate usage and benefits; indirectly associated: customers spend free time on volunteering work (i.e. Greenpeace)	Focus on J&P, fit into BE, understand RC
	1. Irrelevant details 2. Wrong calculation of nutrition from given details	1. Work pressure 2.They can't control their food habit Angry 3.Tiredness	1. Try to reach another app 2. Consulting doctors	

4. REQUIREMENT ANALYSIS

4.1 Functional requirement

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail Registration through LinkedIN
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	User Login	Give the login ID Give the password that is created during registration
FR-4	Dataset	Uploading the dataset consists of variety of fruit images
FR-5	Image Input	Analysing the image input provided by the user
FR-6	Process	Testing the image by various convolution layers
FR-7	Process	The nutrient content in the particular fruit is displayed


4.2 Non-Functional requirements

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	The ways in which the system will accessible to users with particular or non standard accessibility requirements
NFR-2	Security	Extend to which data needs to be protected and kept confidential.


NFR-3	Capacity	Ability to continue to function well as it changes in according to input that we give.
NFR-4	Performance	Fast response is achieved
NFR-5	Availability	The minimum proportion of time given in online service hours that the service should be available.
NFR-6	Scalability	Ability of the application to handle an increase in workload without performance degradation, or its ability to quickly enlarge.

5. PROJECT DESIGN

5.1 Data Flow Diagrams



5.2 Solution & Technical Architecture



5.3 User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can do registration by my mobile and get confirmation email	I can access my account / dashboard	High	Sprint-1
Customer (Web user)	Registration	USN-2	As a user, I can register for the application by entering my email, password, and confirming my password	I can access my account / dashboard	High	Sprint-1
		USN-3	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-4	As a user, I can register for the application through other social media	I can register & access the dashboard with Login	Low	Sprint-2
	Login	USN-5	As a user, I can log into the application by entering email & password	I can successfully logged in to the home page	High	Sprint-1
	Dashboard	USN-6	As a user, I can select the list of options provided in the dashboard	I can access the options according to my need	Medium	Sprint-1
	Search	USN-7	As a user, I can search for different variety of fruits	I can get the nutrition content of different fruits	High	Sprint-2
	View	USN-8	As a user, I can view the list of fruits	I will get the information such as calories, vitamins etc	High	Sprint-2

	Notifications	USN-9	As a user, I will receive notification about variety and textures of different fruits	I will get the frequent updates of different fruits	Low	Sprint-2
--	---------------	-------	---	---	-----	----------

Customer Care Executive	Mediator	USN-10	As a customer care executive ,they could take care of customer feedbacks and solve user requirements	Users can get help and support from customer care executives	Medium	Sprint-2
Administrator	Database	USN-11	As a admin,I will store the user database confidentially	I can store and access data if it is needed in future	High	Sprint-1
	Data Information	USN-12	As a admin, I will include the dataset for performing various processes	I can store dataset and analyse it	High	Sprint-2
	Processing	USN-13	As a admin, I will use various convolution layers for image analysis	I can process using various convolution layers	High	Sprint-2
	Nutrition Analyzer	USN-14	As a admin, I will predict the fruit that has send as input	I can get the nutrition content of particular food after processing and display it	High	Sprint-2

6.PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation


Product Backlog, Sprint Schedule, and Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Data Collection	USN-1	Dataset - Collecting images of food items apples , banana, orange, pineapple, watermelon for analysis	5	High	Aravindkumar. K
Sprint-1	Image Preprocessing	USN-2	Image data augmentation - Increasing the amount of data by generating new data points from existing data	4	Medium	Aravindkumar.K
Sprint-1		USN-3	Image Data Generator Class - Used for getting the input of the original data	4	Medium	Balachander. V
Sprint-1		USN-4	Applying image data generator functionality to train set and test set	4	Medium	Abishek.M.M
Sprint-2	Modeling Phase	USN-5	Defining the model architecture - Building the model using deep learning approach and adding CNN layers	4	High	Abishek.M.M
Sprint-2		USN -6	Training , saving, testing and predicting the model	5	High	Balachander. V
Sprint-2		USN- 7	Database creation for the input classes	4	High	Aswathkumar.G.G
Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint- 2	Development phase	USN- 8	User database creation - It contains the details of users	3	Medium	Aravindkumar.K
Sprint-2		USN- 9	Home page creation - It shows options of the application	2	Low	Aswathkumar.G. G
Sprint-2		USN- 10	Login and registration page creation - User can register and login through gmail with Id and password	2	Low	Balachander.V
Sprint-3		USN- 11	Dashboard creation – Dashboard contains the information of user profile and features of the application	2	Low	Abishek.M.M
Sprint-3		USN- 12	User Input Page Creation - It is for the user to feed the input images	4	Medium	Aravindkumar.K
Sprint-3		USN- 13	Analysis and prediction page creation - It shows the prediction of given user input	4	Medium	Balachander.V
Sprint-3		USN- 14	Creation of about us , feedback and rating page – It shows application history and feedback page to users	4	Medium	Aswathkumar.G.G
Sprint-3	Application Phase	USN- 15	Building the python code and importing the flask module into the Project	6	High	Abishek.M.M
Sprint-4		USN- 16	Create the Flask application and loading the model	5	High	Aswathkumar.G.G
Sprint-4		USN- 17	API integration - Connecting front end and back end and perform routing and run the application	5	High	Aravindkumar.K
Sprint-4	Deployment Phase	USN-18	Cloud deployment – Deployment of application by using IBM cloud	4	High	Aswathkumar.G.G
Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-4	Testing Phase	USN-19	Functional testing – Checking usability and accessibility	3	Medium	Aravindkumar. K
		USN-20	Non Functional testing – Checking scalability and performance of the application	3	Medium	Aswathkumar.G.G

6.2 Sprint Delivery Schedule

Project Tracker, Velocity & Burn down Chart: (4 Marks)						
Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	30 Oct 2022	15	07 Nov 2022
Sprint-2	20	6 Days	31 Oct 2022	07 Nov 2022	14	11 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	14 Nov 2022		
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022		

6.3 Reports from JIRA



7. CODING & SOLUTIONING

7.1 Feature 1

Data Collection

Download the dataset [here](#)

```
from google.colab import drive
drive.mount('/content/drive')
```

... Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount("/content/drive", force_remount=True).

```
# Unzipping the dataset
!unzip '/content/Dataset.zip'
```

[3]

... unzip: cannot find or open /content/Dataset.zip, /content/Dataset.zip.zip or /content/Dataset.zip.ZIP.

Image Preprocessing

```
#Importing The ImageDataGenerator Library
from keras.preprocessing.image import ImageDataGenerator
```

[4]

Image Data Augmentation

```
#Configure ImageDataGenerator Class
train_datagen = ImageDataGenerator(rescale=1./255, shear_range=0.2, zoom_range=0.2, horizontal_flip=True)
test_datagen=ImageDataGenerator(rescale=1./255)
```

[5]

Applying Image DataGenerator Functionality To Trainset And Testset

```
#Applying Image DataGenerator Functionality To Trainset And Testset
x_train = train_datagen.flow_from_directory(
    r'/content/drive/MyDrive/DATASET1/TRAIN_SET',
    target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')
#Applying Image DataGenerator Functionality To Testset
x_test = test_datagen.flow_from_directory(
    r'/content/drive/MyDrive/DATASET1/TEST_SET',
    target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')
```

[7]

... Found 2646 images belonging to 5 classes.
Found 814 images belonging to 5 classes.

```
#checking the number of classes  
print(x_train.class_indices)
```

[8]

```
... {'APPLES': 0, 'BANANA': 1, 'ORANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}
```

```
#checking the number of classes  
print(x_test.class_indices)
```

[9]

```
... {'APPLES': 0, 'BANANA': 1, 'ORANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}
```

```
from collections import Counter as c  
c(x_train.labels)
```

[10]

```
... Counter({0: 606, 1: 445, 2: 479, 3: 621, 4: 495})
```


7.2 Feature 2

Importing The Model Building Libraries

```
import numpy as np#used for numerical analysis
import tensorflow #open source used for both ML and DL for computation
from tensorflow.keras.models import Sequential #it is a plain stack of layers
from tensorflow.keras import layers #A layer consists of a tensor-in tensor-out computation function
#Dense layer is the regular deeply connected neural network layer
from tensorflow.keras.layers import Dense,Flatten
#Flatten-used for flattening the input or change the dimension
from tensorflow.keras.layers import Conv2D,MaxPooling2D,Dropout #Convolutional layer
#MaxPooling2D-for downsampling the image
from keras.preprocessing.image import ImageDataGenerator
```

[8]

Initializing The Model

```
classifier = Sequential()
```

[9]

Adding CNN Layer

```
classifier = Sequential()

classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 3), activation='relu'))
classifier.add(MaxPooling2D(pool_size=(2, 2)))

classifier.add(Conv2D(32, (3, 3), activation='relu'))

classifier.add(MaxPooling2D(pool_size=(2, 2)))

classifier.add(Flatten())

classifier.add(Dense(units=128, activation='relu'))
classifier.add(Dense(units=5, activation='softmax'))
```

[10]

Add Flatten Layer

```
[11] classifier.add(Flatten())
```

Add Dense Layer

```
[12] classifier.add(Dense(units=128, activation='relu'))
classifier.add(Dense(units=5, activation='softmax'))
```

Configuring the learning process

```
[13] classifier.add(Dense(units=128, activation='relu'))
classifier.add(Dense(units=5, activation='softmax'))
```

```
[14] classifier.summary()
```

```
[15] classifier.compile(optimizer='adam', loss='sparse_categorical_crossentropy', metrics=['accuracy'])
```

Python

Train the model

```
[16] classifier.fit_generator(generator=x_train, steps_per_epoch = len(x_train),
                           epochs=20, validation_data=x_test, validation_steps = len(x_test))
# No of images in test set
```

Python

```
... /usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:2: UserWarning: "Model.fit_generator" is deprecated and will be removed in a future version. Please use "Model.fit", which supports generators.
```

Save the Model

```
[17] classifier.save('nutrition.h5')
```

Python

Prediction

```
[18] from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
```

Python

```
[20] img = image.load_img("/content/drive/MyDrive/DATASET1/TEST_SET/ORANGE/38_100.jpg", target_size= (64,64))
```

Python

```
[21] x=image.img_to_array(img)
```

Python

```
[22] x
```

Python

```

... Output exceeds the size limit. Open the full output data in a text editor
array([[255., 253., 240.],
       [255., 252., 254.],
       [255., 252., 255.],
       ...,
       [255., 255., 255.],
       [255., 255., 255.],
       [255., 255., 255.]],

       [[250., 255., 254.],
       [253., 253., 255.],
       [253., 253., 255.],
       ...,
       [255., 255., 255.],
       [255., 255., 255.],
       [255., 255., 255.]],

       [[247., 255., 255.],
       [251., 254., 255.],
       [253., 252., 255.],
       ...,
       [255., 255., 255.],
       [255., 255., 255.],
       [255., 255., 255.]],

       ...,

...
[255., 255., 255.],

```

```

...
[255., 255., 255.],
[255., 255., 255.],
[255., 255., 255.]]], dtype=float32)

```

```
x.ndim
```

```
[23]
```

```
Python
```

```
... 3
```

```
x=np.expand_dims(x,axis=0)
```

```
[24]
```

```
Python
```

```
x.ndim
```

```
[25]
```

```
Python
```

```
... 4
```

```
pred = classifier.predict(x)
```

```
[26]
```

```
Python
```

```
... 1/1 [=====] - 0s 142ms/step
```

```
pred
```

```
[27]
```

```
Python
```

```
... array([[0.21279842, 0.17572571, 0.17553818, 0.24457753, 0.19136012]],
       dtype=float32)
```

```

labels=['APPLES', 'BANANA', 'ORANGE', 'PINEAPPLE', 'WATERMELON']
labels[np.argmax(pred)]

```


```
[28]
```

```
Python
```

```
... 'PINEAPPLE'
```

8.TESTING

8.1 Test Cases



- Dataset folder contains the training and testing images for training our model.
- We are building a Flask Application that needs HTML pages stored in the templates folder and a python script app.py for server side scripting
- we need the model which is saved and the saved model in this content is a nutrition.h5 ➤ templates folder contains home.html, image.html, imageprediction.html pages.
- Statis folder had the css and js files which are necessary for styling the html page and for executing the actions.
- Uploads folder will have the uploaded images(which are already tested).
- Sample images will have the images which are used to test or upload.
- Training folder contains the trained model file.

8.2 User Acceptance Testing

1.Purpose of Document

This document serves as a quick reference for the Deep Learning Fundus Image Analysis for Early Detection of project's test coverage and open issues as of the project's release for user acceptance testing

2.Defect Analysis

This shows how many bugs were fixed or closed at each severity level and how they were fixed.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	5	4	2	3	14
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	9	2	4	15	30
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won't Fix	0	5	2	1	8
Totals	17	14	13	21	65

3. Test-Case Analysis


This report shows the number of test cases that have passed, failed, and untested.

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	9	0	0	9
Client Application	45	0	0	45
Security	2	0	0	2
Out-source Shipping	3	0	0	3
Exception Reporting	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2


9. RESULTS

9.1 Performance Metrics


STEP 1: CHOOSE FILE




STEP 2: HOME



STEP 3:IMAGE



STEP 4:IMAGE PREDICTION



10.ADVANTAGES & DISADVANTAGES

10.1 ADVANTAGES

- Conducting the nutritional analysis helps to know if any product causes allergens or affects the health of the consumers.
- Conducting Nutritional Analysis allows to know the high levels of micronutrients that reduce the nutritional value of the product.
- Provides overall insights into the products.

10.2 DISADVANTAGES

- It can be difficult to identify which nutrients are positive depending on the type of model used.
- The software application seems to be paid at certain cause.
- People with lack of internet connection face difficulties in using the application.

11.CONCLUSION

By the end of this project, you will:

- know fundamental concepts and techniques of Convolutional Neural Network.
- gain a broad understanding of image data.
- Know how to pre-process/clean the data using different data pre processing techniques.
- know how to build a web application using the Flask framework.

12. FUTURE SCOPE

- AI is revolutionizing the health industry.
- It is majorly used in improving marketing and sales decisions, AI is now also being used to reshape individual habits. In future we do not want to go to gym and do any diets.
- By using this nutrition fitness analyser we can maintain our diet plans without any help from others and we can lead a happy and healthy life with good wealth.

13. APPENDIX

13.1 Source Code

```
from flask import Flask, render_template, request

import os
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import requests

app = Flask(__name__, template_folder="templates")

from tensorflow import keras
model = keras.models.load_model('/content/drive/MyDrive/Colab Notebooks/Dataset-20221108T081455Z-001/Dataset/nutrition.h5')

print("Loaded model from disk")

... Loaded model from disk

@app.route('/')
def home():
    return render_template("homepage.html")

@app.route('/image1', methods=['GET', 'POST'])
def image1():
    return render_template("image.html")

@app.route('/predict', methods=['GET', 'POST'])
def launch():
    if request.method == 'POST':
        f = request.files['file']
        basepath = os.path.dirname(__file__)
        filepath = os.path.join(basepath, "uploads", f.filename)
        f.save(filepath)

        img = image.load_img(filepath, target_size=(64, 64))
        x = image.img_to_array(img)
        x = np.expand_dims(x, axis=0)

        pred = np.argmax(model.predict(x), axis=1)
        print("prediction", pred)
        index = ['APPLES', 'BANANA', 'ORANGE', 'PINEAPPLE', 'WATERMELON']
        result = str(index[pred[0]])
        x = result
        print(x)
        result = nutrition(result)
        print(result)
        return render_template("0.html", showcase=(result), showcase1=(x))

def nutrition(index):
    url = "https://us-south.ml.cloud.ibm.com"
    querystring = {"query": index}
    headers = {
        'X-RapidAPI-Key': 'en1jdp_L3hKoa2E1Qh5KP8mmE7q0n0J50pIjwA1XwVc-',
        'X-RapidAPI-Host': 'us-south.ml.cloud.ibm.com'
    }
    response = requests.request("GET", url, headers=headers, params=querystring)
    print(response.text)
    return response.json()['items']

if __name__ == "__main__":
    app.run(debug=False)
```

13.2 GitHub & Project Demo Link

- GitHub

<https://github.com/IBM-EPBL/IBM-Project-22692-1659856454>


- Project Demo

<https://drive.google.com/file/d/13LKudE8lt9PyWITitZ373-C3xDIJNyWX/view?usp=drivesdk>


14. IBM CLOUD REGISTRATION

14.1 Registration snap


TEAM MEMBER: ABISHEK.MM



TEAM MEMBER: ASWATH KUMAR.GG



14.2 SOFTWARE USED



The image shows a screenshot of an Anaconda Prompt terminal window. The title bar at the top reads "Anaconda Prompt (anaconda3) - python". The terminal content shows the following sequence of commands and output:

```
(base) C:\Users\Dell>python
Python 3.9.12 (main, Apr  4 2022, 05:22:27) [MSC v.1916 64 bit (AMD64)] :: Anaconda, Inc. on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>> ("Hello World");
'Hello World'
>>>
```

In the bottom right corner of the terminal window, there is a watermark that says "Activate Windows" and "Go to Settings to activate Windows."