

Assignment -3

Assignment Date	06 OCTOBER 2022
Student Name	HARISH M
Student Roll Number	211719104040
Maximum Marks	2 Marks

1. Create a Bucket in IBM object storage.

Cloud Object Storage

Storage instances

Alexa

Buckets

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan

Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Search



Create bucket +

Name	Public access ⓘ	Location ⓘ	Storage class	Created
alexaimages	Yes	jp-tok	Smart Tier	2022-10-20 9:21 AM

25°C
Rain to stop

20:38
03-11-2022

2. Upload 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.



Html code:

```
bucket - Notepad
File Edit View

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title> Inventory Management System</title>
<style>
body {
background-color: #MediumSeaGreen;
display: flex;
align-items: center;
justify-content: center;
flex-direction: column;
}
img {
height: 150px;
border-radius: 40px;
margin: 40px;
}
</style>
</head>
<body>
<h1>Welcome Inventory Management System</h1>
<div>






</div>
</body>
</html>
```

Output:



3. Upload a CSS page to the object storage and use the same page in your HTML code.



Html code:

```
style - Notepad
File Edit View

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Inventory Management System </title>
<link rel="stylesheet" href="https://alexaimages.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css">
</head>
<body>
<h1>Welcome To Inventory Management System</h1>
<div>





</div>
</body>
</html>

Ln 22, Col 1
110% Windows (CRLF) UTF-8
25°C Rain off and on 20:56 03-11-2022
```


Output:



4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.

<https://au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2Fc0730717ec23417f814b6cc45740b1bd%3Ac8f677f1-8199-4002-8f72-d193ebbbf75b%3A%3A/assistants/cd533d42-550d-43c2-9152-0f703135f260/actions/actions/custom>

https://au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2Fc0730717ec23417f814b6cc45740b1bd%3Ac8f677f1-8199-4002-8f72-d193ebbbf75b%3A%3A/assistants/cd533d42-550d-43c2-9152-0f703135f260/actions/actions/custom/edit/action_3978



5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Html page:

```

chat - Notepad
File Edit View

<html>
<head>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "e891df4f-e963-451d-89ee-c9b5d2458c10", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "c8f677f1-8199-4002-8f72-d193ebbbf75b", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest')
    + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
</head>
</html>

Ln 18, Col 8
100% Windows (CRLF) UTF-8
25°C Rain off and on 21:06 03-11-2022

```

Output:

