Project Development Phase

SPRINT-1

Date	07 November 2022
Team ID	PNT2022TMID01183
Project Name	Project - IOT Based Safety Gadget for ChildSafety Monitoring & Notification
Marks	5 marks

CONFIRMATION EMAIL:

INDEX:

```
<script>
                     if (window.location.hostname !== "localhost") {
                               if (location.protocol !== "https:") {
                                         location.replace(
                                                   `https:${location.href.substring(
                                                            location.protocol.length
                                                   )}`
                                         )
                               }
                     }
                     async function check() {
  let data = localforage.getItem("userData")
  if (data == null) {
     window.location.href = "/login"
  }
}
check()
            </script>
  </head>
  <body
            style="
                      height: 100%;
                      margin: 0;
                     font-weight: 300;
                     font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto,
                               Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
                               sans-serif;
  >
            <div
                     class="wrapper"
                      style="
                               height: 90%;
                               display: flex;
                               flex-direction: column;
```

```
align-items: center;
                                      justify-content: center;
         text-align: center;
                             <div
                                      class="details"
                                      style="
                                                display: flex;
                                                flex-direction: column;
                                                align-items: center;
                                                gap: 20px;
                                                padding: 1rem;
                                                border-radius: 5px;
                                                box-shadow: 0 0 8px 0px #44444444;
            max-width: 80%;
                                      <h1 class="name" style="margin: 0"></h1>
                                      <div
                                                class="imageContainer"
                                                style="padding: 10px; height: 10rem; width: 10rem"
                                                <img class="image" alt="profile picture" />
                                      </div>
                                       <h2 class="email" style="margin: 0"></h2>
         <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:</p>
400;" href="./dashboard">Go to Dashboard / </a>
                             </div>
                   </div>
                   <script>
                            async function main() {
         let name = document.querySelector(".name")
         let image = document.querySelector(".image")
         let email = document.querySelector(".email")
         let userData = await localforage.getItem("userData")
         if(userData == null) {
            window.location.href = "/login"
```



LOCALFORAGE:

```
/*!
  localForage -- Offline Storage, Improved
  Version 1.10.0
  https://localforage.github.io/localForage
  (c) 2013-2017 Mozilla, Apache License 2.0
*/
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a();
else if("function"==typeof define&&define.amd)define([],a);
else{var b;
    b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function(){
 return function a(b,c,d){
  function e(g,h){if(!c[g]){if(!b[g]){
    var i="function"==typeof require&&require;
    if(!h&&i)return i(g,!0);if(f)return f(g,!0);
```

```
var j=new Error("Cannot find module '"+g+"'");
   throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
                  b[g][0].call(k.exports,function(a){
                   var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
           return c[g].exports}
  for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
  return e}({1:[function(a,b,c){(function(a){"use strict";
                            function c(){k=!0;for(var a,b,c=l.length;c;){
                             for(b=I,I=[],a=-1;++a<c;)b[a]();c=I.length}k=!1}
                            function d(a){1!==I.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                            if(f){var q=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}}
                            else if(a.setImmediate||void 0===a.MessageChannel)e="document"in
a&&"onreadystatechange"in a.document.createElement("script")?function(){var
b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.onreadystatechange=null,b.pa
rentNode.removeChild(b),b=null},a.document.documentElement.appendChild(b)};function(){setTimeout(c.0)};
else{var j=new a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMessage(0)}}var
k.l=[1:b.exports=d]).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{})},{}1,2:[function(a,b,c){"use strict";function d(){}function
e(a){if("function"!=typeof a)throw new TypeError("resolver must be a
function");this.state=s,this.queue=[],this.outcome=void 0,a!==d&&i(this,a)}function
f(a,b,c){this.promise=a,"function"==typeof
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"==typeof
c&&(this.onRejected=c,this.callRejected=this.otherCallRejected)}function g(a,b,c){o(function(){var
d;try{d=b(c)}catch(b){return p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise with
itself")):p.resolve(a,d)})}function h(a){var b=a&&a.then;if(a&&("object"==typeof al|"function"==typeof
a)&&"function"==typeof b)return function(){b.apply(a,arguments)}}function i(a,b){function
c(b)\{f||(f=!0,p.reject(a,b))\} function d(b)\{f||(f=!0,p.resolve(a,b))\} function e()\{b(d,c)\} var
f=!1,g=j(e);"error"===g.status&&c(g.value)}function j(a,b){var
c={};try{c.value=a(b),c.status="success"}catch(a){c.status="error",c.value=a}return c}function k(a){return a
instanceof this?a:p.resolve(new this(d),a))function I(a)(var b=new this(d);return p.reject(b,a))function
m(a){function b(a,b){function
d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,function(a)\{f||(f=!0,p.reject(j,a))\})\}var
c=this;if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=new Array(e),h=0,i=-1,j=new
this(d);++i<e;)b(a[i],i);return j}function n(a){function
b(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))},function(a){f||(f=!0,p.reject(h,a))})}var
c=this:if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=-1,h=new this(d);++g<e;)b(a[g]);return h}var
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=e,e.prototype.catch=function(a){ret urn
this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeof a&&this.state===r||"function"!=typeof
b&&this.state===q)return this;var c=new
this.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,this.outcome)}else this.queue.push(new
f(c,a,b));return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.otherCallFulfilled=function(a){g(
this.promise,this.onFulfilled,a)},f.prototype.callRejected=function(a){p.reject(this.promise,a)},f.prototype.oth
erCallRejected=function(a){g(this.promise.this.onRejected,a)},p.resolve=function(a,b){var
c=i(h,b);if("error"===c.status)return p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(b){"use strict";"function"!=typeof
b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{})},{2:2}],4:[function(a,b,c){"use strict";function d(a,b){if(!(a
instanceof b))throw new TypeError("Cannot call a class as a function")}function
e(){try{if("undefined"!=typeof indexedDB)return indexedDB;if("undefined"!=typeof webkitIndexedDB)return
webkitIndexedDB;if("undefined"!=typeof mozIndexedDB)return mozIndexedDB;if("undefined"!=typeof
OIndexedDB)return OIndexedDB;if("undefined"!=typeof msIndexedDB)return
msIndexedDB}catch(a){return}}function f(){try{if(!ua||!ua.open)return!1;var a="undefined"!=typeof
```

```
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chrome/.test(navigator.userAgent)
&&!/BlackBerry/.test(navigator.platform),b="function"==typeof fetch&&-1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof indexedDB&&"undefined"!=typeof
Blob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var c="undefined"!=typeof
BlobBuilder? BlobBuilder: "undefined"! = type of MSBlobBuilder? MSBlobBuilder: "undefined"! = type of MSBl
MozBlobBuilder:MozBlobBuilder:WebKitBlobBuilder,d=new c,e=0;e<a.length;e+=1)d.append(a[e]);return
d.getBlob(b.type)}}function h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}function
i(a,b,c){"function"==typeof b&&a.then(b),"function"==typeof c&&a.catch(c)}function
j(a){return"string"!=typeof a&&(console.warn(a+" used as a key, but it is not a
string."),a=String(a)),a}function k(){if(arguments.length&&"function"==typeof arguments[arguments.length-
1])return arguments[arguments.length-1]}function I(a){for(var b=a.length,c=new ArrayBuffer(b),d=new
Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return c}function m(a){return new va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabort=function(a){a.preventDefault(),a.st
opPropagation(),b(!1)},c.oncomplete=function(){var
a=navigator.userAgent.match(/ChromeV(\d+)/),c=navigator.userAgent.match(/EdgeV/);b(c||!a||parseInt(a[1],10)
>=43)}}).catch(function(){return!1}))function n(a){return"boolean"==typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function o(a){var b=ya[a.name],c={};c.promise=new
va(function(a,b)\{c.resolve=a,c.reject=b\}), b.deferredOperations.push(c), b.dbReady?b.dbReady=b.dbReady.th\\
en(function(){return c.promise}):b.dbReady=c.promise}function p(a){var
b=ya[a.name],c=b.deferredOperations.pop();if(c)return c.resolve(),c.promise}function q( a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return d.reject(b),d.promise}function r(a,b){return new
va(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db.close()\} var(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db.close()\} var(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db.close()\} var(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db.close()\} var(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db.close()\} var(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db.close()\} var(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db)\} var(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db)\} var(function(c,d)\{if(ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya[a.name]=ya
e=[a.name];b&&e.push(a.version);var f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.createObjectStore(wa)}catch(c){if("Con
straintError"!==c.name)throw c;console.warn('The database "'+a.name+'" has been upgraded from version
'+b.oldVersion+" to version "+b.newVersion+', but the storage "'+a.storeName+'" already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=function(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}})function s(a){return r(a,!1)}function
t(a){return r(a,!0)}function u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.version,e=a.version>a.db.version;if(d&&
(a.version!==b&&console.warn('The database "'+a.name+"\" can't be downgraded from version
 "+a.db.version+" to version "+a.version+"."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function v(a){return new va(function(b,c){var
d=new FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({ local_forage_encoded_blob:!0,data:d,type:a.type})},d.readAsBinaryString(a)})}
function w(a){return g([l(atob(a.data))],{type:a.type}))}function x(a){return
a&&a._local_forage_encoded_blob}function y(a){var b=this,c=b._initReady().then(function(){var
a=ya[b._dblnfo.name];if(a&&a.dbReady)return a.dbReady});return i(c,a,a),c}function z(a){o(a);for(var
b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var
e=c[d];e._dblnfo.db&&(e._dblnfo.db.close(),e._dblnfo.db=null)}return a.db=null,s(a).then(function(b){return
a.db = b, u(a)?t(a):b\}).then(function(d)\{a.db = b.db = d; for(varantee)\}) + b.db = d(a) + b.db = d
e=0; e<c.length; e++)c[e]\_dbInfo.db=d\}). catch(function(b)\{throw\ q(a,b),b\})\} function\ A(a,b,c,d)\{void\ average ave
0==d\&(d=1);try{var}
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a.db||"InvalidStateError"===e.name||"NotFou
ndError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name&&!a.db.objectStoreNames.contains(a.store
Name)&&a.version<=a.db.version)return a.db&&(a.version=a.db.version+1),t(a)}).then(function(){return
z(a).then(function(){A(a,b,c,d-1)})}).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function C(a){function b(){return
va.resolve()) var\ c=this, d=\{db:null\}; if(a) for(var\ e\ in\ a) d[e]=a[e]; var\ e
f=ya[d.name]; f||(f=B(),ya[d.name]=f), f. for ages.push(c), c.\_initReady||(c.\_initReady=c.ready,c.ready=y); for (varange) for (varange) filling for the first of the first o
g=[],h=0;h<f.forages.length;h++){var i=f.forages[h];i!==c&&g.push(i._initReady().catch(b))}var
j=f.forages.slice(0);return va.all(g).then(function(){return d.db=f.db,s(d)}).then(function(a){return
d.db=a,u(d,c._defaultConfig.version)?t(d):a}).then(function(a){d.db=f.db=a,c._dbInfo=d;for(var
b=0;b<j.length;b++){var e=j[b];e!==c&&(e._dblnfo.db=d.db,e._dblnfo.version=d.version)}})}function D(a,b){var
c=this; a=j(a); var\ d=new\ va(function(b,d)\{c.ready().then(function()\{A(c.\_dbInfo,Aa,function(e,f)\{if(e)returnation(e,f)\}\})\} and the property of the proper
\label{lem:decomposition} d(e); try\{var\ g=f.objectStore(c.\_dblnfo.storeName), h=g.get(a); h.onsuccess=function()\{var\ a=h.result; void and the substitution of the 
        ==a&&(a=null),x(a)&&(a=w(a)),b(a)},h.onerror=function(){d(h.error)}}catch(a){d(a)}})}).catch(d)});return
h(d,b),d}function E(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){A(c._dblnfo,Aa,function(e,f){if(e)return d(e);try{var
g=f.objectStore(c.\_dbInfo.storeName), h=g. openCursor(), i=1; h. onsuccess=function() \{var\ c=h.result; if(c) \{var\ c=h.result; if(c)\} \}
d=c.value;x(d)&&(d=w(d));var e=a(d,c.key,i++);void 0!==e?b(e):c.continue()}else
b()},h.onerror=function(){d(h.error)}}catch(a){d(a)}})}).catch(d)});return h(d,b),d}function F(a,b,c){var
d=this;a=j(a);var e=new va(function(c,e){var f;d.ready().then(function(){return f=d._dblnfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)return e(f);try{var
h=g.objectStore(d._dblnfo.storeName);null===b&&(b=void 0);var i=h.put(b,a);g.oncomplete=function(){void
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})}).catch(e)});return h(e,c),e}function G(a,b){var
```

```
c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){A(c._dblnfo,Ba,function(e,f){if(e)return
d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.delete(a);f.oncomplete=function(){b()},f.onerror=function(){d(h.err
or)},f.onabort=function(){var a=h.error?h.error:h.transaction.error;d(a)}}catch(a){d(a)}})}).catch(d)});return
h(d,b),d}function H(a){var b=this,c=new
f=e.objectStore(b._dbInfo.storeName),g=f.clear();e.oncomplete=function(){a()},e.onabort=e.onerror=function()
{var a=g.error?g.error:g.transaction.error;c(a)}}catch(a){c(a)}})}).catch(c)});return h(c,a),c}function I(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){A(b._dblnfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.count();g.onsuccess=function(){a(g.result)},g.onerror=function(){c(
g.error)}}catch(a){c(a)}})}).catch(c)});return h(c,a),c}function J(a,b){var c=this,d=new
va(function(b,d){if(a<0)return void b(null);c.ready().then(function(){A(c._dbInfo,Aa,function(e,f){if(e)return
d(e);try{var g=f.objectStore(c._dblnfo.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=function(){var
c=i.result;if(!c)return void
b(null); 0 == a?b(c.key): h?b(c.key): (h=!0,c.advance(a))\}, i.onerror=function() \{d(i.error)\} \{catch(a)\{d(a)\}\}\}\}. catch(a) \{d(a)\} \{d(
d)});return h(d,b),d}function K(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dblnfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.openKeyCursor(),h=[];g.onsuccess=function(){var
b=q.result:if(!b)return void
a(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}catch(a){c(a)}})}).catch(c)});return
h(c,a),c}function L(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var
d,e=this;if(a.name){var
f=a.name===c.name&&e._dblnfo.db,g=f?va.resolve(e._dblnfo.db):s(a).then(function(b){var
c=ya[a.name],d=c.forages;c.db=b;for(var e=0;e<d.length;e++)d[e]._dblnfo.db=b;return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.storeName)){var
c=b.version+1;o(a);var d=ya[a.name],e=d.forages;b.close();for(var f=0;f<e.length;f++){var
g=e[f];g._dblnfo.db=null,g._dblnfo.version=c}return new va(function(b,d){var
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupgradeneeded=function(){e.result.delet
eObjectStore(a.storeName)},e.onsuccess=function(){var
a=e.result;a.close(),b(a)}}).then(function(a){d.db=a;for(var b=0;b<e.length;b++){var
c=e[b]; c.\_dbInfo.db=a, p(c.\_dbInfo)\}). catch(function(b)\{throw(q(a,b)||va.resolve()). catch(function()\{\}),b\})\}): g.therefore the property of the property o
hen(function(b){o(a);var c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++){d[e]._dbInfo.db=null}return new va(function(b,c){var
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){console.warn('dropInstance blocked for database
"'+a.name+'" until all open connections are closed')},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++)p(d[b]_dblnfo)}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})})}els
e d=va.reject("Invalid arguments");return h(d,b),d}function M(){return"function"==typeof
openDatabase}function N(a){var b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-1]&&(g--
 ,"="===a[a.length-2]&&g--);var j=new ArrayBuffer(g),k=new
\label{limits} \mbox{Uint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+2])
a[b+3]), k[i++] = c << 2|d >> 4, k[i++] = (15\&d) << 4|e >> 2, k[i++] = (3\&e) << 6|63\&f; return j) function O(a) \{var b, c = new all b, c = 
\label{limited} \mbox{Uint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>4],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2],d+=Da[(15&c[b+1])>>2]
<<2|c[b+2]>>6],d+=Da[63&c[b+2]];return c.length%3==2?d=d.substring(0,d.length-
1)+"=":c.length%3==1&&(d=d.substring(0,d.length-2)+"=="),d}function P(a,b){var
c="";if(a&&(c=Ua.call(a)),a&&("[object ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof ArrayBuffer?(d=a,e+=la):(d=a.buffer,"[object
Int8Array]"===c?e+=Ka:"[object Uint8Array]"===c?e+=La:"[object Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array]"===c?e+=Na:"[object Uint16Array]"===c?e+=Pa:"[object Int32Array]"===c?e+=Oa:"[object
Uint32Array]"===c?e+=Qa:"[object Float32Array]"===c?e+=Ra:"[object Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))),b(e+O(d)))else if("[object Blob]"===c){var f=new
FileReader;f.onload=function(){var c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a JSON string:
",a),b(null,c)}}function Q(a){if(a.substring(0,Ha)!==Ga)return JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja\&\&Fa.test(c)){var}
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var f=N(c);switch(d){case la:return f;case Ja:return
g([f],{type:b});case Ka:return new Int8Array(f);case La:return new Uint8Array(f);case Ma:return new
Uint8ClampedArray(f);case Na:return new Int16Array(f);case Pa:return new Uint16Array(f);case Oa:return
new Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return new Float32Array(f);case Sa:return new
Float64Array(f);default:throw new Error("Unkown type: "+d)}}function R(a,b,c,d){a.executeSql("CREATE
TABLE IF NOT EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key unique, value)",[],c,d)}function
S(a){var b=this,c={db:null};if(a)for(var d in a)c[d]="string"!=typeof a[d]?a[d].toString():a[d];var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,c.size)}catch(a){return
d(a)\} c.db. transaction (function(e) \{R(e,c,function()\{b.\_dblnfo=c,a()\},function(a,b)\{d(b)\}\},d)\}); return
c.serializer=Va,e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNT AX_ERR?a.executeSql("SELECT name FROM
sglite master WHERE type='table' AND name
```

 $= ?", [b.storeName], function(a,h)\{h.rows.length?f(a,g):R(a,b,function()\{a.executeSql(c,d,e,f)\},f)\}; f(a,g)\},f)\} function(a,h)\{h.rows.length?f(a,g):R(a,b,function()\{a.executeSql(c,d,e,f)\},f)\}; f(a,g)\},f(a,g):R(a,b,function()\{a.executeSql(c,d,e,f)\},f)\}; f(a,g)\},f(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g):R(a,g$

```
ction U(a,b){var c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE key = ? LIMIT
1",[a],function(a,c){var
\label{lem:decrows.length?c.rows.item(0).value:null;} describing the decrows.length?c.rows.item(0).value:null;\\ describing the decrows.length?c.rows.length.g. decrows.length.g. dec
h(d)});return h(d,b),d}function V(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName,[],function(c,d){for(var
f=d.rows,g=f.length,h=0;h<g;h++){var i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void
0!==(j=a(j,i.key,h+1)))return void b(j)}b()},function(a,b){d(b)})})).catch(d)});return h(d,b),d}function
W(a,b,c,d){var e=this;a=j(a);var f=new va(function(f,g){e.ready().then(function(){void 0===b&&(b=null);var
h = b, i = e.\_dbInfo; i.serializer.serialize(b, function(b, j) \{j; g(j) : i.db.transaction(function(c) \{T(c, i, "INSERT \ OR \ Anti-content \ Anti-content
REPLACE INTO "+i.storeName+" (key, value) VALUES
\label{eq:condition} (?,?)",[a,b],function()\{f(h)\},function(a,b)\{g(b)\})\},function(b)\{if(b.code===b.QUOTA\_ERR)\{if(d>0)return\ void\ f(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\},function(b)\{g(h)\}
f(W.apply(e,[a,h,c,d-1]));g(b)\}\})\})).catch(g)\});return\ h(f,c),f\}function\ X(a,b,c)\{return\ f(W.apply(e,[a,h,c,d-1]));g(b)\}\})\}).catch(g)\});return\ h(f,c),f\}function\ X(a,b,c)\{return\ f(W.apply(e,[a,h,c,d-1]));g(b)\}\})\}),catch(g)\});return\ h(f,c),f\}function\ X(a,b,c)\{return\ f(W.apply(e,[a,h,c,d-1]));g(b)\}\})\}),catch(g)\});return\ h(f,c),f\}function\ X(a,b,c)\{return\ f(W.apply(e,[a,h,c,d-1]));g(b)\}\})\}),catch(g)\});return\ h(f,c),f\}function\ X(a,b,c)\{return\ f(W.apply(e,[a,h,c,d-1]));g(b)\})\}),catch(g)\});return\ h(f,c),f\}function\ X(a,b,c)\{return\ f(W.apply(e,[a,h,c,d-1]));g(b)\})\}),catch(g)\})
W.apply(this,[a,b,c,1])}function Y(a,b){var c=this;a=j(a);var d=new
va(function(b,d) \\ \{c.ready().then(function())\\ \{var\ e=c.\_dblnfo; e.db.transaction(function(c)\\ \{T(c,e,"DELETE\ FROM\ extends on the property of the proper
"+e.storeName+" WHERE key = ?",[a],function(){b()},function(a,b){d(b)})})).catch(d)});return h(d,b),d}function
Z(a){var b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
"+d.storeName,[],function(){a()},function(a,b){c(b)})}}).catch(c)});return h(c,a),c}function $(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dblnfo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(key) as c FROM
"+d.storeName,[],function(b,c){var d=c.rows.item(0).c;a(d)},function(a,b){c(b)})})).catch(c)});return
h(c,a),cfunction (a,b)fvar c=this,d=new va(function(b,d)fc.ready().then(function()f=this,d=new f=this,d=new f=t
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT key FROM "+e.storeName+" WHERE id = ? LIMIT
1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d)},function(a,b){d(b)})}))).catch(d)});return h(d,b),d}function
aa(a){var b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dblnfo;d.db.transaction(function(b){T(b,d,"SELECT key FROM "+d.storeName,[],function(b,c){for(var
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).key);a(d)},function(a,b){c(b)}))}).catch(c)});return
h(c,a),c}function ba(a){return new va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name
FROM sqlite_master WHERE type='table' AND name <>
'WebKitDatabaseInfoTable '",[],function(c,d){for(var
e=[],f=0;f<d.rows.length;f++)e.push(d.rows.item(f).name);b({db:a,storeNames:e})},function(a,b){c(b)}}},functio
n(a){c(a)})))function ca(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var d,e=this;return
d=a.name?new va(function(b){var
\label{eq:discontinuous} d; d=a.name===c.name?e.\_db!nfo.db:openDatabase (a.name, "", "", 0), b (a.storeName? \{db:d, storeNames: [a.storeName] \} and the continuous properties of the continu
eName]}:ba(d))}}).then(function(a){return new va(function(b,c){a.db.transaction(function(d){function
e(a){return new va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
"+a,[],function(){b()},function(a,b){c(b)})})for(var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.all(f).then(function(){b()}).catch(fu ncti
on(a)\{c(a)\})\}, function(a)\{c(a)\})\})\}) : va.reject("Invalid arguments"), h(d,b),d\} function
\  \  da()\{try\{return"undefined"!=typeof\ localStorage\&\&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function ea(a,b){var c=a.name+"/";return
a.storeName! == b.storeName \& (c+=a.storeName+"/"), c \} function \ fa() \{ vare example examp
a="_localforage_support_test";try{return
localStorage.setItem(a,!0),localStorage.removeItem(a),!1}catch(a){return!0}}function
ga(){return!fa()||localStorage.length>0}function ha(a){var b=this,c={};if(a)for(var d in a)c[d]=a[d];return
c.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo=c,c.serializer=Va,va.resolve()):va.reject()}function
ia(a){var b=this,c=b.ready().then(function(){for(var a=b._dbInfo.keyPrefix,c=localStorage.length-1;c>=0;c--
){var d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removeItem(d)}});return h(c,a),c}function
ja(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dblnfo,d=localStorage.getItem(b.keyPrefix+a);return d&&(d=b.serializer.deserialize(d)),d});return
h(d,b),d}function ka(a,b){var c=this,d=c.ready().then(function(){for(var
b=c.\_dbInfo, d=b.keyPrefix, e=d.length, f=localStorage.length, g=1, h=0; h< f; h++) \{varallength, f=localStorage.length, g=1, h=0; h< f; h++) \}
i=localStorage.key(h);if(0===i.indexOf(d)){var j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
0!==(j=a(j,i.substring(e),g++)))return j}});return h(d,b),d}function la(a,b){var
c=this,d=c.ready().then(function(){var b,d=c._dblnfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return h(d,b),d}function ma(a){var
b=this,c=b.ready().then(function(){for(var a=b._dblnfo,c=localStorage.length,d=[],e=0;e<c;e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyPrefix.length)))return d});return
\label{lem:hc,a} $$h(c,a),c}$ function na(a){var b=this,c=b.keys().then(function(a){return a.length}); return h(c,a),c}$ function na(a){var b=this,c=b.keys().then(function(a){return a.length}); return na(a){var b=this,c=b.keys().then(a){var b=this,c=b.keys().then(a){var b=this,c=b.keys().then(a){var b=this,c=b.keys().then(a){var b=this,c=b.keys().then(a){var b=this,c=b.keys().then(a){var b=this,c=b.keys().then(a){var b=this,c=b.keys().then(a){var b=this,c=b.keys().then(a){var b=thi
oa(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dbInfo;localStorage.removeItem(b.keyPrefix+a)});return h(d,b),d}function pa(a,b,c){var d=this;a=j(a);var
e=d.ready().then(function(){void 0===b&&(b=null);var c=b;return new va(function(e,f){var
g{=}d.\_dbInfo; g.serializer.serialize(b, function(b, d)\{if(d)f(d); else
try{localStorage.setItem(g.keyPrefix+a,b),e(c)}catch(a){"QuotaExceededError"!==a.name&&"NS_ERROR_DO
M_QUOTA_REACHED"!==a.name||f(a),f(a)}}))));return h(e,c),e}function
qa(a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \{ varantee (a,b) \} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.name\} \} = (a,b) \{ if (b=k.apply (this, arguments), a="function"!=type of \ a\&\&a|| \{\},!a.naments,
```

c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName}var d,e=this;return

```
d=a.name?new va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).then(function(a){for(var
b=localStorage.length-1;b>=0;b--){var
c=local Storage.key(b); 0===c.indexOf(a) \& local Storage.remove ltem(c) \} )) : va.reject("Invalide the context of the contex
arguments"),h(d,b),d}function ra(a,b){a[b]=function(){var c=arguments;return a.ready().then(function(){return
a[b].apply(a,c)})}}function sa(){for(var a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c in
b) b. has Own Property (c) \&\& (\$a(b[c])? arguments [0][c] = b[c]. slice (): arguments [0][c] = b[c]) \} return
arguments[0]]var ta="function"==typeof Symbol&&"symbol"==typeof Symbol.iterator?function(a){return
typeof a}:function(a){return a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":typeof a},ua=e();"undefined"==typeof
Promise&&a(3);var va=Promise,wa="local-forage-detect-blob-support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwrite",Ca={_driver:"asyncStorage",_initStorage
C,_support:f(),iterate:E,getItem:D,setItem:F,removeItem:G,clear:H,length:I,key:J,keys:K,dropInstance:L},Da=
"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/",Ea="~~local_forage_type
~",Fa=/^~~local_forage_type~([^~]+)~/,Ga="_lfsc_:",Ha=Ga.length,la="arbf",Ja="blob",Ka="si08",La="ui08",
Ma="uic8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=Ha+la.length,Ua=Object.prototy
pe.toString,Va={serialize:P,deserialize:Q,stringToBuffer:N,bufferToString:O},Wa={_driver:"webSQLStorage"
_initStorage:S,_support:M(),iterate:V,getItem:U,setItem:X,removeItem:Y,clear:Z,length:$,key:_,keys:aa,dropIn
stance:ca},Xa={_driver:"localStorageWrapper",_initStorage:ha,_support:da(),iterate:ka,getItem:ja,setItem:pa,
removeltem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,b){return
a===b||"number"==typeof a&&"number"==typeof b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArray||function(a){return"[object
Array]"===Object.prototype.toString.call(a)},_a={},ab={},bb={INDEXEDDB:Ca,WEBSQL:Wa,LOCALSTORAGE:
Xa},cb=[bb.INDEXEDDB._driver,bb.WEBSQL._driver,bb.LOCALSTORAGE._driver],db=["dropInstance"],eb=["
clear", "getItem", "iterate", "key", "keys", "length", "removeItem", "setItem"].concat(db),fb={description: "",driver:
cb.slice(),name: "localforage",size:4980736,storeName: "keyvaluepairs",version:1},gb=function(){function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c], f=e.\_driver; this[c]=f, \_a[f] || this.defineDriver(e) \} this.\_defaultConfig=sa(\{\}, fb), this.\_config=sa(\{\}, this.\_defaultConfig=sa(\{\}, fb), this.\_d
faultConfig,b),this._driverSet=null,this._initDriver=null,this._ready=!1,this._dblnfo=null,this._wrapLibraryMet
hodsWithReady(),this.setDriver(this._config.driver).catch(function(){})}return
a.prototype.config=function(a){if("object"===(void 0===a?"undefined":ta(a))){if(this._ready)return new
Error("Can't call config() after localforage has been used.");for(var b in
a){if("storeName"===b&&(a[b]=a[b].replace(\(\Lambda\)/\(\mathrm{W}/g,"_\)),"version"===b&&"number"!=typeof a[b])return new
Error("Database version must be a number.");this._config[b]=a[b]}return!("driver"in
a\&\&a.driver)||this.setDriver(this.\_config.driver)\}return"string"==typeof
a?this._config[a]:this._config},a.prototype.defineDriver=function(a,b,c){var d=new va(function(b,c){try{var
d=a._driver,e=new Error("Custom driver not compliant; see
https://mozilla.github.io/localForage/#definedriver");if(!a._driver)return void c(e);for(var
f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var j=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof a[j])return
void c(e)}(function(){for(var b=function(a){return function()}{var b=new Error("Method "+a+" is not
implemented by the current driver"),c=va.reject(b);return h(c,arguments[arguments.length-
1]),c}},c=0,d=db.length;c<d;c++)\{var e=db[c];a[e]||(a[e]=b(e))\}\})();var
k=function(c){_a[d]&&console.info("Redefining LocalForage driver: "+d),_a[d]=a,ab[d]=c,b());"_support"in
a?a._support&&"function"==typeof
a._support?a._support().then(k,c):k(!!a._support):k(!0)}catch(a){c(a)}});return
i(d,b,c),d},a.prototype.driver=function(){return this._driver||null},a.prototype.getDriver=function(a,b,c){var
d=_a[a]?va.resolve(_a[a]):va.reject(new Error("Driver not found."));return
i(d,b,c),d},a.prototype.getSerializer=function(a){var b=va.resolve(Va);return
i(b,a),b},a.prototype.ready=function(a){var b=this,c=b._driverSet.then(function(){return
null===b._ready&&(b._ready=b._initDriver()),b._ready});return
i(c,a,a),c},a.prototype.setDriver=function(a,b,c){function d(){g._config.driver=g.driver()}function e(a){return
g._extend(a),d(),g._ready=g._initStorage(g._config),g._ready}function f(a){return function(){function
b(){for(;c<a.length;){var f=a[c];return c++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)}d();var
h=new Error("No available storage method found.");return g._driverSet=va.reject(h),g._driverSet}var
c=0;return b()}}var g=this;$a(a)||(a=[a]);var
h=this._getSupportedDrivers(a),j=null!==this._driverSet?this._driverSet.catch(function(){return
va.resolve()}):va.resolve();return this._driverSet=j.then(function(){var a=h[0];return
g._dblnfo=null,g._ready=null,g.getDriver(a).then(function(a){g._driver=a._driver,d(),g._wrapLibraryMethodsW
ithReady(),g._initDriver=f(h)})}).catch(function(){d();var a=new Error("No available storage method
found.");return
g._driverSet=va.reject(a),g._driverSet}),i(this._driverSet,b,c),this._driverSet},a.prototype.supports=function(a)
{return!!ab[a]},a.prototype._extend=function(a){sa(this,a)},a.prototype._getSupportedDrivers=function(a){for(
var\ b=[], c=0, d=a.length; c<d; c++) \{var\ e=a[c]; this.supports(e) \&\&b.push(e) \} return
b},a.prototype._wrapLibraryMethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstance=function(b){return new a(b)},a}(),hb=new
gb;b.exports=hb},{3:3}]},{},[4])(4)});
```