

# Create and Configure IBM Cloud Services

## Create Node-RED Service

|         |                                |
|---------|--------------------------------|
| Date    | 13 <sup>th</sup> November 2022 |
| Team Id | PNT2022TMID26470               |

The screenshot displays the IBM Cloud Developer console interface. The browser address bar shows the URL: `cloud.ibm.com/developer/appservice/apps/67b98433-ca41-4d7f-ab74-df311816e48c`. The page title is "Node RED YSLGV 2022-11-13".

**Details:**

- App URL: `https://node-red-yslgv-2022-11-13.eu-gb.mybluemix.net`
- Source: `https://eu-gb.git.cloud.ibm.com/211719106003/NodeREDYSL...`
- Resource group: Default
- Deployment target: Node RED YSLGV 2022-11-13
- Created: 11/13/2022

**Services:**

- Cloudant: Open dashboard, Documentation, API reference, Credentials
- Buttons: Connect existing services, Create service

**Deployment Automation:**

- Name: NodeREDYSLGV2022-11-13
- Location: London
- Tool integrations: (Icons for GitHub, Docker, etc.)

**Delivery Pipelines:**

- Name: ci-pipeline, Status: Success
- Name: pr-pipeline, Status: No stages detected

**Getting started quickly:**

- Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
- If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
- Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
- After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
- If you make any changes to your app, be

The bottom of the screen shows a Windows taskbar with the date and time: 16:43, 13-11-2022.