

Assignment- 4

TEAM ID	PNT2022TMID26542
PROJECT NAME	PERSONAL EXPENSE TRACKER APPLICATION

Question 1:

Pull an image from docker hub and run it in docker playground.

03:57:32

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cddvksm0_cddvkvm0qau000a07j5g

IP
192.168.0.8

OPEN PORT

Memory
1.24% (49.52MiB / 3.906GiB)

CPU
0.31%

SSH
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

```
#####
# WARNING!!!!
# This is a sandbox environment. Using personal credentials
# is HIGHLY discouraged. Any consequences of doing so are
# completely the user's responsibilities.
#
# The PwD team.
#####
[node1] (local) root@192.168.0.8 ~
$ docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
2db29710123e: Pull complete
Digest: sha256:e18f0a77aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7
Status: Downloaded newer image for hello-world:latest
docker.io/library/hello-world:latest
[node1] (local) root@192.168.0.8 ~
$ docker run hello-world
```

Activate Windows
Go to Settings to activate Windows.

03:57:05

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cddvksm0_cddvkvm0qau000a07j5g

IP
192.168.0.8
OPEN PORT

Memory
1.26% (50.45MiB / 3.906GiB)

CPU
0.39%

SSH
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
(amd64)

3. The Docker daemon created a new container from that image which runs the
executable that produces the output you are currently reading.

4. The Docker daemon streamed that output to the Docker client, which sent it
to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
\$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
<https://hub.docker.com/>

For more examples and ideas, visit:
<https://docs.docker.com/get-started/>

[node1] (local) root@192.168.0.8 ~
\$

Activate Windows
Go to Settings to activate Windows.

Question 2:

Create a docker file for the job portal application and deploy it in Docker desktop application.

DOCKER FILE:

```
1 FROM python:3.8-buster
2
3 WORKDIR /app
4
5 COPY requirements.txt /app/
6
7 RUN pip install -r requirements.txt
8
9 COPY . /app/
10
11 RUN cp .env.dev.sample .env
12
13 EXPOSE 8000
14
15 RUN chmod +x entrypoint.sh
16
17 CMD ["sh", "entrypoint.sh"]
```

DEPLOYMENT OF JOBPORTAL APPLICATION:

Containers

Images

Volumes

Dev Environments BETA

Extensions BETA

Add Extensions

Containers Give feedback

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

Only show running containers

Search

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	<div><div>agitated_neumann</div><div>918d20882039</div></div>	icr.io/helloapp/ibm:latest	Exited (137)	49160:8080		<div><div></div><div></div><div></div></div>
<input type="checkbox"/>	<div><div>jolly_turing</div><div>b62c0712bdd3</div></div>	jobportalapplication:latest	Running	1234:8000	4 minutes ago	<div><div></div><div></div><div></div></div>

Showing 2 items

RAM 3.06GB

CPU 0.57%

Connected to Hub

v4.13.0

OUTPUT:

Popular Search: [Design & Creative](#) [Marketing](#) [Administration](#) [Teaching & Education](#) [Engineering](#) [Software & Web](#) [Telemarketing](#)

Popular Categories

Design & Creative
50 Available position

Marketing
50 Available position

Telemarketing
50 Available position

Software & Web
50 Available position

Administration

Teaching & Education


Engineering

Garments / Textile

Question 3:

Create a IBM container registry and deploy hello-world app or job port app.IBM

CONTAINER REGISTRY DEPLOYMENT:


Container Registry

[Quick start](#)
[Namespaces](#)
[Repositories](#)
[Images](#)
[Trash](#)
[Settings](#)

Images


Location

View by: Digest

<input type="checkbox"/>	Repository@digest	Tags	Manifest type	Created	Size	Security status
<input type="checkbox"/>	helloapp/ibm@sha256:a3d35518ea7f...	latest	Docker	1 day ago	352 MB	20 issues

Items per page: 25
1-1 of 1 item
1 of 1 page


OUTPUT:



Question 4:

Create a Kubernetes cluster in IBM cloud and deploy hello world image or job portal image and also expose the same app to run in node port.

Creating Kubernetes cluster in IBM cloud and exposing node port:



Output:

