Create an UI to interact with application

Team ID	PNT2022TMID26501
Project Name	News Tracker Application

Signup.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>SignUp</title>
    <link rel="Stylesheet" href="{{ url for('static', filename='Signup.css')}</pre>
}}">
<body>
    <nav>
       <div class="brand"><img</pre>
src="#https://images.app.goo.gl/MDvm6hu5AZraZUC76" alt="LOGO" />
<!-- Making menu icon clickable to display the navigation menu on smaller
screens -->
                <i onclick="navToggle()" id="nav-icon" class="fa fa-navicon"</pre>
style="font-size:24px"></i></i>
            </div>
            <div id="toggle" class="nav-container">
                <a class="left" href="/">GO BACK HOME</a>
            </div>
        </nav>
<section class="form">
<div class="center">
    <h1>JOIN OUR <b style="color: #7a44dd;">NEWS TRACKING APPLICATION</b> TO
KNOW ABOUT THE NEWS</h1>
    <hr width="20%" style="border: 1px solid #6a29e4;">
    <br>
    <form action="">
```

```
<input class="name-surname" type="text" name="name"</pre>
placeholder="firstname">
        <input class="name-surname" type="text" name="surname"</pre>
placeholder="lastname"><br>
        <input type="text" name="email" placeholder="emailid"><br>
         <br> <input type="password" name="password"</pre>
placeholder="password"><br>
        <input type="password" name="conf password"</pre>
placeholder="confirmpassword"><br>
        <button formaction="/">JOIN</button>
        Already have an account? <a href="/Login">Login Here</a>
    </form>
</div>
</section>
<!-- FOOTER STARTS HERE -->
    <footer>
        <div class="footer_container">
           ONE TAP™ - Copyright @ 2018 All Rights
Reserved.
       </div>
    </footer>
</body>
</html>
```

Login.html:

```
<h5>Click here to create a new Account</h5>
            <button formaction="/Signup">SignUp</button>
         </form>
        </div>
        <div class="login box">
            <div class="left">
                <div class="top link"><a href="/"><img</pre>
src="https://drive.google.com/u/0/uc?id=16U__U5dJdaTfNGobB_OpwAJ73vM50rPV&expo
rt=download" alt="">Return home</a></div>
                <div class="contact">
                    <form action="">
                        <h3>SIGN IN</h3>
                        <input type="text" placeholder="USERNAME">
                        <input type="password" placeholder="PASSWORD">
                        <button class="submit" formaction="/">LET'S
GO</button>
                    </form>
                </div>
            </div>
            <div class="right">
                <div class="right-text">
                    <h2>News Tracker</h2>
                    <h5>Login to know about what is happening??</h5>
                </div>
        </div>
    </section>
</body>
</html>
```

Signup.css:

```
@import url('https://fonts.googleapis.com/css?family=Abel');

body {
    background-color: #ffffff;
    font-family: 'Abel', sans-serif;
    color: #333;
    margin: 0;
}

a {
    color: #daa800;
    text-decoration: none;
    transition: 1s;
}
```

```
a:hover {
    text-decoration: none;
    color: #daa800;
   opacity: 0.8;
   transition: 1s;
p {
   color: #0f0f0f;
h1 {
   font-weight: normal;
section.form {
   opacity: 1;
   background-color: transparent;
   padding: 20px;
   text-align: center;
   color: #161515;
.center {
   margin-right: auto;
   margin-left: auto;
   display: block;
   width: 400px;
   margin-top: 100px;
   margin-bottom: 60px;
input {
   opacity: 0.3;
    border-radius: 20px;
   padding: 10px;
   width: 80%;
   display: block;
   margin-right: auto;
   margin-left: auto;
   margin-bottom: 10px;
    box-shadow: none;
    color: rgb(24, 22, 22);
   border: none;
```

```
background-color: #97d6f3;
    transition: 1s;
    border: 2px solid transparent;
input:focus, input:hover {
    transition: 1s;
    border: 2px solid #5d5d5d;
    background-color: transparent;
.name-surname {
    width: 36%;
    display: inline;
.checkbox{
    display: flex;
    flex-wrap: wrap;
    align-items: center;
    justify-content: center;
input[type="checkbox"]{
    -webkit-appearance: none;
    appearance: none;
    display: none;
label{
    position: relative;
    display: block;
    padding: 2px 25px;
    border-radius: 20px;
    text-align: center;
    line-height: 30px;
    color:#0e0d0d;
    margin: 4px;
    font-family: 'poppins',sans-serif;
    transition: .2s;
    background-color: transparent;
label::after{
    content: "";
    position: absolute;
    top: -2px;
    left: -2px;
    width: 100%;
    height: 100%;
    z-index: -1;
    border: 2px solid orange;
```

```
border-radius: 20px;
    transform: scale(.9);
    opacity: 0;
    transition: .2s;
input:checked + label::after{
   border-color: #daa800;
    opacity: 1;
    transform: scale(1);
input:checked + label{
   color: #daa800;
   border: none;
   background: none;
button {
   width: 86%;
   border-radius: 20px;
   background-color: #fdfcfc;
   margin-left: auto;
   margin-right: auto;
   display: block;
   box-shadow: none;
    text-shadow: none;
   border: none;
    padding: 10px;
    font-family: 'Abel', sans-serif;
    transition: 1s;
button:hover {
    background-color: #daa800;
    transition: 1s;
footer {
   background-color: #93c6da;
    color: #fff;
   width: 100%;
.footer_container {
   padding: 20px;
```

```
text-align: center;
    float: none;
.footer_container .bottom_text {
   font-size: 14px;
    text-transform: uppercase;
.social_icons {
   margin-left: auto;
   margin-right: auto;
   display: block;
/* FOOTER ENDS HERE */
/* NAVIGATION STARTS HERE */
.navigation {
   margin: 0;
.brand { /* Your brand logo */
    border-right: 0.5px solid #40e60e;
   font-size: 16px;
   line-height: 50px;
   display: inline;
   margin-right: 30px;
    padding-right: 40px;
.nav-container {
   display: inline;
/* Added font-size: 0; to get rid of the space between lists */
nav {
   width: 100%;
   background-color: #93c6da;
   margin: 0;
   font-size: 0;
    padding-left: 10px;
    padding-right: 10px;
    color: rgb(19, 18, 18);
   position: fixed;
    z-index: 1;
```

```
/* Declaring font-size for the anchor element to be 16px since it is 0 on the
above code */
nav a {
   font-size: 16px;
ul {
    display: inline;
   margin: 0;
   overflow: hidden;
   list-style-type: none;
/* Adding background color to the li element and vertically centering the
words in the li element */
ul li {
   display: inline;
   margin: 0;
    padding: 14px;
   line-height: 50px;
   background-color: #1b1a1b;
   transition: 1s;
ul li:hover {
   transition: 1s;
   background-color: transparent;
ul a { /* Removing the 'underline' from the link */
   text-decoration: none;
ul a:hover { /* Removing the 'underline' from the link on the 'hover effect'
   text-decoration: none;
ul a li {
   display: inline;
    text-decoration: none;
    color: rgb(22, 20, 20);
   margin: 0;
    text-transform: uppercase;
   background-color: transparent;
   transition: 1s;
```

```
ul a li:hover {
    transition: 1s;
    background-color: #87cde9;
    color: #daa800 ;
.left {
     float: right;
     margin-right: 30px;
#nav-icon {
    display: none;
    transition: 1s;
@media only screen and (max-width: 816px) {
    nav, .navigation {
        padding: 0;
    .brand {
        line-height: 50px;
        border: none;
        margin-right: auto;
        margin-right: auto;
        display: block;
        width: 100%;
        padding-top: 7px;
        padding-bottom: 7px;
        padding-left: 20px;
        padding-right: 20px;
    .left {
        float: none;
        margin-right: 0;
        transition: 1s;
    nav ul li {
        display: block;
        text-align: center;
        width: 100%;
        transition: 1s;
        padding: 7px;
```

```
#nav-icon {
    display: inline;
    float: right;
    line-height: 50px;
}

/* NAVIGATION ENDS HERE */
```

Login.css:

```
img{
 width: 100%;
.login {
   height: 1000px;
   width: 100%;
   background: radial-gradient(#653d84, #332042);
    position: relative;
.login_box {
   width: 1050px;
   height: 600px;
   position: absolute;
   top: 50%;
   left: 50%;
    transform: translate(-50%,-50%);
   background: #fff;
   border-radius: 10px;
   box-shadow: 1px 4px 22px -8px rgba(54, 12, 238, 0.267);
   display: flex;
   overflow: hidden;
.login_box .left{
 width: 41%;
 height: 100%;
 padding: 25px 25px;
.login_box .right{
 width: 59%;
 height: 100%
.left .top_link a {
   color: #452A5A;
    font-weight: 400;
```

```
.left .top_link{
 height: 20px
.left .contact{
 display: flex;
    align-items: center;
   justify-content: center;
   align-self: center;
   height: 100%;
   width: 73%;
   margin: auto;
.left h3{
 text-align: center;
 margin-bottom: 40px;
.left input {
   border: none;
   width: 80%;
   margin: 15px 0px;
   border-bottom: 1px solid #4f30677d;
   padding: 7px 9px;
   width: 100%;
   overflow: hidden;
   background: transparent;
   font-weight: 600;
   font-size: 14px;
.left{
 background: linear-gradient(-45deg, #dcd7e0, #fff);
.submit {
   border: none;
   padding: 15px 70px;
   border-radius: 8px;
   display: block;
   margin: auto;
   cursor: pointer;
   margin-top: 120px;
   background: #583672;
    color: #fff;
    font-weight: bold;
    -webkit-box-shadow: 0px 9px 15px -11px rgba(88,54,114,1);
    -moz-box-shadow: 0px 9px 15px -11px rgba(88,54,114,1);
   box-shadow: 0px 9px 15px -11px rgba(88,54,114,1);
```

```
.right {
  background: linear-gradient(212.38deg, rgba(242, 57, 127, 0.7) 0%, rgba(175,
70, 189, 0.71) 100%), url(https://www.pewresearch.org/wp-
content/uploads/sites/8/2016/07/PJ_2016.07.07_Modern-News-Consumer_0-01.png)
no-repeat;
    background-size: cover;
    color: #fff;
 position: relative;
.right .right-text{
 height: 100%;
  position: relative;
 transform: translate(0%, 45%);
.right-text h2{
  display: block;
 width: 100%;
 text-align: center;
 font-size: 50px;
 font-weight: 500;
.right-text h5{
 display: block;
 width: 100%;
 text-align: center;
 font-size: 19px;
  font-weight: 400;
.right .right-inductor{
 position: absolute;
 width: 70px;
 height: 7px;
 background: rgba(125, 211, 233, 0);
  left: 50%;
 bottom: 70px;
  transform: translate(-50%, 0%);
.top_link img {
   width: 28px;
    padding-right: 7px;
   margin-top: -3px;
.signup{
    display: flex;
   float: right;
   flex-direction: column;
```

```
margin: 10px 10px 0px 15px;
.signup > form > button{
   border: none;
   padding: 15px 70px;
   border-radius: 8px;
   display: block;
   margin-top: 15px;
   float: right;
   background: #11daae;
   cursor: pointer;
   color: #fff;
   font-weight: bold;
   -webkit-box-shadow: 0px 9px 15px -11px rgba(242, 57, 127, 0.7);
   -moz-box-shadow: 0px 9px 15px -11px rgba(175, 70, 189, 0.71);
   box-shadow: 0px 9px 15px -11px rgba(242, 57, 127, 0.7);
.signup > form > h5{
   font-weight: bold;
   float: left;
   color: white;
   margin-right: 15px;
```

Views.py:

```
from app import app
from flask import render_template
from .request import businessArticles, entArticles, get_news_source,
healthArticles, publishedArticles, randomArticles, scienceArticles,
sportArticles, techArticles, topHeadlines
@app.route('/')
def home():
    articles = publishedArticles()
    return render_template('home.html', articles = articles)
@app.route('/headlines')
def headlines():
   headlines = topHeadlines()
    return render_template('headlines.html', headlines = headlines)
@app.route('/articles')
def articles():
    random = randomArticles()
```

```
return render template('articles.html', random = random)
@app.route('/sources')
def sources():
    newsSource = get_news_source()
    return render_template('sources.html', newsSource = newsSource)
@app.route('/category/business')
def business():
    sources = businessArticles()
    return render_template('business.html', sources = sources)
@app.route('/category/tech')
def tech():
    sources = techArticles()
    return render_template('tech.html', sources = sources)
@app.route('/category/entertainment')
def entertainment():
    sources = entArticles()
    return render_template('entertainment.html', sources = sources)
@app.route('/category/science')
def science():
    sources = scienceArticles()
    return render_template('science.html', sources = sources)
@app.route('/category/sports')
def sports():
    sources = sportArticles()
    return render_template('sport.html', sources = sources)
@app.route('/category/health')
def health():
    sources = healthArticles()
    return render_template('health.html', sources = sources)
@app.route('/Login')
def Login():
    return render_template('Login.html')
@app.route('/Signup')
```

def Signup(): return render template('Signup.html')





