Assignment - 4

Wowki & IBM Cloud

Assignment Date	13 November 2O22
Student Name	ADITHI R
Student Roll Number	211719104006
Maximum Marks	2 Marks

Question-1:

Write code and connections in wowki for the sensor. Whenever the distance less than 100cms sent "alert" to IBM cloud and display in device recent events.


Code:

```
l #include <WiFi.h>
 iti nc lude <Pubs ubC1 ien t.hb
 lii nclude <Arduinozs on.h>
WiFiClient uifiClient; '
 #define ORG "oa8490"
 #define DEVICE TYPE "TestDeviceType"
 #define DEVICE ID "12345"
 #define TDKEN "-AlOraS44flfdj\BVS"
 #define speed 0.034
l char server ] - OR1 ".messaqing.internetofthings.ibmcloud.com";
 char publishTopic[] - "iot-2/evt/abcd l/fms/json"; char topic[]
 - "i oc - 2 / cv d/hone / but /Stri nq "i char an rhMe shod [] - "use-token-
 anth"; ch ar to ken[] - TOKEN;
 char CllenzId[1 - "d:" ORG ":" DEVICE TYPE ":" DEvdc I&:
 PubSubClient client(server, 1883, wifiCiienz);
 publishDaza();
```

```
const int trigpin=5;
const int echopin=13:
String command;
String data="";
String lat="14. 167589";
String lon="80.248510";
String name="point2":
String icon="";
long duration;
int dist;
void zerap()
( Serial.b-gi (115200);
 p- ":e(trigpin,
  OUTPUT)
  p- +(echopin, lPUT);
  wifiConnect():
 mqttConnect();
}
void loop() (
  publishData();
  - (500) ;
  if (!client.loop()) (
   mqXtZonectC;
. [1]}
} + -
void wifi€onnect() (
 Serial.print("Connecting to ");
Serial.;: :: ("Wifi") ; WiFi.h=j ("Wokwi-GUEST",
 ; while WiF .status() != WL_CONNECTED) (
  r Se ia1 .1:• (".") ;
  Serial.;=-- ("WiFi connected, 1P address: ") ;
Serial. : ( WiFi.localIP())
}
```

```
avoid mqttConnect() (
 ' if (! client.connected()) (
     Serial.pr n'("Reconnecting MQTT client to "); I
 Serial.p >r l server); while {!client.connect(cli'entId,
    authMethod, taken) (Serial.p = (".");
   delay(1000) ;
     r — — — — — — —
    'initManagedDevice();
     Serial.pt \rightarrow u();
void initManagedDevice() (
   if ( client.subscribe(topic)) ( '
      Serial.pi: : .( client.subscri'be(topic));
     Ser lal ... i i* i("subscribe to cmd OK");
   ): else {
     Serial.p ' ' ' ' ("subscribe to cmd FAILED") ;
   } ) void
publishData {)
( I'm'' !W °'•• (trigpin, LOW)
   . a?' !'i' •• (trigpin, HIGH) ;
         ... =•..1...
    q3' !:< i =(trigpin,LQW);
   dur0tion=pu.'c ': (echopin,MIGM)
   ; dist=duration*speed/2; I
   if(dist<100){
     dist=100- dist; icon="fa-
     trash";
   )else( distr:
     icon="fa-trasN-
    _0":
  DynamicJ sonDocument doc (1024) i
   String payload; doc{"Name") = I
  ' name; docl"Latitude") = lat;
   doc{"Longitude"] = lon;
   doc["Icon"] = icon;
   docl"FillPercent") = diet;
  serializeJson(doc, payload);
  delay(3000);;
  Serial print ("\n") ,
```

Connecdons:



Output:



Output :(IBM Cloud)

