UNIVERSITY ADMIT ELIGIBILITY PREDICTOR

TEAM ID:PNT2022TMID23380

RAGHUL SAYEE K A D [113219031115]
KIRTHICK RAJ S [113219031074]
AMEER BATCHA S [113219031009]
DEEPAK S [113219031033]

CONTENTS

1. INTRODUCTION

- 1.1 Project Overview
- 1.2 Purpose

2. LITERATURE SURVEY

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

4. REQUIREMENT ANALYSIS

- 4.1 Functional requirement
- 4.2 Non-Functional requirements

5. PROJECT DESIGN

- 5.1 Data Flow Diagrams
- 5.2 Solution & Technical Architecture
- 5.3 User Stories

6. PROJECT PLANNING & SCHEDULING

- 6.1 Sprint Planning & Estimation
- 6.2 Sprint Delivery Schedule

7. CODING & SOLUTIONING

- 7.1 Data Dictionary
- 7.2 Libraries Used
- 7.3 Technologies Used
- 7.4 Evaluation Metric
- 7.5 Initial Approach
- 7.6 Advanced Models

8. TESTING

- 8.1 Test Cases
- 8.2 User Acceptance Testing

9. RESULTS

9.1 Performance Metrics

10. ADVANTAGES & DISADVANTAGES

- 11. APPLICATIONS
- 12. CONCLUSION
- 13. FUTURE SCOPE

14. APPENDIX

Source Code Output Screenshots GitHub

1. INTRODUCTION

1.1 OVERVIEW

The project is implemented using a Machine-Learning model that predicts whether the user is eligible for an admission in the selected rated universities with provided details such as marks and others. The algorithm works in such a way that when the user provides the details such as (GRE Score, TOEFL Score, University Rating, SOP, LOR, CGPA, Research) the percentage of chance of admit is displayed. The user is provided with a UI (Web based application) in which the user can enter the details mentioned above for prediction. The main advantage of this is that the user can avoid long process of having to check the eligibility of a university admission by himself and make use of this application to predict the eligibility / chance of admit.

1.2 PURPOSE

The purpose of this project is to make the prediction of eligibility of an admission to a rated university with ease using a UI with the provided user details (GRE Score, TOEFL Score, University Rating, SOP, LOR, CGPA, Research). This also eliminates the possibility of human errors.

2. LITERATURE SURVEY

2.1 Existing problem

Previous research done in this area used Naive Bayes algorithm which will evaluate the success probability of student application into a respective university but the main drawback is they didn't consider all the factors which will contribute in the student admission process like TOEFL/IELTS, SOP, LOR and under graduate score. Bayesian Networks Algorithm have been used to create a decision support network for evaluating the application submitted by foreign students of the university. This model was developed to forecast the progress of prospective students by comparing the score of students currently studying at university. The model thus predicted whether the aspiring student should be admitted to university on the basis of various scores of students. Since the comparisons are made only with students who got admission into the universities but not with students who got their admission rejected so this method will not be that much accurate.

2.2 References

- M. S. Acharya, A. Armaan, and A. S. Antony, "A Comparison of Regression Models for WrĞEscOZn of Graduate Admissions," Kaggle, 2018.
- M. N. Injadat, A. Moubayed, A. B. Nassif, and A. Shami, "^y&łĞmÅOc ensemble model &ĞůĞcOŽn approach for ĞĚZcĂOŽnĂů data mining," Knowledge-Based Syst., vol. 200, p. 105992, Jul. 2020.
- M. S. Acharya, A. Armaan, and A. S. Antony, "A comparison of regression models for ĐrĞĚŝcθŽn of graduate admissions," ICCIDS 2019 2nd Int. Conf. Comput. Intell. Data Sci. Proc., pp. 1–5, 2019.
- N. Chakrabarty, S. Chowdhury, and S. Rana, "A ^łĂOEOcĂů Approach to Graduate Admissions' Chance WrĞEscOŽņ" no. March, pp. 145–154, 2020.
- S. Sujay, "Supervised Machine Learning Modelling & Analysis for Graduate Admission WrĞEŝcOŽn " vol. 7, no. 4, pp. 5–7, 2020.

2.3 Problem Statement Definition


- → In the current world scenario, it is not enough for a student to just have an Undergraduate degree. Most employers now look for higher qualifications in their new recruits. As a result, the demands for a good higher education are at an all time high. A lot of students from India prefer to continue their higher education with foreign universities.
- → In order to get admitted to these foreign universities, a set of academic requirements are needed. However, because of the sheer number of universities of different levels, students are often stuck in a dilemma till the very last minute as to whether or not their applications will be accepted or not as no concrete documentation is available which lists the requirements.
- → Generally the students don't have much idea about the procedures, requirements and details of the universities. They seek help from the education consultancy firms to help them successfully secure admission in the universities which are best suitable for their profile, for this they have to invest huge amount of money as consultancy fees. Apart from these the education consultancy firms there are few websites and blogs that guide the students on the admission procedures. The drawback of the currently available resources is that they are very limited and also they are not truly dependable taking into consideration of their accuracy and reliability.
- → The aim of this project is to develop a system using machine learning algorithms. It will help the students to identify the chances of their application to a university being accepted. A simple user interface will

be developed for the users to access the system.

3. IDEATION & PROPOSED SOLUTION


3.1 Empathy Map Canvas

An empathy map is a collaborative visualization used to articulate what we know about a particular type of user. It externalizes knowledge about users in order to 1) create a shared understanding of user needs, and 2) aid in decision making. Traditional empathy maps are split into 4 quadrants (Says, Thinks, Does, and Feels), with the user or persona in the middle. Empathy maps provide a glance into who a user is as a whole and are not chronological or sequential.



3.2 Ideation & Brainstorming

Brainstorming is a method design teams use to generate ideas to solve clearly defined design problems. In controlled conditions and a free-thinking environment, teams approach a problem by such means as "How Might We" questions. They produce a vast array of ideas and draw links between them to find potential solutions.



3.3 Proposed Solution

The aim of the proposed system is to address the limitations of the current system. The requirements for the system have been gathered from the defects recorded in the past and also based on the feedback from users of previous metrics tools. Following are the objectives of the proposed system:

- Reach to geographically scattered student.
- Reducing time in activities
- Paperless admission with reduced man power
- Operational efficiency

| S.No. | Parameter | Description |
|-------|--|--|
| 1. | Problem Statement (Problem to be solved) | While planning for education students often have several questions regarding the courses, universities, job opportunities, expenses involved, etc. Securing admission in their dream university is one of their main concerns. It is seen that often students prefer to pursue their education from universities which have global recognition. Students are often worried about their chances of admission to University. |

| 2. | Idea / Solution description | The primary objective of this research is to develop a system to solve the problems the students are facing while applying for universities. We will be developing a University Admit Eligibility Predictor (UAEP) system which will help the students to predict the chances of their application being selected for a particular university for which they wish to apply based on their profile. Also, the system will provide a recommendation of universities to the student to which the student has a high possibility of getting admission. |
|----|---------------------------------------|--|
| 3. | Novelty / Uniqueness | we will be creating a simple user interface which will help the users to input the data related to the student profile and get the predicted result for the application based on the profile as output. The aim of this project is to help students in shortlisting universities with their profiles. The predicted output gives them a fair idea about their admission chances in a particular university. This analysis should also help students who are currently preparing or will be preparing to get a better idea. |
| 4. | Social Impact / Customer Satisfaction | This research will eventually help students save the extra amount of time and money they have to spend at the education consultancy firms. And also it will help them to limit their number of applications to a small number by providing them with the suggestion of the universities where they have the best chance of securing admission thus saving more money on the application fees. |
| 5. | Business Model (Revenue Model) | Advertisements of different universities can be placed on this app from which we can earn money. |
| 6. | Scalability of the Solution | In the future we will add one faculty member of each college which will help the student to ask question and clarify regarding the university, course, etc. we can also add a chat option in this app. |

3.4 Problem Solution fit

The Problem-Solution Fit simply means that you have found a problem with your customer and that the solution you have realized for it actually solves the customer's problem.

Problem-Solution fit 6. CUSTOMER CONSTRAINTS 1. CUSTOMER SEGMENT(S) 5. AVAILABLE SOLUTIONS Explore AS, differentiate Apart from factors like grades and GPA, we will also consider Customers might not trust the accuracy /reliability of the IELTS/TOFEL,GRE that plays major role in the admission process Students who have recently completed their predictor and this could prevent them from using it. of some universities, thereby further enhancing the reliability of schooling/College and aspire to get admitted Moreover, users would have to feed confidential information into prominent universities. Secondly, we will put the model through rigorous tests in order to the model, so a certain section of customers might refrain to boost the accuracy of the predictor. from using the predictor due to a fear of data misuse. 7. BEHAVIOUR 9. PROBLEM ROOT CAUSE 2. JOBS-TO-BE-DONE/ PROBLEMS The reliability of the predictor might be affected if the The most important aspect of the predictor from a customer's Data collection is probably the most important step in designing collected data is found to be inaccurate or not enough factors point of view is its accuracy, since they would go through with the predictor hence it must be ensured that it is done properly. are considered to judge the eligibility. their admissions based on its results. Customers should be assured of optimum data security in order Secondly, customers might refrain from using our product if to sustain their trust in our model. they find it to be prone to cyber attacks. 3. TRIGGERS 8. CHANNELS of BEHAVIOUR 10. YOUR SOLUTION Extract online & offline CH of BE User can be provided with comparisons between the required Customers might search for reliable eligibility predictors scores versus their actual scores. TR & Design a predictor with the help of the data collected, and ensure that it is accurate/ reliable. Also make sure that the are available online and rate them based on their liking. data collected from the users is safe and secure. Students would discuss amongst their peer group about 4. EMOTIONS: BEFORE/ AFTER such predictors and if they find one to be reliable Users would feel that they are in complete control in the enough, they would spread the word about it. admission process since they can wholeheartedly trust the predictor.

4. REQUIREMENT ANALYSIS

4.1 Functional requirement

Functional requirements may involve calculations, technical details, data manipulation and processing, and other specific functionality that define what a system is supposed to accomplish. Behavioral requirements describe all the cases where the system uses the functional requirements, these are captured in use cases.

| FR No. | Functional Requirement (Epic) | Sub Requirement (Story / Sub-Task) |
|--------|--|--|
| FR-1 | User Registration | Registration through Form Registration through Gmail |
| FR-2 | User Confirmation | Confirmation via Email Confirmation via OTP |
| FR-3 | User Details Submit the documents GRE or/and TOEFL scoresheet Curriculum Vitae (CV) Statement of Purpose (SoP) Letter of Recommendation | |
| FR-4 | User Requirements | Upload all the relevant documents in the appropriate location in the website Based on the uploads, the system would scrape all the necessary information The list of all possible university for the candidate would be displayed based on the scraped information |

4.2 Non-Functional requirements


In systems engineering and requirements engineering, a non-functional requirement (NFR) is a requirement that specifies criteria that can be used to judge the operation of a system, rather than specific behaviours.

| FR No. | Non-Functional Requirement | Description |
|--------|----------------------------|---|
| NFR-1 | Usability | The system doesn't expect any technical pre-requisite from the user i.e.; even the naïve user can access it The UI would focus on recognize over recall User friendly Reduced focus on Short Term memory load Focus on Internal Locus of Control The page would not take a lot of time to load the content and display them (< 30 seconds) The fields in the site would be self-explanatory |
| NFR-2 | Security | Only the authenticated user would be able to utilize the services of the site. Database should be backed up every hour Under any error, the system should be able to come back to normal operation in under an hour. |
| NFR-3 | Reliability | The system would always strive for maximum reliability due to the importance of data and damages thar could be cause by incomplete and incorrect data The system will run 7 days a week, 24 hours a day |
| NFR-4 | Performance | The website can efficiently handle the traffic by service the request as soon as possible Viewing this webpage using a 56-kbps modem connection would not exceed 30 seconds (quantitatively, the mean time) |
| NFR-5 | Availability | Minimal data redundancy Less prone to errors Fast and efficient The system will run 7 days a week, 24 hours a day |
| NFR-6 | Scalability | Since an academic portal is crucial to the courses that use it, it is crucial that a sizable number of users be able to access the system at the same time. The admission season is probably when the system will be under the most strain. It must therefore be able to manage numerous concurrent users. |

5. PROJECT DESIGN

5.1 Data Flow Diagrams

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.




5.2 Solution & Technical Architecture

Solution Architecture:

A solution architecture (SA) is an architectural description of a specific solution. SAs combine guidance from different enterprise architecture viewpoints (business, information and technical), as well as from the enterprise solution architecture (ESA).


SOLUTION ARCHITECTURE DIAGRAM:



University admit eligibility predictor

Technical Architecture:

Technical Architecture (TA) is a form of IT architecture that is used to design computer systems. It involves the development of a technical blueprint with regard to the arrangement, interaction, and interdependence of all elements so that systemrelevant requirements are met.



5.3 User Stories

A user story is an informal, general explanation of a software feature written from the perspective of the end user or customer. The purpose of a user story is to articulate how a piece of work will deliver a particular value back to the customer.

| User Type | Functional Requiremen t(Epic) | User Story Number | User Story / Task | Acceptance criteria | Priority | Release |
|-----------|-------------------------------------|-------------------------|---|--|----------|----------|
| Customer | Landing page | USN-1 | As a user, I can view the details about the university | I can access the university landing page | Medium | Sprint-1 |
| Adı | | USN-2 | As a user, I can view the latest news about the university | I can access the latest news | Medium | Sprint-1 |
| | | USN-3 | As a user, I can fill the contact form forqueries | I can fill and submit the contact form | Low | Sprint-2 |
| | | USN-4 | As a user, I can see the social media profiles of the university | I can reach out to them via social media | Medium | Sprint-1 |
| | | USN-5 | As a user, I can see testimonials of students who graduated from the university | I can access the testimonials | Medium | Sprint-1 |
| | Admissions | USN-6 | As a user, I can see the previous year cut- off marks | I can download the previous year cut-off details | High | Sprint-2 |
| | | USN-7 | As a user, I can read about proud alumni of the university | I can access the details of alumni of the university | Medium | Sprint-2 |
| | | USN-8 | As a user, I can predict my eligibility foradmission at the university | I can get result as either eligible/not eligible | High | Sprint-2 |
| | Courses offered | USN-9 | As a user, I can see the courses offered by the university for PG students | I can access the course details | Medium | Sprint-3 |
| | Events | USN-10 | As a user, I can check various technical events about to happen in the university | I can register for the events | Low | Sprint-3 |

6. PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

In Scrum Projects, Estimation is done by the entire team during Sprint Planning Meeting. The objective of the Estimation would be to consider the User Stories for the Sprint by Priority and by the Ability of the team to deliver during the Time Box of the Sprint.

Product Backlog, Sprint Schedule, and Estimation:

Use the below template to create product backlog and sprint schedule

| Sprint | Functional Requirement (Epic) | User Story Number | User Story / Task | Story Points | Priority | Team Members |
|----------|----------------------------------|----------------------|--|--------------|----------|-----------------|
| Sprint-1 | User Registration | USN-1 | As a user, I can register for the application by entering my email, password, and confirming my password. | 2 | High | 2 |
| Sprint-1 | | USN-2 | As a user, I will receive confirmation email once I have registered for the application | 1 | High | 1 |
| Sprint-2 | | USN-3 | As a user, I can check the eligibility criteria for various universities by uploading the necessary documents | 2 | Low | 2 |
| Sprint-3 | | USN-4 | As a user, I can register for the desired university through Gmail and can also upload further course completion documents if necessary. | 2 | Medium | 2 |
| Sprint-4 | User Login | USN-5 | As a user, I can log into the application by entering email & password | 1 | High | 2 |
| | Dashboard | | Check dashboard for further updates and upload the details according to the desired and eligible universities based on the eligibility criteria. | | | 4 |

6.2 Sprint Delivery Schedule

A sprint schedule is a document that outlines sprint planning from end to end. It's one of the first steps in the agile sprint planning process—and something that requires adequate research, planning, and communication.

Project Tracker, Velocity & Burndown Chart:

| Sprint | Total Story Points | Duration | Sprint Start Date | Sprint End Date (Planned) | Story Points Completed (as on Planned End Date) | Sprint Release Date (Actual) |
|----------|-----------------------|----------|-------------------|------------------------------|--|---------------------------------|
| Sprint-1 | 20 | 6 Days | 24 Oct 2022 | 29 Oct 2022 | 20 | 31 Oct 2022 |
| Sprint-2 | 20 | 6 Days | 31 Oct 2022 | 05 Nov 2022 | 20 | 07 Nov 2022 |
| Sprint-3 | 20 | 6 Days | 07 Nov 2022 | 12 Nov 2022 | 15 | 14 Nov 2022 |
| Sprint-4 | 20 | 6 Days | 14 Nov 2022 | 19 Nov 2022 | 25 | 19 Nov 2022 |

7. CODING & SOLUTIONING

7.1 Data Dictionary

| Serial No. | GRE Score | TOEFL Score | University Rating | SOP | LOR | CGPA | Research | Chance of Admit |
|------------|-----------|-------------|-------------------|-----|-----|------|----------|-----------------|
| 1 | 337 | 118 | 4 | 4.5 | 4.5 | 9.65 | 1 | 0.92 |
| 2 | 324 | 107 | 4 | 4 | 4.5 | 8.87 | 1 | 0.76 |
| 3 | 316 | 104 | 3 | 3 | 3.5 | 8 | 1 | 0.72 |
| 4 | 322 | 110 | 3 | 3.5 | 2.5 | 8.67 | 1 | 0.8 |
| 5 | 314 | 103 | 2 | 2 | 3 | 8.21 | 0 | 0.65 |
| б | 330 | 115 | 5 | 4.5 | 3 | 9.34 | 1 | 0.9 |
| 7 | 321 | 109 | 3 | 3 | 4 | 8.2 | 1 | 0.75 |
| 8 | 308 | 101 | 2 | 3 | 4 | 7.9 | 0 | 0.68 |
| 9 | 302 | 102 | 1 | 2 | 1.5 | 8 | 0 | 0.5 |
| 10 | 323 | 108 | 3 | 3.5 | 3 | 8.6 | 0 | 0.45 |

7.2 Libraries Used

Pandas, numpy, scikit learn, matplotlib, seaborn.

7.3 Technologies

Used Software

- ·Python
- ·Anaconda
- ·Jupyter Notebook
- ·Windows 7 or higher
- ·XAMP Server

Hardware

Processor – Dual Core or higher Hard Disk – 50 GB Memory – 1GB RAM

7.4 Evaluation Metric

The evaluation metric for this competition is 100*RMSLE where RMSLE is Root of Mean Squared Logarithmic Error across all entries in the test set.

7.5 Initial Approach

- Simple Linear Regression model without any feature engineering and data transformation which gave a RMSE : 196.402
- Without feature engineering and data transformation, the model did not perform well and could'nt give a good score.
- Post applying feature engineering and data transformation (log and log1p transformation), Linear Regression model gave a RMSLE score of 0.734.

7.6 Advanced Models

- With improvised feature engineering, built advanced models using Ensemble techniques and other Regressor algorithms.
 - Decision Tree Regressors performed well on the model which gave much reduced RMSLE.
 - With proper hyper-parameter tuning, Decision Tree Regressor performed well on the model and gave the lease RMSLE of 0.5237.

- 8. TESTING
- 8.1 Test Cases

| Test case ID | Feature Type | Component | Test Scenario |
|-----------------|--------------|---------------|---|
| Main_Page_1 | Functional | Main page | Verify user can able to access the page |
| Main_Page_2 | UI | Main page | Verify user can able to access the page |
| Main_Page_3 | UI | Main page | Verify user can able to access the page |
| Chance_Page_1 | Functional | Chance Page | Verify user can able to access the page |
| Nochance_Page_1 | Functional | Nochance Page | Verify user can able to access the page |
| | | | |

| | Team Id | PNT2022TMID19942 | |
|---------------|-----------------------------------|--|---------------------|
| | Project Name | University Admit Eligibility | |
| | | Predictor | |
| Pre-Requisite | Steps To Execute | Test Data | Expected Result |
| | | | |
| | click the URL | http://127.0.0.1:5000/ | Execute Successfull |
| | Cive inner tin the inner to field | http://127.0.0.1.5000/ | Evenute Suggestion |
| | Give input in the input field | http://127.0.0.1:5000/ | Execute Successfull |
| | click the predict button | http://127.0.0.1:5000/ | Execute Successfull |
| | on clicking the predict | http://127.0.0.1: | |
| | button | 5000/chance/92. | Execute Successfull |
| | on clicking the predict button | http://127.0.0.1: 5000/nochance/49. | Execute Successfull |

 Actual Result
 Status
 Commnets
 TC for Automation(Y/N)

 Working as Expected
 Pass

 Working as Expected
 Pass

 Working as Expected
 Pass

 Working as Expected
 Pass

 Working as Expected
 Pass

8.2 User Acceptance

Testing Defect Analysis:

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

| Resolution | Severity1 | Severity2 | Severity3 | Severity4 | Subtotal |
|----------------|-----------|-----------|-----------|-----------|----------|
| By Design | 7 | 3 | 2 | 3 | 15 |
| Duplicate | 1 | 0 | 3 | 0 | 4 |
| External | 2 | 3 | 0 | 1 | 6 |
| Fixed | 7 | 3 | 2 | 17 | 29 |
| Not Reproduced | 0 | 0 | 1 | 0 | 1 |
| Skipped | 0 | 0 | 1 | 1 | 2 |
| Won'tFix | 0 | 3 | 2 | 1 | 6 |
| Totals | 17 | 12 | 11 | 23 | 63 |

TestCase Analysis:

This report shows the number of test cases that have passed, failed, and untested

| Section | TotalCases | Not Tested | Fail | Pass |
|--|------------|------------|------|------|
| PrintEngine | 7 | 0 | 0 | 7 |
| ClientApplication | 51 | 0 | 0 | 51 |
| Security | 2 | 0 | 0 | 2 |
| OutsourceShipping | 3 | 0 | 0 | 3 |
| ExceptionReporting | 9 | 0 | 0 | 9 |
| FinalReportOutput | 4 | 0 | 0 | |
| 10718 20 50 60 60 60 60 60 60 60 60 60 60 60 60 60 | ** | | 1 00 | |

9. RESULTS

9.1 Performance Metrics

| S.N o | Parameters | Value | Screenshot |
|----------|------------|--|--|
| 1. | Metrics | Regression Model: Mean Absolute Error: 0.05015571939256262 Mean Squared Error: 0.00579019845213460 Root Mean Squared Error: 0.07609335353455389 | Comparison of the comparison |
| 2. | Metrics | Classification Model: Accuracy Score: 92.500000 Recall Score: 100.000000 ROC AUC Score: 62.500000 Confusion Matrix: [[2 6] | Compared Process Pro |

10. ADVANTAGES & DISADVANTAGES

Advantages:

- It helps student for making decision for choosing a right college.
- Here the chance of occurrence of error is less when compared with the existing system.
 - Avoids data redundancy and inconsistency.
 - It is fast, efficient and reliable.

Disadvantages:

- Machine errors are unavoidable when occurred. (Hardware failure, network failure, others).
 - The predictions made are not 100% accurate but accurate to an acceptable value.

11. APPLICATIONS

- Reach to geographically scattered student.
- Reducing time in activities
- Paperless admission with reduced man power
- Operational efficiency

12. CONCLUSION

The project uses a Random forest regressor to predict the output and a web application is built to make the UI more accessible and easy using various technologies such as python, HTML5, CSS, Flask, Scikit, Matplot, Numpy, Pandas, Seaborn and other libraries. After the deployment of the web application, it can be accessed from anywhere with internet connection. This project reduces the long hours of analysis to predict the eligibility of the admission to a rated university.

13. FUTURE SCOPE

The future scope of this project is very broad. Few of them are:

- This can be implemented in less time for proper admission process.
- This can be accessed anytime anywhere, since it is a web application provided only an internet connection.
- The user had not need to travel a long distance for the admission and his/her time is also saved as a result of this automated system.

14. APPENDIX

SOURCE CODE:

main.html

```
<html>
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1,</pre>
user-scalable=no">
<title>University Admission Eligibility Predictor</title>
<style>
  body{
    background-image: linear-gradient(to bottom right, white, #333);
    margin: auto;
    width: fit-content;
  }
  h1{
    padding: 30px 0;
  }
  .gg {
    margin:auto;
    width: fit-content;
  }
</style>
</head>
<body>
<h1 style="text-align:center">UNIVERSITY ADMISSION ELIGIBILITY PREDICTOR</h1>
<div class="qq">
  <h3>Enter your details and get probability of your admission</h3>
```

```
<form action="/predict" method="post">
    <b>Enter GRE Score : <input type="text" name="GRE Score"></input>
    Enter TOEFL Score : <input type="text" name="TOEFL Score"></input>
    Select University Rating :<br>
       <input type="radio" id="u1" name="University Rating" value="1"><label
for="u1">1</label></input><br>
       <input type="radio" id="u2" name="University Rating" value="2"><label
for="u2">2</label></input><br>
       <input type="radio" id="u3" name="University Rating" value="3"><label
for="u3">3</label></input><br>
       <input type="radio" id="u4" name="University Rating" value="4"><label
for="u4">4</label></input><br>
       <input type="radio" id="u5" name="University Rating" value="5"><label
for="u5">5</label></input><br>
    Enter SOP : <input type="text" name="SOP"></input>
    Enter LOR : <input type="text" name="LOR"></input>
    Enter CGPA : <input type="text" name="CGPA"></input>
    Research<br>
    <input type="radio" id="r1" name="Research" value="1"><label</pre>
for="r1">Research</label></input><br>
    <input type="radio" id="r0" name="Research" value="0"><label for="r0">No
Research</label></input><br>
    </b>
    <button type="submit">Predict</button>
  </form>
</div>
</body>
</html>
```

chance.html

```
<html>
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no">
<title>Chance</title>
<title>Chance</title>
<style>
body{
background-image: linear-gradient(to bottom right, white, rgb(237, 161, 21));
}
.sty{
margin-top:100px;
```

```
font-family: Verdana, Geneva, Tahoma, sans-serif;
margin-left:450px;
margin-right:450px;
padding:5px;
text-align:center
}
</style>
</head>
<body>
<form action="/chance" method="post">
<div class="sty">
<b>Predicting Chance of Admission</b>
<br>
<br>
Prediction :<u><b>You have a chance <b></u>
The model has predicted that you have <strong>{{predict}}}%</strong> chance
</div><br>
</form>
</body>
</head>
</html>
```

nochance.html

```
<html>
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1,</pre>
user-scalable=no">
<title>NoChance</title>
<style>
   body{
     background-image: linear-gradient(to bottom right, white, rgb(32, 189, 87));
  }
.sty{
margin-top:100px;
font-family: Verdana, Geneva, Tahoma, sans-serif;
margin-left:450px;
margin-right:450px;
padding:5px;
text-align:center;
}
```

```
</style>
</head>
<body>
<form action="/nochance" method="post">
<div class="sty">
<b>Predicting Chance of Admission</b>
<br>
<br>
Prediction :<u><b>You don't have a chance </b></u>
The model has predicted that you have <strong>{{predict}}}%</strong> chance
</div><br>
</form>
</body>
</head>
</html>
app.py
from flask import Flask,
  render_template,
  redirect, url_for, request
import requests
# NOTE: you must
  manually set API_KEY
  below using information
  retrieved from your IBM
  Cloud account.
API_KEY =
  "6fJrHdujsYQK3EvCJJ
  AkXCylrXC2bAA8oyE3r
  kKRmkdh"
token_response =
  requests.post('https://ia
  m.cloud.ibm.com/identit
  y/token',
  data={"apikey":
API_KEY, "grant_type":
  'urn:ibm:params:oauth:
  grant-type:apikey'})
mltoken =
  token_response.json()["
```

access_token"]

```
header = {'Content-Type':
  'application/json',
  'Authorization': 'Bearer'
  + mltoken}
app = Flask(_name_)
@app.route('/')
def home():
  return
  render_template("main.
  html")
@app.route("/predict",
  methods = ['POST'])
def predict():
  gre =
  request.form["GRE
  Score"]
  toefl=
  request.form["TOEFL
  Score"]
  u_rate=
  request.form["Universit
  y Rating"]
  sop=
  request.form["SOP"]
  lor=
  request.form["LOR"]
  cgpa=
  request.form["CGPA"]
  research=
  request.form["Research
  "]
  pre=[float(gre),float(toef
  I),float(u_rate),float(sop
  ),float(lor),float(cgpa),flo
  at(research)]
  # NOTE: manually
  define and pass the
  array(s) of values to be
  scored in the next line
  payload_scoring =
  {"input_data": [{"fields":
```

```
['GRE Score',
'TOEFL Score',
'University Rating',
'SOP',
'LOR',
'CGPA',
'Research'], "values":
[pre]}]}
response_scoring =
requests.post('https://us
-south.ml.cloud.ibm.co
m/ml/v4/deployments/f8
a4a158-7bfb-4930-869
4-305ff1860d66/predicti
ons?version=2022-11-2
0',
json=payload_scoring,
headers={'Authorization
': 'Bearer ' + mltoken})
print("Scoring
response")
pred=response_scoring
.json()
print(pred)
result =
pred['predictions'][0]['va
lues'][0][1][1]
if
pred['predictions'][0]['va
lues'][0][1][1]*100>50:
  return
render_template("chan
ce.html",
predict=round(pred['pre
dictions'][0]['values'][0][
```


1][1]*100,2))


```
else:
    return

render_template("noch
ance.html",
predict=round(pred['pre
dictions'][0]['values'][0][
1][1]*100,2))

if _name_ == "_main_":
app.run(debug=True)
```

Output Screenshots:





GitHub Link:

https://github.com/IBM-EPBL/IBM-Project-22894-1659860293