RESUME USING HTML,CSS,BOOTSTRAP,JQUERY DHINESH KUMAR K

HTML: <!DOCTYPE html> <html> <head> <title> Resume </title> <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script> <script src="https://cdnjs.cloudflare.com/ajax/libs/jspdf/1.3.4/jspdf.min.js"></script> <link rel="stylesheet" href="index.css"> link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+ fzT" crossorigin="anonymous"> </head> <body class="container" id="resume"> <div class="mt-5 d-flex flex-row justify-content-between mb-5"> <h3>Dhinesh Kumar K</h3> <div class="row">

```
</div>
    </div>
    <div class="container top-section row" id="section-1">
       <div class="container col-lg-4">
         <img class="profile" src="images/profile.jpeg"></img>
       </div>
       <div class="col-lg-8">
         <h1 class="mb-1">Dhinesh Kumar K</h1>
         <h6 class="mt-2">Web Developer & Designer</h6>
         <div class="row mt-5 pl-5">
           <button type="button" id="cmd" class="btn btn-light col-lg-2 mr-
5">Download CV</button>
           <div class="col-lg-1"></div>
           <button type="button" class="btn btn-success col-lg-2"><a
href="#contact" style="text-decoration: none;color:white;">Hire
Me</a></button>
         </div>
       </div>
    </div>
    <div class="mid-section container">
       <div class="row">
         <div class="col-lg-5 p-2">
           <h2>About Me</h2>
           < div>
```

Hello! I'm dhineshkumar. I am passionate about UI/UX design and Web Design, I am a skilled Front-end Developer and master of Graphic Design tools such as Photoshop and Sketch.

```
</div>
    <div class="col-lg-3 p-2 mt-4">
      Age
    Email
    Phone
    Address
      </div>
    <div class="col-lg-4 p-2 mt-4">
      21
    dhineshkumark@gmail.com
    9829876547
    22,katpadi,vellore
      </div>
  </div>
</div>
<div class="container">
  <h2>Professional Skills</h2><br>
  <div class="row">
    <div class="col">
      HTML
      <br/>br><br/>>
      <div class="progress col mb-5">
```

```
<div class="progress-bar" role="progressbar" aria-label="Basic</pre>
example" style="width: 90%" aria-valuenow="25" aria-valuemin="0" aria-
valuemax="100"></div>
            </div>
         </div>
          <div class="col">
            Adobe Photoshop
            <br/>br><br/>><
            <div class="progress col mb-5">
              <div class="progress-bar bg-success" role="progressbar" aria-</pre>
label="Basic example" style="width: 80%" aria-valuenow="25" aria-
valuemin="0" aria-valuemax="100"></div>
            </div>
         </div>
       </div>
       <div class="row">
         <div class="col">
            CSS
            <br/>br><br/>><
            <div class="progress col mb-5">
              <div class="progress-bar" role="progressbar" aria-label="Basic</pre>
example" style="width: 85%" aria-valuenow="25" aria-valuemin="0" aria-
valuemax="100"></div>
            </div>
          </div>
         <div class="col">
            Sketch
            <br/>br><br/>><
```

```
<div class="progress col mb-5">
              <div class="progress-bar bg-success" role="progressbar" aria-</pre>
label="Basic example" style="width: 85%" aria-valuenow="25" aria-
valuemin="0" aria-valuemax="100"></div>
            </div>
         </div>
       </div>
       <div class="row">
         <div class="col">
            JavaScript
            <br>><br>>
            <div class="progress col mb-5">
              <div class="progress-bar" role="progressbar" aria-label="Basic</pre>
example" style="width: 75%" aria-valuenow="25" aria-valuemin="0" aria-
valuemax="100"></div>
            </div>
         </div>
         <div class="col">
            Adobe XD
            <br>><br>>
            <div class="progress col mb-5">
              <div class="progress-bar bg-success" role="progressbar" aria-</pre>
label="Basic example" style="width: 80%" aria-valuenow="25" aria-
valuemin="0" aria-valuemax="100"></div>
            </div>
         </div>
       </div>
    </div>
```

```
<div class="container" id="contact">
       <h5>Contact Me :</h5>
       <div class="mb-3">
         <label for="exampleFormControlInput1" class="form-label">Name
:</label>
         <input type="email" class="form-control"</pre>
id="exampleFormControlInput1" placeholder="name@example.com">
       </div>
       <div class="mb-3">
         <label for="exampleFormControlTextarea1" class="form-</pre>
label">Your Message :</label>
         <textarea class="form-control" id="exampleFormControlTextarea1"
rows="3"></textarea>
       </div>
       <button type="button" class="btn btn-primary"</pre>
style="float:right;">Submit</button>
    </div>
    <div id="editor"></div>
    <script>
       var doc = new jsPDF();
       var specialElementHandlers = {
         '#editor': function (element, renderer) {
            return true;
         }
       };
       $('#cmd').click(function() {
         doc.fromHTML($('#resume').html(), 15, 15, {
            'width': 170,
```

```
'elementHandlers': specialElementHandlers
         });
         doc.save('cv.pdf');
      });
    </script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.j
s" integrity="sha384-
u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvbZlHgTPOOm
Mi466C8" crossorigin="anonymous"></script>
  </body>
</html>
CSS:
body{
  background-color: #F5F7F9;
}
.icons {
  height: 20px;
  width: 20px;
}
.top-section{
  background-color: #4A89DC;
  margin-top: 4rem;
  padding-top: 4rem;
  padding-bottom: 4rem;
  color:white;
```

```
border-radius: 20px;
  box-shadow: rgba(0, 0, 0, 0.24) 0px 3px 8px;
}
.profile \{\\
  width: 40%;
  outline: none;
  margin-left: 4rem;
  padding: 0;
  border: 10px solid white;
  background-color: white;
}
.mid-section pre{
  font-size: 16px;
  font-weight: light;
}
.mid\text{-}section \{
  margin-top: 3rem;
}
```

OUTPUT:

