

Project Design Phase-II
Solution Requirements (Functional & Non-functional)

Team ID	PNT2022TMID23481
Project Name	Signs with smart connectivity for better road safety
Maximum Marks	4 Marks

Functional Requirement

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Newly sensed data can facilitate an understanding of the road context, the road network map, and establish severity of turns, the presence of shoulders, and whether the road is on a hillside. Identifying a vehicle's location through an on-board GPS (whether dedicated or through a smartphone) would thereby provide for a first level of this understanding.

NFR-2	Security	The software is protected from unauthorized access to the system for drivers, the growing maturity of DBM will facilitate identifying unsafe or distracted driving behaviors. It will also enable the recognition of localized driving
-------	-----------------	--

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail Registration through Linked-IN
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Login mail	Login mail id
FR-4	Confirmation login mail	Check the confirmation mail
	Confirmation verification code	Check the verification code
	Confirm registration	Check the registration

Non-functional Requirements:

		behaviors facilitating the identification of emerging incidents.
NFR-3	Reliability	The software to work without failure for a given period of time. it decreases because of bugs in the code, hardware failures, problems with other system components.
NFR-4	Performance	Performance is a quality attribute that describes the It is possible to consider a meaningful safety metric based on the live (or real-time) status of the road. For example, the safety level of a certain segment/road depends on the aggregate safety of vehicles currently traversing it, combined with the number of potholes and/or the wetness or how slippery is the road, in addition to safety/alertness of the drivers on the road.

NFR-5	Availability	The team has to define the most critical components of the system that must be available at all times. You should also prepare user notifications in case the system or one of its parts becomes unavailable.
NFR-6	Scalability	Scalability requirements describe how the system must grow without negative influence on its performance. This means serving more users, processing more data, and doing more transactions.