Assignment-3

Team id	PNT2022TMID26431
PROJECT NAME	PERSONAL EXPENSE TRACKER
	APPLICATION
NAME	VARSHIDH R
ROLL NO	211719104155

1. Create User table with user with email, username, roll number, password.

CREATE TABLE user(email varchar(50) not null, username varchar(20) not null, roll_number int not null, password varchar(20) not null)

INSERT INTO user(email, username, roll_number, password)

VALUES('varshidh@gmail.com', 'varshidh12', '01154', 'varshidh')

2. Perform UPDATE, DELETE Queries with user table

UPDATE user SET username='varshidh' WHERE email=
'varshidh@gmail.com' DELETE FROM user WHERE username = 'varshidh'

3. Connect python code to db2.

conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=54a2f15b-5c0f-46df-8954-

7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32733;Secur ity=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=hgm40493;PWD=M yVIfYf5WrLQF6tG;",",")

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to

login page authenticate user username and password. If the user is valid show the welcome page.

login.html

```
<html>
       <head>
             <meta charset="UTF-8">
             <title> Login </title>
             k rel="stylesheet" href="{{ url_for('static', filename='style.css') }}">
       </head>
       <body></br></br></br>
             <div align="center">
             <div align="center" class="border">
                    <div class="header">
                           <h1 class="word">Login</h1>
                    </div></br></br>
                    <h2 class="word">
                           <form action="{{ url_for('login') }}" method="post">
                           <div class="msg">{{ msg }}</div>
                                  <input id="username" name="username" type="text"</pre>
placeholder="Enter Your Username" class="textbox"/></br>
                                  <input id="password" name="password"</pre>
type="password" placeholder="Enter Your Password" class="textbox"/></br></br>
                                  <input type="submit" class="btn" value="Sign</pre>
In"></br>
                           </form>
                    </h2>
                    Don't have an account? <a class="bottom"</pre>
href="{{url_for('register')}}"> Sign Up here</a>
             </div>
```

```
</div>
       </body>
</html>
register.html:
<html>
       <head>
              <meta charset="UTF-8">
              <title> Register </title>
              k rel="stylesheet" href="{{ url_for('static', filename='style.css') }}">
       </head>
       <body></br></br></br>
              <div align="center">
              <div align="center" class="border">
                     <div class="header">
                            <h1 class="word">Register</h1>
                     </div></br></br>
                     <h2 class="word">
                            <form action="{{ url_for('register') }}" method="post">
                            <div class="msg">{{ msg }}</div>
                                   <input id="username" name="username" type="text"</pre>
placeholder="Enter Your Username" class="textbox"/></br>
                                   <input id="password" name="password"</pre>
type="password" placeholder="Enter Your Password" class="textbox"/></br>
                                  <input id="email" name="email" type="text"</pre>
placeholder="Enter Your Email ID" class="textbox"/></br>
                                   <input type="submit" class="btn" value="Sign</pre>
Up"></br>
                            </form>
                     </h2>
```

```
Already have an account? <a class="bottom"</pre>
href="{{url_for('login')}}"> Sign In here</a>
             </div>
             </div>
      </body>
</html>
index.html: <html>
       <head>
             <meta charset="UTF-8">
             <title> Index </title>
             k rel="stylesheet" href="{{ url_for('static', filename='style.css') }}">
      </head>
      <body></br></br></br>
             <div align="center">
             <div align="center" class="border">
                    <div class="header">
                          <h1 class="word">Index</h1>
                    </div></br></br>
                          <h1 class="bottom">
                                  Hi {{session.username}}!!</br>
Velcome to Our
page...
                          </h1></br></br>
                          <a href="{{ url_for('logout') }}" class="btn">Logout</a>
             </div>
             </div>
      </body>
</html>
```

```
app.py:
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db import re
app = Flask(_name___) app.secret_key
= 'a'
conn = ibm\_db.connect("DATABASE=bludb; HOSTNAME=54a2f15b-5c0f-46df-8954-1000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2000) + (2
7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32733;Security=SS
L;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=hgm40493;PWD=MyVIfYf5WrL
QF6tG;",",")
@app.route('/')
@app.route('/login', methods =['GET', 'POST']) def login(): msg = " if
request.method == 'POST' and 'username' in request.form and 'password' in
request.form:
               username = request.form['username']
password = request.form['password'] stmt = ibm_db.prepare(conn, 'SELECT * FROM
               users WHERE username = ? AND
password = ?') ibm_db.bind_param(stmt,1,username)
               ibm_db.bind_param(stmt,2,password)
ibm_db.execute(stmt) account =
               ibm_db.fetch_assoc(stmt)
if account:
                      session['loggedin'] = True
```

```
session['username'] = account['USERNAME'] msg =
'Logged in successfully !' return
render_template('index.html', msg = msg)
else:
       msg = 'Incorrect username / password !'
return render_template('login.html', msg = msg)
@app.route('/logout')
                           def
                                     logout():
session.pop('loggedin', None)
session.pop('id', None) session.pop('username',
        return redirect(url_for('login'))
None)
@app.route('/register', methods =['GET', 'POST']) def register():
                                                                 msg = " if request.method
== 'POST' and 'username' in request.form and 'password' in request.form
and 'email' in request.form:
    username = request.form['username']
password = request.form['password']
                                        email
= request.form['email'] stmt = ibm_db.prepare(conn, 'SELECT * FROM users
    WHERE username = ?')
ibm_db.bind_param(stmt,1,username) ibm_db.execute(stmt) account =
    ibm_db.fetch_assoc(stmt)
if account:
       msg = 'Account already exists!'
                                           elif not
re.match(r'[^@]+@[^@]+\.[^@]+', email):
       msg = 'Invalid email address!'
       elif
not re.match(r'[A-Za-z0-9]+', username): msg = 'Username must
       contain only characters and numbers!'
elif not username or not password or not email:
       msg = 'Please fill out the form!'
else:
```

Output:









