




Assignment – 3

1. Create a Bucket in IBM object storage.



2. Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.



Index.html

```
<!doctype html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
```

```
  <link rel="stylesheet" href="static/css/bootstrap.min.css">
```

```
  <link rel="stylesheet" type="text/css" href="static/css/style.css" />
```

```
</head>
```

```
<body>
```

```
  <header id="menu-jk">
```

```
    <nav class="">
```

```
      <div id="menu" style="margin:20px">
```

```
        <a href="http://127.0.0.1:5000/profile">Profile</a>
```

```
      </div>
```

```
    </nav>
```

```
  </header>  <div class="item">
```

```
    <div class="slider-img" style="padding-top: 50px;">
```

```
    </div>
```


```
</div>
<section class="session-type" style="padding: 0;">
  <div class="container">
    <div class="session-title row">
      <h2 class="center">Our Session Types</h2>
    </div>
    <div class="row">
      <div class="col-md-4 col-sm-6">
        <div class="single-sess">
          
          <p>Know More</p>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-md-4 col-sm-6">
        <div class="single-sess">
          
          <p>Know More</p>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-md-4 col-sm-6">
        <div class="single-sess">
          
          <p>Know More</p>
        </div>
      </div>
    </div>
  </div>
</div>
```


```

<div class="col-md-4 col-sm-6">
  <div class="single-sess">
    
    <p>Know More</p>
  </div>
</div>
<div class="row">
  <div class="col-md-4 col-sm-6">
    <div class="single-sess">
      
      <p>Know More</p>
    </div>
  </div>
</div>
</div>
</section>
</body>
</html>

```


Output





3. Upload a css page to the object storage and use the same page in your HTML code.


Upload style.css to ibm bucket




Link the stylesheet in head

```
<link rel="stylesheet" type="text/css" href="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/cloudobjectstoragedemo/style.css" />
```

Output:



4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.



URL of chat bot: <https://us-south.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aus-south%3Aa%2F2fdeab08042b44838ad9adc04fd1878d%3Aefa7fb31-363b-41f8-a165-7e96ee675bef%3A%3A/assistants/79d297c4-94f6-4d10-8e77-eef6d13ace9a/environments/79d297c4-94f6-4d10-8e77-eef6d13ace9a/apidetails>

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Index.html

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <link rel="stylesheet" href="static/css/bootstrap.min.css">
  <link rel="stylesheet" type="text/css" href="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/cloudobjectstoragedemo/style.css" />
</head>
<body>
  <header id="menu-jk">
```

```

<nav class="">
  <div id="menu" style="margin:20px">
    <a href="http://127.0.0.1:5000/profile">Profile</a>
  </div>
</nav>
</header>
<div class="item">
  <div class="slider-img" style="padding-top: 50px;">
</div>
</div>
<section class="sesion-type" style="padding: 0;">
  <div class="container">
    <div class="session-title row">
      <h2 class="center">Our Session Types</h2>
    </div>
    <div class="row">

      {% for item in img_list %}
      <div class="col-md-4 col-sm-6">
        <div class="single-sess">
          
          <p>Know More</p>
        </div>
      </div>
      {% endfor %}
    </div>
  </div>

```



```

</section>
<script>
    window.watsonAssistantChatOptions = {
        integrationID: "4b970404-0820-46b2-bca1-78285653c0d8", // The ID of this integration.
        region: "us-south", // The region your integration is hosted in.
        serviceInstanceID: "efa7fb31-363b-41f8-a165-7e96ee675bef", // The ID of your service
instance.

        onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
        const t=document.createElement('script');

        t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";

        document.head.appendChild(t);

    });
</script>
</body>
</html>

```

Output:

