
Assignment - 3 Cloud object storage and Watson assistant

Assignment Date	18 October 2022
Student Name	JUsha
Student Roll Nuntber	951319104052
MaxinomMarks	2 Marks

Question-1

Create a Bucket in IBM object storage

Solution



Question-2:

Upload an 5 inages to ibmobject storage and nake it public. Write html code to displaying all the 5 inages.

Solution

Html code:

dDOCTYPE html>

4ntnb⊳

dead>

dink rel="stylesheet" href="https://cloud-object-storage-er-cos-standard-1xws3.jp-tokcloud-objectstorage.appdonain.cloud/newcss">

</head>

<script>

windowwat son Assist ant Chat Options = {


integrationID: "0b305951-d464-4f72-9cc7-938932287427", // The ID of this integration.


region: "jp-tok", // The region your integration is hosted in.

serviceInstanceID: " 5f 1f d427- 209e- 4898- a311- 91b0c9e59b46", // The ID of your service instance.



```
onLoad function(instance) { instance.render(); }
     };
      set Tineout (function(){
           const t=document.createElement('script');
           t.src="https://web-chat.global.assistant.watson.appdonain.cloud/versions/" + (windowwatsonAssistant.Chat.Options.dient.Version.)
"latest") + "/WatsonAssistantChatEntry.js";
           document.head.appendChild(t);
     });
<script>
400dy>
Initial state of the state 
<div dass="grid-container">
      <div class="item1">xing src=" https://dbjectstorage53.s3.jp-tokdoud-object-storage.appdonain.cloud/doudconputing.png "
alt="cloud conputing"></div>
      <div class="item2">ing src=" https://objectstorage53.s3.jp-tokdoud-object-storage.appdonain.doud/conputer.jfif "
alt="conputer"></div>
      <div class="item3">ing src=" https://objectstorage53.s3.jp-tokdoud-object-storage.appdomain.cloud/cs.jpg " alt="cs">/div>
      <div dass="item4">ing src=" https://dbjectstorage53.s3.jp-tokdoud-dbject-storage.appdonain.doud/software.jfif "
alt="software"></div>
      <div class="item5">ing src=" https://objectstorage53.s3.jp-tokdoud-object-storage.appdonain.doud/tech.jfif " alt="tech">/div>
      </div>
     </body>
</html>
Output:
```









Question-3:

Upload a css page to the object storage and use the same page in your html code. Solution

Newcss uploaded to the object storage and used the same page in html code. Css page used in html page









Question-4:

Design a Chabot using IBM Watson assistant for hospital. Ex: User connect the query to know the branches for that hospital in your city.

Solution

URL for:https://web-chat.global.assistant.watson.appdonain.doud/preview.html?backgroundlnageURL=https%3A%2F%2Feugb.assistant.watson.doud.ibmoon%2Fpublic%2Finages%2Fupx-1c7f8412-ebab-4039-928f-0bad3a99a7b2%3A%3A486e4106d807-4cb7-a51f-c909e50cf3b9&integrationID=a0ef64d3-a4a2-4895-b98f-5883f8fbef7f®ion=eugb&serviceInstanceID=1c7f8412-ebab-4039-928f-0bad3a99a7b2





Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in html page Solution:

DOCTYPE html>

4ntnh⊳

dead>

dink rel="stylesheet" href="https://doud-doject-storage-er-cos-standard-1xws3.jp-tokdoud-dojectstorage.appdonain.doud/newcss">

</head>



```
<script >
   windowwatsonAssistantChatOptions = {
     integrationID. "0b305951-d464-4f72-9cc7-938932287427", // The ID of this integration.
     region: "jp-tok", // The region your integration is hosted in.
     serviceInstanceID: "Oe2633ff-6a5b-4e73-aca2-b88363b1db5f", // The ID of your service instance.
     onLoad: function(instance) { instance.render(); }
   };
   set Tineout (function(){
     const t=document.oreateElement('script');
     t.src="https://web-chat.global.assistant.watson.appdonain.doud/versions/" +
 (windowwat son Assist ant Chat Options.dient Version | | latest') + "/Wat son Assist ant Chat Entry, is";
     document.head.appendChild(t);
   });
 <script>
 dody>
<h1>This inages are from the doud object storage</h1>
<div dass="grid-container">
   <div dass="item1" × ing src="https://nahalakruth.s3.jp-tok.doud-object-</p>
 storage.appdonain.doud/1_FHjF7YdOunva3EklVabyF0wjpeg" alt="Girl in a jacket"></div>
   <div dass="iten2" ×ing src="https://nahalakruths3.jp-tokdoud-object-storage.appdonain.doud/Fenale-</p>
 Presenter.jpg" alt="Girl in a jacket"></div>
 ¬div dass="iten3">¬ing src="https://nahalakruth.s3.jp-tokdoud-doject-storage.appdonain.doud/IMG-20200715-
 WA0002.jpg" alt="Girl in a jacket">/div>
   <div dass="iten4" ×ing src="https://nahalakruths3.jp-tokdoud-object-storage.appdonain.doud/digitalpen1jpg"Girl</p>
 in a jacket"×/div>
   <div dass="iten5">ing src="https://nahalakruths3.jp-tokcloud-object-storage.appdonain.cloud/e-
 learning%20tile.jpg"Girl in a jacket"×/div>
   </div>
  <br/>/body>
 </html>
 Output:
```



URL for chat bot :https://web-chat.global.assistant.watson.appdonain.cloud/previewhtnl?backgroundlnageURL=https%3A%2F%2Feugb.assistant.watson.cloud.ibmcon%2Fpublic%2Finages%2Fupx-1c7f8412-ebab-4039-928f-0bad3a99a7b2%3A%3A486e4106-d807-4cb7-a51f-c909e50cf3b9&integrationID=a0ef64d3-a4a2-4895-b98f-5883f8fbef7f®ion=eu-gb&serviceInstanceID=1c7f8412-ebab-4039-928f-0bad3a99a7b2

URL for webpage:

https://api.eu-gb.assistant.watson.doud.ibmoon/iinstances/1c7f8412-ebab-4039-928f-0bad3a99a7b2