
## **Assignment-3**

Assignment Date	26 october 2022
Student Name	MONISHA.A
Student Roll Number	913119104058
Maximum Marks	2 Marks


## **Question-1:**

1) Create a Bucket in IBM object storage.



## **Question-2:**

2) Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.





## Canadian scenario.html

```
<!DOCTYPE html>
<title>Canadian Scenario</title>
<head>
  <style>
    img{
       display: block;
 margin-left: auto;
 margin-right: auto;
 border: aqua;
 width: 50%;
    }
  </style>
</head>
<body style="background-color: aqua;">
<h1>CANADIAN SCENARIO</h1>
<img src=" http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img1.jpg"</pre>
alt="amazon" style="width:50%" >
<br>>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img2.jpg" alt="</pre>
google"width="600"
height="600">
<br>
<img src=" http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img3.jpg"</pre>
alt="ibm"width="600" height="600">
<br>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img4.jpg" alt="box"</pre>
width="600" height="600">
<br>>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img5.jpg"</pre>
alt="microsoft"width="600" height="600">
</body>
</html>
```

## **Question-3:**

3)Upload a css page to the object storage and use the same page in your HTML code.



## Canadian scenario styling.html:

```
<!DOCTYPE html>
<title>Canadian scenario</title>
<head>
<style>
img{
display: block;
margin-left: auto;
margin-right: auto;
border: aqua;
width: 50%;
Body{
style="border:rgb(15, 15, 15);
border-width:5px;
border-style:double;text-align: center;font-family: Arial, Helvetica, sans-serif;
background-color:powderblue"
</style>
</head>
<body style="background-color: aqua;">
<h1>CANADIAN SCENARIO</h1>
```


```
<img src=" http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img1.jpg" alt="amazon"</pre>
style="width:50%" >
<br>>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img2.jpg" alt="</pre>
google"width="600"
height="600">
<br>>
<img src=" http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img3.jpg"</pre>
alt="ibm"width="600" height="600">
<br>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img4.jpg" alt="box"</pre>
width="600" height="600">
<br>>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/monisha24/img5.jpg"</pre>
alt="microsoft"width="600" height="600">
</body>
</html>
Style.css
Body{
 style="border:rgb(15, 15, 15);
 border-width:5px;
 border-style:double;text-align: center;font-family: Arial, Helvetica, sans-serif;
 background-color:powderblue"
```

#### **Question-4:**

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know thebranches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

#### https://web-

 $\frac{chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https\%3A\%2F\%2Fau-syd.assistant.watson.cloud.ibm.com\%2Fpublic%2Fimages\%2Fupx-dd023609-f951-4da6-a246-92943dc5e937%3A%3A4061dd95-6586-4768-bc5c-42f4c0759115&integrationID=2f598fa3-d76d-4766-b86f-92a28d85dae9&region=au-syd&serviceInstanceID=dd023609-f951-4da6-a246-92943dc5e937$ 



#### **Question-5**

# 5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

```
<!DOCTYPE html>
<title>abc hospital</title>
<style>
  body {
    background: url(https://wallpaperaccess.com/full/1282794.jpg) no-repeat center center fixed;
 -webkit-background-size: cover;
 -moz-background-size: cover;
 -o-background-size: cover;
 background-size: cover
</style>
<body>
  <script> <script>
   window.watsonAssistantChatOptions = {
    integrationID: "2f598fa3-d76d-4766-b86f-
    92a28d85dae9", // The ID of this
    integration.
    region: "au-syd", // The region your
    integration is hosted in.
    serviceInstanceID: "dd023609-f951-4da6-
    a246-92943dc5e937", // The ID of your
    service instance.
    onLoad: function(instance) {
    instance.render(); }
   };
   setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-
    chat.global.assistant.watson.appdomain.cl
    oud/versions/" +
    (window.watsonAssistantChatOptions.clie
    ntVersion || 'latest') +
    "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
   });
  </script></script>
</body>
</html>
```

