[<u>:S:S:</u>3<u>BBB33BBB33</u>3

StudentBame	NAMBI DURAI M.
StudentRollBumber	95071912062
Team { k	PNT2022TMID53883

 $\hbox{-}<] reater egistration page in html with user name Oemail and phone number and by using POST method 3 display it innex thtml page <$

```
Register<html
!htmlY
!headY
  !titleYRegistrationPage!>titleY
  !metahttpxequiv?.]ontentxType.content?.text>html:charset?UTzxU.Y
!>headY
!bodyY
  !h-YRegistrationPage!>h-Y
  !form action?.Register<php.method?.POST.Y
  !labelfor?.UserBame.YUserBamef!>labelY
  !inputtype?.text.name?.UserBame.Y!br>Y
!br>Y
 !labelfor?.jmail.Yjmailf!>labelY
  !inputtype?.jmail.name?.jmail.Y!br>Y
!br>Y
  !labelfor?.PhoneBumber.YPhoneBumberf!>labelY
  !inputtype?.PhoneBumber.name?.PhoneBumber.Y!br>Y
!br>Y
  !inputtype?.submit.value?.Register8.Y
```

```
!>formY
!>bodyY
!>htmlY
Register<php
!$php
echo. Youhave submitted OUser Barnef. <
g POST[pUserBamep]<.0jmailf.<3
g_POST[pjmailp]<.andPhoneBumberf.<
g POST[pPhoneBumberp]:
$Y
q<kevelopaflaskprogramwhichshouldcontainatleast"packagesusedfrompypi<org<
importos
importshutil
importpytest
from flaskimportrender templateOrender template stringOrequest
from jinjaq < exception simport Template Botzound \\
from jinjag<sandboximportSecurityjrror
fromwerkzeug<testimport]lient
from |Tzd<configimportTesting|onfig
from ]Tzd<utilsimportget_configOset_config</pre>
from tests<helpersimportcreate ctfdOdestroy ctfdOgen userOlogin as user
deftest_themes_run_in_sandboxhwf
  app?create_ctfdhw
  withapp<app contexthwf
    tryf
      app<jinja_env<from_stringh
        .\{\{hw < class < bases \underline{338}/\} < subclasses \underline{3338}w[=/]hp > test utils < pypw < readhw\}\}.
```

w⊲renderhw

```
exceptSecurityjrrorf
     pass
   exceptjxceptionasef
     raisee
  destroy ctfdhappw
def test themes cant access configpy attributeshwf
  app?create ctfdhw
 withapp<app contexthwf
   assertapp<config[.Sj]RjT_}jY.]??.[[[[[[[[[[[[[[[[[[[[[
   asserth
     app<jinja_env<from_stringh.{{get_confighpSj]RjT_}jYpw}}.w<renderhw
CC<<<sourcefileabbreviatedtogettozlaskexamples<<<
     r?client<geth.>challenges.w
     assertr<status_code ??q//
     assert.]hallenges.inr<get_datahas_text?Truew
     r?client<geth.>scoreboard.w
     assertr<status code??q//
     assert.Scoreboard.inr<get datahas text?Truew
  destroy_ctfdhappw
deftest that request path hijacking works properlyhwf
  app?create_ctfdhsetup?zalseOapplication_root?.>ctf.w
 assertapp<request class<nam@3333333?.]TzdRequest.
  withapp<app_contexthwf
   withapp<test_request_contexth.>challenges.wf
     assertrequest<path??.>ctf>challenges.
  destroy_ctfdhappw
```

```
app?create ctfdhw
  assertapp<request_class<nam<u>833333333</u>?.]TzdRequest.
  withapp<app contexthwf
   withapp<test_request_contexth.>challenges.wf
     assertrequest<path??.>challenges.
   from flaskimportzlask
   test_app?zlaskh.test.w
   asserttest app<request class<nam@3333333?.Request.
   withtest_app<test_request_contexth.>challenges.wf
     assertrequest<path??.>challenges.
  destroy_ctfdhappw
deftest_theme_fallback_confighwf
  classThemezallback]onfighTesting]onfigwf
   T)jLj_z[##'[]}?zalse
 app?create ctfdhconfig?Themezallback]onfigw
 tryf
   os<mkdirhos<path<joinhapp<root_pathO.themes.O.foo_fallback.ww
  exceptOSjrrorf
   pass
  withapp<app contexthwf
   app<config[.T)jLj_z[##'[]}.]?zalse
   set_configh.ctf_theme.O.foo_fallback.w
   assertapp<config[.T)jLj_z[##'[]}.]??zalse
   withapp<test_clienthwasclientf
     tryf
r?client<geth.>.w
```