



ASSIGNMENT 3

1. Create a Bucket in IBM object storage.



2. Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.




HTML Code to display the images in IBM Object Storage.

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="utf-8">
  <title>Assignment</title>
</head>
<body>
<br>
<br>
<br>
<br>



</body>
</html>
```

OUTPUT



3. Upload a css page to the object storage and use the same page in your HTML code.


4.



5.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Link :


<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-10579689-3bac-4210-a9c7-bedced1aea82%3A%3Afa5dacc8-b871-404f-8191-a38c3b0252cf&integrationID=22e95bcb-d070-4882-bcd5-e950e21db70e®ion=au-syd&serviceInstanceID=10579689-3bac-4210-a9c7-bedced1aea82>



6. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Link :

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-10579689-3bac-4210-a9c7-bedced1aea82%3A%3A146ffb65-c63e-4bf3-a311-f760f957eb85&integrationID=e6455de4-f1ec-48f4-8cc0-80ee80e0f370®ion=au-syd&serviceInstanceID=10579689-3bac-4210-a9c7-bedced1aea82>



```
<!DOCTYPE html>
<html>
<head>
<title> HOTEL BOT</title>
</head>
<body>
<h3> WELCOME TO BUHARI HOTEL </h3>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "e6455de4-f1ec-48f4-8cc0-80ee80e0f370", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "10579689-3bac-4210-a9c7-bedced1aea82", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.c
    document.head.appendChild(t);
  });
</script>
</body>
</html>
```

