SPRINT 1 DELIVERABLE

Team ID	PNT2022PMID49593
Project Name	PLASMA DONOR APPLICATION
Name	SINDHU R
Roll Number	950019104043

Sprint 1- Donor Registration, Donor Login

app.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm db
import re
app = Flask(__name__)
app.secret key='a'
conn=ibm db.connect("DATABASE=bludb;HOSTNAME=2f3279a5-73d1-4859-88f0-
a6c3e6b4b907.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;PORT=30756;SECURIT
Y=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=mpf67194;PWD=iCG3PvOYv
DiHMrq8",'','')
@app.route('/')
def index():
   return render template('index.html')
@app.route('/login', methods =['GET', 'POST'])
def login():
   global userid
    msg = ''
    if request.method == 'POST' and 'email' in request.form and 'password' in
request.form:
       email = request.form['email']
       password = request.form['password']
       stmt = ibm db.prepare(conn,'SELECT * FROM donors WHERE email = ? AND
password = ?')
       ibm_db.bind_param(stmt,1,email)
       ibm_db.bind_param(stmt,2,password)
       ibm db.execute(stmt)
       account = ibm db.fetch assoc(stmt)
       if account:
         session['loggedin'] = True
         session['email'] = account['EMAIL']
         msg = 'Logged in successfully !'
         return render_template('index.html', msg = msg)
       else:
           msg = 'Incorrect username / password !'
    return render_template('login.html', msg = msg)
@app.route('/logout')
def logout():
```

```
session.pop('loggedin', None)
   session.pop('id', None)
   session.pop('username', None)
   return redirect(url_for('login'))
@app.route('/register', methods =['GET', 'POST'])
def register():
   msg = ''
    if request.method == 'POST':
       name = request.form['name']
       bloodgroup = request.form['blood']
       email = request.form['email']
       phonenumber = request.form['phone']
       password = request.form['password']
       address = request.form['address']
       gender = request.form['gender']
       age = request.form['age']
       district = request.form['district']
       state = request.form['state']
       illness = request.form['illness']
       sql= "SELECT * FROM donors WHERE name = ?"
       stmt = ibm_db.prepare(conn,sql)
       ibm db.bind param(stmt,1,name)
       ibm db.execute(stmt)
       account = ibm_db.fetch_assoc(stmt)
       if account:
         msg = 'Account already exists !'
       elif not re.match(r'[^0]+@[^0]+\.[^0]+', email):
         msg = 'Invalid email address !'
       elif not re.match(r'[A-Za-z0-9]+', name):
         msg = 'name must contain only characters and numbers !'
       elif not name or not password or not email:
         msg = 'Please fill out the form !'
       else:
           insert_sql = "INSERT INTO donors VALUES(?, ?, ?, ?, ?, ?, ?, ?, ?, ?,
?, ?)"
           stmt = ibm_db.prepare(conn,insert_sql)
           ibm_db.bind_param(stmt, 1, name)
           ibm db.bind param(stmt, 2, bloodgroup)
           ibm_db.bind_param(stmt, 3, email)
           ibm_db.bind_param(stmt, 4, phonenumber)
           ibm_db.bind_param(stmt, 5, password)
           ibm db.bind param(stmt, 6, address)
           ibm_db.bind_param(stmt, 7, gender)
           ibm_db.bind_param(stmt, 8, age)
           ibm_db.bind_param(stmt, 9, district)
           ibm_db.bind_param(stmt, 10, state)
           ibm_db.bind_param(stmt, 11, illness)
           ibm db.execute(stmt)
```

```
msg = 'You have successfully registered !'
  return render_template('register.html', msg = msg)
if __name__ == '__main__':
  app.run(debug= True)
```

templates/register.html

```
<!DOCTYPE html>
<html>
    <meta charset="utf-8" />
    <title>Responsive Registration Form</title>
    <meta name="viewport" content="width=device-width,</pre>
      initial-scale=1.0"/>
      <link rel="stylesheet" href="{{ url for('static', filename='style.css')}</pre>
}}">
</head>
<div class="container">
<h1 class="form-title">Registration</h1>
  <form action="{{ url for('register') }}" method="post">
    <div class="msg">{{ msg }}</div>
        <div class="main-user-info">
          <div class="user-input-box">
            <label for="name">Full Name</label>
            <input type="text"</pre>
                     id="name"
                     name="name"
                     placeholder="Enter Full Name"/>
          </div>
          <div class="user-input-box">
            <label for="bloods">Blood Group</label>
            <input type="text"</pre>
                    id="blood"
                     name="blood"
                     placeholder="Enter Blood Group"/>
          </div>
          <div class="user-input-box">
            <label for="email">Email</label>
            <input type="email"</pre>
                     id="email"
                     name="email"
                     placeholder="Enter Email"/>
          </div>
          <div class="user-input-box">
            <label for="phone">Phone Number</label>
            <input type="text"</pre>
```

```
id="phone"
                  name="phone"
                  placeholder="Enter Phone Number"/>
       </div>
       <div class="user-input-box">
         <label for="password">Password</label>
         <input type="password"</pre>
                  id="password"
                  name="password"
                  placeholder="Enter Password"/>
         <div class="user-input-box">
              <label for="address">Address</label>
                  <input type="text"</pre>
                          id="address"
                          name="address"
                          placeholder="Enter Address"/>
       </div>
       <div class="user-input-box">
         <label for="gender">Gender</label>
            <input type="text"</pre>
                     id="gender"
                     name="gender"
                     placeholder="Enter Gender "/>
  </div>
     <div class="user-input-box">
       <label for="age">Age</label>
          <input type="text"</pre>
                   id="age"
                   name="age"
                   placeholder="Enter Age"/>
</div>
     <div class="user-input-box">
         <label for="district">District</label>
            <input type="text"</pre>
                     id="district"
                     name="district"
                     placeholder="Enter District"/>
  </div>
  <div class="user-input-box">
     <label for="state">State</label>
        <input type="text"</pre>
                id="state"
                name="state"
                placeholder="Enter State"/>
</div>
```

templates/login.html

```
<!DOCTYPE html>
<html lang="en">
    <title>Glassmorphism login </title>
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.4/css/all.min.css">
    k
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;600&displa
y=swap" rel="stylesheet">
<style media="screen">
*:before,
*:after{
    padding: 0;
    margin: 0;
    box-sizing: border-box;
body{
    background-color: #4b71c9;
.background{
    width: 430px;
    height: 520px;
    position: absolute;
    transform: translate(-50%,-50%);
    left: 50%;
    top: 50%;
```

```
.background .shape{
   height: 200px;
    width: 200px;
    position: absolute;
    border-radius: 50%;
.shape:first-child{
    background: linear-gradient(
        #1845ad,
       #23a2f6
    );
    left: -80px;
    top: -80px;
.shape:last-child{
    background: linear-gradient(
        to right,
        #ff512f,
        #f09819
    );
    right: -30px;
   bottom: -80px;
   height: 520px;
   width: 400px;
    background-color: rgba(255,255,255,0.13);
    position: absolute;
    transform: translate(-50%,-50%);
    top: 50%;
    left: 50%;
    border-radius: 10px;
    backdrop-filter: blur(10px);
    border: 2px solid rgba(255,255,255,0.1);
    box-shadow: 0 0 40px rgba(8,7,16,0.6);
    padding: 50px 35px;
   font-family: 'Poppins', sans-serif;
    color: #ffffff;
    letter-spacing: 0.5px;
    outline: none;
   border: none;
form h3{
    font-size: 32px;
    font-weight: 500;
```

```
line-height: 42px;
    text-align: center;
label{
    display: block;
    margin-top: 30px;
    font-size: 16px;
    font-weight: 500;
input{
    display: block;
    height: 50px;
    width: 100%;
    background-color: rgba(255,255,255,0.07);
    border-radius: 3px;
    padding: 0 10px;
    margin-top: 8px;
    font-size: 14px;
    font-weight: 300;
::placeholder{
    color: #e5e5e5;
button{
    margin-top: 50px;
    width: 100%;
    background-color: #ffffff;
    color: #080710;
    padding: 15px 0;
    font-size: 18px;
    font-weight: 600;
    border-radius: 5px;
    cursor: pointer;
.social{
 margin-top: 30px;
  display: flex;
.social div{
  background: red;
 width: 150px;
  border-radius: 3px;
 padding: 5px 10px 10px 5px;
  background-color: rgba(255,255,255,0.27);
  color: #eaf0fb;
  text-align: center;
```

```
.social div:hover{
 background-color: rgba(255,255,255,0.47);
.social .fb{
 margin-left: 25px;
.social i{
 margin-right: 4px;
   </style>
</head>
    <div class="background">
       <div class="shape"></div>
        <div class="shape"></div>
    </div>
    <form action="{{ url_for('login') }}" method="post">
        <div class="msg"> {{ msg }}</div>
        <h3>Login Here</h3>
        <label for="name">Username</label>
        <input type="text" name="email" placeholder="Email" id="name">
       <label for="password">Password</label>
        <input type="password" name="password" placeholder="Password"</pre>
id="password">
        <button href="{{ url_for('login') }}">Log In</button>
        Don't have an account? <a class="bottom" >SIGNUP
    </form>
</body>
</html>
```

templates/index.html

```
<html>
<head>
<link rel="stylesheet" href="{{ url_for('static', filename='dmain.css') }}">
<meta charset="UTF-8">
<title> Register </title>
</head>
<body>
```

static/dmain.css

```
body {
  background-image: url('bg2.jpg');
 background-size: 100%;
 background-repeat: no-repeat;
h1{
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
   color: #f9f9f9;
   size: 50%;
   text-align: center;
  p{
   font-family: Georgia, 'Times New Roman', Times, serif;
  font-weight: 200;
  font-size: 20px;
  color: aliceblue;
  .bg{
  opacity: 0.5;
 .button1 {
     font-size: 16px;
     transition-duration: 0.4s;
     position: relative;
```

```
display: inline-block;
 padding: 15px 25px;
 cursor: pointer;
 border-radius: 15px;
 box-shadow: 0 9px #999;
.button1:hover {
 background-color: #3132de; /* Green */
 color: white;
.btn{
 border-radius: 12px;
 text-align: center;
.donr{
 text-align: center;
 bottom: 0;
 padding-bottom: 15px 0;
 position:relative;
 left: 0;
 display: inline-block;
.dropdown {
 display: none;
 position: absolute;
 min-width: 10px;
 box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
 z-index: 1;
.dropdown a {
 color: rgb(239, 239, 239);
 padding: 12px 16px;
 text-decoration: none;
 display: block;
.dropdown a:hover {background-color: #3148e2;}
.donr:hover .dropdown {
 display: block;
```

static/style.css

```
*{
```


```
padding: 0;
 margin: 0;
 box-sizing: border-box;
  font-family: sans-serif;
body{
 display: flex;
 height: 100vh;
 justify-content: center;
 align-items: center;
 background-image: url('bg2.jpg');
.msg{
 text-align: center;
 font-size: 20px;
.container{
 width: 100%;
 max-width: 850px;
 background: rgba(205, 189, 205, 0.5);
 padding: 30px;
 margin: 0 28px;
 border-radius: 10px;
 box-shadow: inset -2px 2px 2px rgb(216, 216, 216);
.form-title{
 font-size: 26px;
 font-weight: 600;
 text-align: center;
 padding-top: 150px;
 color: white;
 text-shadow: 2px 2px 2px black;
 border-bottom: solid 1px white;
.main-user-info{
 display: flex;
 flex-wrap: wrap;
  justify-content: space-between;
  padding: 20px 0;
```


```
.user-input-box:nth-child(2n){
 justify-content: end;
.user-input-box{
 display: flex;
 flex-wrap: wrap;
 width: 50%;
 padding-bottom: 15px;
.user-input-box label{
 width: 95%;
 color: white;
 font-size: 20px;
 font-weight: 400;
 margin: 5px 0;
.user-input-box input{
 height: 40px;
 width: 95%;
 border-radius: 7px;
 outline: none;
 border: 1px solid rgb(36, 6, 145);
 padding: 0 10px;
.gender-title{
 color:white;
 font-size: 24px;
 font-weight: 600;
 border-bottom: 1px solid white;
.gender-category{
 margin: 15px 0;
 color: white;
.gender-category label{
 padding: 0 20px 0 5px;
.gender-category label,
.gender-category input,
.form-submit-btn input{
```

```
cursor: pointer;
.form-submit-btn{
 margin-top: 50px;
 border-radius: 15px;
 width: 50%;
 transition-duration: 0.4s;
.form-submit-btn:hover{
 background-color: azure;
 color: blue;
.form-submit-btn input{
 display: block;
 width: 100%;
 margin-top: 10px;
  font-size: 20px;
 padding: 10px;
 border:none;
 border-radius: 3px;
 color: rgb(209, 209, 209);
 background: rgba(61, 31, 230, 0.7);
.form-submit-btn input:hover{
 background: rgba(16, 13, 172, 0.7);
 color: rgb(255, 255, 255);
@media(max-width: 600px){
 .container{
     min-width: 280px;
  .user-input-box{
     margin-bottom: 12px;
     width: 100%;
  .user-input-box:nth-child(2n){
     justify-content: space-between;
  .gender-category{
      display: flex;
     justify-content: space-between;
```


```
width: 100%;
}
.main-user-info{
    max-height: 380px;
    overflow: auto;
}
.main-user-info::-webkit-scrollbar{
    width: 0;
}
```


OUTPUT:






Donor Registration form:






Donor login:



If login details are incorrect:



IBM db2:

