

Project Report

Team ID	PNT2022TMID16280	
Project Name	CONTAINMENT	ZONE
	ALERTING APPLICATION	

1. INTRODUCTION

1.1 Project Overview:

Currently there are several research works undergoing in the country to prevent Covid-19 cases from rising. Previously our country was importing medical kits like PPE (Personal Protection Kits), mask from outside, but now it has been successful in developing these kits. Along with taking initiatives to fight this disease, our country has also taken steps to make people aware of the disease. The news and media have a great part in creating this awareness by informing the public about the preventive measures that can keep them away from infection. Awareness among the people to carry out all the preventive measures can immensely help to reduce spread of the virus. The country has created containment zones throughout the cities wherever Covid-19 cases have been reported to prevent further spread of the virus. These containment zones have been kept isolated from the outside public to ensure no contamination occurs outside. After more than 2 months of the lockdown, the government has relaxed some of the lockdown rules and has permitted reopening of government offices, bus and other road transportation facilities and shopping markets. People can move inside the city for work and other purposes. But the containment zones are still being kept isolated, and new containment zones are being formed wherever Covid-19 cases have been reported. These zones are highly contagious as droplets with virus coughed out from an unscreened asymptomatic patient can travel up to 8 m (Bahl et al. 2020). Though these containment zones are guarded by policemen, still there remains a chance that people might unknowingly step into them. In this situation where people can move in the city, these containment zones pose a risk of infection to these city dwellers. Therefore, informing people about the location of the containment zones can help them bypass and avoid these zones and thereby reduce the chance of community transmission. In this paper, we focus on developing a mobile based application to provide information regarding the Covid-19 containment zones in West Bengal. The application further tracks the user's location and provides notification alert if the user has entered a containment zone. The application also provides daily Covid-19 case statistics to the users to keep them updated. The application is developed on Android SDK and uses Firebase Cloud Firestore to store the location data. Android's geofencing client is used to create geofences around the containment zones and notification manager is used to provide notifications. The application also uses RESTful web services to show the Covid-19 cases in West Bengal. We have tested our application with different users in different locations across West Bengal and it works efficiently and is able to attain our target.

Purpose:

The Android application shows the location of the containment zones to the users. It also notifies the user when he or she trespasses the boundary of a containment zone or stays in the containment zones



2. LITERATURE SURVEY:

2.1 Existing problem:

People doesn't have proper knowledge about containment zones since they do change daily and hard to keep updated and if they are not updated properly, they will lead to wide spread of disease.

2.2 References:

PAPER 1:

TITLE: Tracking the Covid zones through geo-fencing technique

AUTHOR NAME: Anto Arockia Rosaline R ,Lalitha R ,Hariharan G ,Lokesh

PUBLICATION YEAR: 2017

DESCRIPTION:

Following the tracking of a suspicious person, the geo-fenced layer is mapped out in the vicinity, and the virtual perimeter is then employed for the subsequent trapping procedure. As soon as the Covid monitoring team updates this geo-fenced layer, the public can view it. The idea of creating a virtual perimeter region is known as geo-fencing. Effective containment zone monitoring is made possible by this virtual perimeter monitoring technology. By utilising an automated system based on wireless infrastructure, it lowers operational costs. Additionally, it promptly alerts the law enforcement to find the offenders. As a result, it facilitates the inspection of containment areas and the monitoring of those who disobey governmental regulations. Users can receive updates from the Covid team on the alert zone. The Covid team has a number of modules for suspect tracking, hotspot fencing, etc. The Covid team must seek a service from the service network provider in the case of suspect tracking, and following authorization, they will offer the coordinates. According to our telecommunication legislation, it is illegal to share data;

nonetheless, exchanging personal information without the individual's knowledge via any means is occasionally allowed with governmental approval for investigative purposes.

PAPER 2:

AUTHOR NAME: Geofencing 2.0: Taking Location-based Notifications to the Next Level

PUBLICATION YEAR: 2016

DESCRIPTION:

Sandro Rodriguez Garzon Bersant Deva The basic Android application that served as the prototype Geofencing client was used. This client is primarily responsible for carrying out the geofencing server's ongoing location update strategy. This must be accomplished with little energy consumption because the Geofencing client is located on a mobile device. We made the decision to employ the low energy Geofencing features of the Android operating system to keep an eye on the safety zone. As a result, a safety zone is considered as a single circular geofence with a required exit on the mobile device. However, they discovered that there was occasionally a significant lag time between leaving the safety zone and receiving a notification from the system about the leave. In order to address this issue, a specific amount of the safety zone's radius is decreased. While the safety zone and how it is implemented have a significant impact on overall energy consumption, it is also important to make the right choice when it comes to a placement mechanism. In order to reduce power consumption without compromising the necessary position precision, they used a device-based smart combination of various positioning mechanisms introduced by. By temporarily deactivating placement when a device is not in motion, the Geofencing client also makes use of cutting-edge mobile sensing capabilities integrated into the Android operating system's activity recognition unit. Mobile users who live close to a geo-border fence's will find this to be of particular utility. If the Geofencing server notifies the Geofencing client about a geonotice, the notification will appear right away.

PAPER 3

TITLE: Development of An Android Application for Viewing Covid19 Containment Zones Alerting.

AUTHOR NAME: India Ranajoy Mallik, Amlan Protim Hazarika, Sudarshana Ghosh Dastidar, Dilip Sing & Rajib Bandyopadhyay

PUBLICATION YEAR: 2019

DESCRIPTION:

The World Health Organization has declared the outbreak of the novel coronavirus, Covid-19 as pandemic across the world. With its alarming surge of affected cases throughout the world, lockdown, and awareness (social distancing, use of masks etc.) among people are found to be the only means for restricting the community transmission. In a densely populated country like India, it is very difficult to prevent the community transmission even during lockdown without social awareness and precautionary measures taken by the people. Recently, several containment zones had been identified throughout the country and divided into red, orange and green zones, respectively. The red zones indicate the infection hotspots, orange zones denote some infection and green zones indicate an area with no infection. This paper mainly focuses on development of an Android application which can inform people of the Covid-19 containment zones and prevent trespassing into these zones. This Android application updates the locations of the areas in a Google map which are identified to be the containment zones. The application also notifies the users if they have entered a containment zone and uploads the user's IMEI number to the online database. To achieve all these functionalities, many tools, and APIs from Google like Firebase and Geofencing API are used in this application. Therefore, this application can be used as a tool for creating further social awareness about the arising need of precautionary measures to be taken by the people of India.

PAPER 4:

TITLE: Aarogya Setu

AUTHOR NAME: National Informatics Centre, Ministry of Electronics & Information Technology,
Government of India **PUBLICATION YEAR:** 2014

DESCRIPTION:

The most popular containment zone alert application among the options currently in use in India is called Aarogya Setu. The Indian government created a mobile application to link the public with crucial health services. Its primary features include

geo-location-based COVID19 data, user risk status, automatic contact tracing using Bluetooth, and much more. The movement of an infected individual is tracked using Bluetooth and GPS technology, and the system notifies the public of the locations the infected person has visited while designating those locations as vulnerable ones. It employs cellular triangulation to determine a person's location in the absence of GPS technology. While Aarogya Setu can track down contacts and notify those who have come into touch with someone who has COVID-19, it also actively keeps track of quarantine or containment zones and alerts users who enter them. The Terms of Use and Privacy Policy must be accepted at the time of registration when installing the application on any Android or iOS mobile device, and ongoing use of the application denotes continued acceptance. Name, age, sex, occupation, phone number, overseas travel within the previous 28–45 days, and whether the user is a smoker are all pieces of information that the app gathers. This data is kept on a server that is under the jurisdiction of the Indian government. It is hashed and sent to the user's mobile application along with a special digital ID (DID). The user is recognised using the DID. In order for the user's mobile phone to exchange information with another device that has the app when it gets within range, the Bluetooth and GPS services must be turned on. Their individual IDs, along with the time and GPS location, are kept on the two phones when two users come into close proximity. The format in which this data is kept is encrypted. Only after a person tests positive is it posted to the government-controlled servers of the app.

2.1.Problem Statement Definition:

2.2.PROBLEM STATEMENT 1:



PROBLEM STATEMENT 2:




3.IDEATION & PROPOSED SOLUTION

S.NO	PARAMETER	DESCRIPTION
1.	Problem Statement (Problem to be solved)	This application is intended to provide information about containment zones in a particular region by alerting people, through continuous monitoring of an individual's location. Key benefits of the application are monitoring people's activity and alerting them of their safety movements
2.	Idea / Solution description	The project aims at building an application that provides information about the containment zones of a particular region by continuously monitoring an individual's location. Location of the individual must be stored in the Database. Alerts are sent using the notification service.
3.	Novelty / Uniqueness	The uniqueness of containment zone alerting app is it shows the particular area of the district before the 100m, and the user's location history is stored in database and this app provides the precautions measurements ,list of immunity boosters, location of the vaccination providing places . it also gives the lis of the affected and admitted patients and distarchged patients ,percentage of affecting by covid19

4.	Social Impact / Customer Satisfaction	Social Stigma is discrimination against a particular group of people, a place, or a nation in the form of a negative attitude. Public health emergencies (such as COVID-19 pandemic) are stressful situations for people and communities. Fear and anxiety with a lack of knowledge about the disease can lead to social .
5.	Business Model (Revenue Model)	We are going to add personal health tracker in subscription basis .so they can manage their health efficiently.
6.	Scalability of the Solution	In this modern world eventhough the covid pandemic threat is about to end there are high chance of pandemic or endemic .so this application is very useful in that situation and we can use this application in seasonal diseases

3.1 Empathy Map Canvas:

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to helps teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges



3.2 Ideation & Brainstorming

Brainstorm & idea prioritization

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

⌚ 10 minutes to prepare
👥 1 hour to collaborate
👤 2-8 people recommended

[Share template feedback](#)

Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

⌚ 10 minutes

- Team gathering**
Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.
- Set the goal**
Think about the problem you'll be focusing on solving in the brainstorming session.
- Learn how to use the facilitation tools**
Use the Facilitation Superpowers to run a happy and productive session.
[Open article](#) →

1 Define your problem statement

What problem are you trying to solve? Frame your problem as a How Might We statement. This will be the focus of your brainstorm.

⌚ 5 minutes

PROBLEM

There is a pandemic situation due to COVID-19. It's a viral infectious disease so people should maintain social distance. In order to maintain social distance our application provides a strategy to avoid direct contact with each other

Key rules of brainstorming
To run a smooth and productive session

- Stay in topic.
- Defer judgment.
- Go for volume.
- Encourage wild ideas.
- Listen to others.
- If possible, be visual.

Need some inspiration?
See a finished version of this template to kickstart your work.

[Open example](#) →

2

Brainstorm

Write down any ideas that come to mind that address your problem statement.

⌚ 10 minutes

ATCHAYA S




PRIYADHARSHINI G



JENITHA C



KOWSALYA T



3

Group Ideas

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you can break it up into smaller sub-groups.

⌚ 20 minutes

USER LOGIN



VERIFYING LOCATION



COLLECTING DETAILS



SENDING ALERT



DIFFERENTIATING ZONES



UPDATING ZONES




4

Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

20 minutes



➔

After you collaborate

You can export the mural as an image or pdf to share with members of your company who might find it helpful.


Quick add-ons

- A Share the mural**
Share a view link to the mural with stakeholders to keep them in the loop about the outcomes of the session.
- B Export the mural**
Export a copy of the mural as a PNG or PDF to attach to emails, include in slides, or save in your drive.

Keep moving forward

- Strategy blueprint**
Define the components of a new idea or strategy.
Open the template →
- Customer experience journey map**
Understand customer needs, motivations, and obstacles for an experience.
Open the template →
- Strengths, weaknesses, opportunities & threats**
Identify strengths, weaknesses, opportunities, and threats (SWOT) to develop a plan.
Open the template →

Share template feedback



3.4 Problem Solution fit

Define CS, get into CC	1. CUSTOMER SEGMENT(S) The user/customer who belonging to the Business man	6. CUSTOMER CONSTRAINTS There is no boundation of using this application Because the user/customer who is having knowledge Of this application can work on it easily.	5. AVAILABLE SOLUTIONS So we can use google maps and GPS to show which area in least cases and more cases and other instructions, to the public knowledge.	Explore AS, differentiate
Focus on JB&P, tap into BE, understand RC	2. JOBS-TO-BE-DONE / PROBLEMS It is easy to analyse the issues and risks in containment Zones.it is best way to assist the peoples easily to Identify the disaster region and prevented from Danger. Detection and recognition of risk zones Using cloud computing are very efficient in providing Information about containment zones at its earliest.	9. PROBLEM ROOT CAUSE Generally , we cannot identify the number of cases on area or in the particular location. Whether it is in red zone or normal zone or any instruction to survive on the particular area.	7. BEHAVIOUR Easy to use Can be able to respond quickly Able to provide precise decision based on the disease Analysis Requirement of internet speed	Focus on JB&P, tap into BE, understand RC
Identify strong TR & EM	3. TRIGGERS Movement in containment zones will be monitored to ensure that nobody leaves or visits , except for medical emergencies 4. EMOTIONS: BEFORE / AFTER Before-The user/customer who never have used before makes them anxious After-As the user knows how to use this application then they will become comfortable and friendly in Environment	10. YOUR SOLUTION The application is built which uses this model . The application update you to stay up to date regarding the number of cases ,both locally and nationally.The accurate numbers can help you assess your risk further.	8. CHANNELS of BEHAVIOUR The user need to access the application . 8.2 OFFLINE Store the data and information being transferred	Extract online & offline CH of BE

4.REQUIREMENT ANALYSIS

4.1 Functional requirement

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / SubTask)
FR-1	User Registration	Registration through Gmail. Registration through mobile number.
FR-2	User Confirmation	Confirmation via Email. Confirmation via OTP.
FR-3	Authentication	It checking the confirmation of the password.
FR-4	Business rule	For subscriber's we give first 3 day's free trail. For unsubsubscriber's the user needs to watch some advertisement for knowing the zone alert for first 3 day's. FR No. FR No.

4.2 Non-Functional requirements

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Providing recommendation link by using customer preference .
NFR-2	Security	The software team will issue some strong security code for the user's.
NFR-3	Reliability	The database update process must rollback all related updates when any update fails.
NFR-4	Performance	The loading speed of the server is quick and fast.


5.PROJECT DESIGN Data

Flow Diagrams


A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically.

It shows how data enters and leaves the system, what changes the information, and where data is stored.


Data flow diagram:



5. 1.SOLUTION ARCHITECURE:



TECHNICAL ARCHITECTURE:



S.no	Component	Description	Technology
1.	User Interface	Mobile Application	HTML, CSS, JavaScript.
2.	Application Logic	Logic for a process in the application	Javascript
3.	Database	Data Type, Configurations etc.	Firebase, ibm cloud
4.	Cloud Database	Database Service on Cloud	IBM Cloud
5.	File Storage	File storage requirements	Local Filesystem and IBM cloud
6.	Infrastructure (Server / Cloud)	Application Deployment on Cloud Local Server Configuration	Local and Cloud Foundry

5.2 Table-1: Components & Technologies:

Application Characteristics:

S.no	Characteristics	Description	Technology
1.	Open-Source Frameworks	GitHub	Internet hosting service
2.	Security Implementations	Application security: Veracode.	Network automation
3.	Scalable Architecture	It provides the room for expansion more database of smart bins added additionally can be updated.	Cloud storage

4.	Availability	As the system control is connected to web server it is available 24*7 and can be accessed whenever needed.	Server, Appleixe, reple
5.	Performance	Performance is high it uses 5mb caches	Wireless Sensor Network

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Login	Registration (web and android)	USN-1	I can register for the application by entering my email and password	I can control my online account and dashboard.	Medium	Sprint-1
Sign Up	Registration (web and android)	USN-2	I will receive a confirmation email once I have registered for the application	I can handle the waste collection.	High	Sprint-1
Services	Dashboard	USN-3	need to give permission to access my location	I can take the shortest path to reach the waste filled route specified.	Medium	Sprint-2
Services	Service	USN-4	I need to differentiate the containment zones	I can collect the trash, pull it to the truck, and send it out.	Medium	Sprint-3
Data collection	Service	USN-5	. I need to alert the user when they enter the containment zone through the notification	All of these processes are under my control.	High	Sprint-4

TITLE	DESCRIPTION	DATE
Literature Survey & Information Gathering	Literature survey on the selected project & gathering information by referring the, technical papers, research publications etc.	19 OCTOBER 2022

Prepare Empathy Map	Prepare Empathy Map Canvas to capture the user Pains & Gains, Prepare list of problem statements	18 OCTOBER 2022
----------------------------	---	-----------------

5.3 User Stories

Use the below template to list all the user stories for the product.

6. PROJECT PLANNING & SCHEDULING

Ideation	List the by organizing the brainstorming session and prioritize the top 3 ideas based on the feasibility & importance.	18 OCTOBER 2022
-----------------	--	-----------------

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint 1	Registration (web and android)	USN-1	USER: I can register for the application by entering my email and password	3	High	Kodignanasundari Keerthana Akshaya Lavanyaa
		USN-2	USER: I will receive a confirmation email once I have registered for the application	2	High	Kodignanasundari Keerthana Akshaya Lavanyaa

	Login (web and android)	USN-3	USER: I can log into the application	3	High	Kodignanasundari Keerthana Akshaya Lavanyaa
--	-------------------------------	-------	--	---	------	--

Sprint	User Story Number	User Story Task	/ Story Points	Priority	s
Sprint-2	USN-4	USER: need to give permission to access my location	5	High	Kodignanasundari Keerthana Akshaya Lavanyaa

	USN-5	As a user, I can log into the application by entering email & password	5	High	Kodignanasundari Keerthana Akshaya Lavanyaa
--	-------	---	---	------	--

**Product
Backlog, Sprint
Schedule, and
Estimation (4
Marks)**

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team members
Sprint 3	Service	USN 6	ADMIN: I need to update the containment zones.	5	High	Kodignanasundari Keerthana Akshaya Lavanyaa
		USN 7	ADMIN: I need to differentiate the containment zones based on the intensity of infection.	3	Medium	Kodignanasundari Keerthana Akshaya Lavanyaa

Sprint 4	Service	USN 8	ADMIN: I need to alert the user when they enter the containment zone through the notification	5	Medium	Kodignanasundari Keerthana Akshaya Lavanyaa
	Data collection	USN 9	ADMIN: I need to store user details on the cloud	5	Medium	Kodignanasundari Keerthana Akshaya Lavanyaa
Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team members

		USN 10	ADMIN: I need to collect details about covid -19 cases from verified sources	5	Priority	Team members
--	--	--------	---	---	----------	--------------

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint Date (Planned)	End	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
--------	--------------------	----------	-------------------	-----------------------	-----	---	------------------------------

Sprint-1	20	7 Days	25 Oct 2022	31 Oct 2022	20	31 Oct 2022
Sprint-2	20	6 Days	01 Nov 2022	06 Nov 2022	20	06 Nov 2022
Sprint-3	20	5 Days	07 Nov 2022	11 Nov 2022	20	11 Nov 2022
Sprint-4	20	6 Days	12 Nov 2022	17 Nov 2022	20	17 Nov 2022

Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

6.2. Sprint Delivery Schedule


Velocity:



Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{\text{sprint duration}}{\text{velocity}} = \frac{20}{10} = 2$$



6.3 Reports from JIRA

BURNDOWN CHART





7.CODING & SOLUTIONING (Explain the features added in the project along with code)



Allow Changes



Don't Allow Changes

Disallowing changes locks the settings shown below and prevents new apps from using location services.


Location Services



Location Services uses GPS, Bluetooth, and crowd-



8.RESULTS:



Stay Alert!!!

Prevent Yourself from entering into Containment zone. Enable your location to get notified about the covid zones available nearby.

ENABLE LOCATION



Containment zone map


Containment activities are undertaken in a confined area to prevent infection from getting established and prevent its spread outside the area.

ZONE MAP



GOOGLE MAP





CONTAINMENT ZONES

S.NO LOCATION ZONE

1	Chennai	Red
2	Coimbatore	Red
3	Trichy	Green
4	Vellore	Yellow
5	Salem	Yellow

An Email will be sent to the registered mail id if the location is within 100 meters of the locations present in the admin app.



9. ADVANTAGES & DISADVANTAGES

ADVANTAGES:

- People can be alerted before entering containment zone.
- Further spread of virus can be reduced considerably.

DISADVANTAGES:

- Accuracy of application depends on the number of data given to the application.
- Application's accuracy is directly proportional to the number of data given to the application
- about the infected patients.

10.CONCLUSION

This application is intended to provide information about containment zones in a particular region by alerting people, through continuous monitoring of an individuals location. Key benefits of the application are monitoring peoples activity and alerting them to their safety movements.

11.FUTURE SCOPE

Although we tried to cover almost all of the aspects during our developmental phase, however we were forced to leave some aspects because of lack of time as well as monetary and other reasons. Just like in the field of software development where there are always some shortcomings and room for improvement our application can be enhanced further:-

- 1) The application can include various government organization to help act faster.
- 2) The dataset obtained from the application can be used for predictive analysis to determine prone areas and include special method for tackling the problem in those areas.
- 3) Emergency signal in case of network failure and internet connection loss.
- 4) Tackling victim's movements.
- 5) Improved Google positioning system's precision.
- 6) The client part of application can be integrated in a single intelligent device.

For analysis purpose, we could use machine learning (ML) algorithms as well as data mining applications. There is a sub branch of machine learning known as time series analysis (TSA), which could be used to predict and analyze the data obtained through this application. Time series analysis is used to predict crop production as well as sales in different quarter.

12) APPENDIX

Source Code

```
from flask import Flask, render_template, request, redirect, url_for, session
```

```

import os
os.add_dll_directory(r'c:\users\elcot\appdata\roaming\python\python310\site-
packages\clidriver\bin')
import ibm_db
import os
import bcrypt

try:
    conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=0c77d6f2-5da9-48a9-81f8-
86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud;PORT=31198;SECURITY=S
SL;SSLServerCertificate=DigiCertGlobalRootCA.crt;PROTOCOL=TCPIP;UID=vxz92171;PWD=
mCH7uu0w9WXH0h1Y", '', '')
    print(conn)
    print("connection successfull")
except:
    print("Error in connection, sqlstate = ")
    errorState = ibm_db.conn_error()
    print(errorState)

app = Flask(__name__)
app.secret_key = '_5#y2L"F4Q8z\n\xec]/'

# def send_conformation_mail():
# load_dotenv() #load keys from .env
# sg = sendgrid.SendGridAPIClient(api_key =
os.environ.get('SENDGRID_API_KEY')) #set SendGrid API Key
# from_email = Email("susanthykala@gmail.com") #the address that sends emails
to the users

# message = Mail(
#     from_email='susanthykala@gmail.com',
#     to_emails='susanthykala@gmail.com',
#     subject='Sending with Twilio SendGrid is Fun',
#     html_content='<strong>and easy to do anywhere, even with Python</strong>')
```

```

# try:
#     sg = SendGridAPIClient(os.environ.get('SENDGRID_API_KEY'))
#     response = sg.send(message)
#     print(response.status_code)
#     print(response.body)
#     print(response.headers)
# except Exception as e:
#     print(e.message)

# sg = sendgrid.SendGridAPIClient(api_key=os.environ.get('SENDGRID_API_KEY'))
# from_email = Email("susanthykala@gmail.com") # Change to your verified sender
# to_email = To("susanthykala@gmail.com") # Change to your recipient
# subject = "Sending with SendGrid is Fun"
# content = Content("text/plain", "and easy to do anywhere, even with Python")
# mail = Mail(from_email, to_email, subject, content)

# # Get a JSON-ready representation of the Mail object
# mail_json = mail.get()

# # Send an HTTP POST request to /mail/send
# response = sg.client.mail.send.post(request_body=mail_json)
# print(response.status_code)
# print(response.headers)

@app.route("/", methods=['GET'])
def index():
    # if 'email' not in session:
    #     return redirect(url_for('login'))
    return render_template('index.html', name='Home')

@app.route("/home", methods=['GET'])
def home():
    return render_template('home.html', name='Home1')
# def home():
#     if 'name' in session:
#         return render_template('index.html', name=session['name']+"s account")
#     else:

```

```

#     return render_template('index.html')

@app.route("/register",methods=['GET','POST'])
def register():
    if request.method == 'POST':
        name = request.form['name']
        email = request.form['email']
        password = request.form['password']
        cpassword = request.form['cpassword']

        if not email or not name or not password or not cpassword:
            return render_template('register.html',error='Please fill all fields')
        if password != cpassword:
            return render_template('register.html',error='The password is not same')
        else:
            hash=bcrypt.hashpw(password.encode('utf-8'),bcrypt.gensalt())

            query = "SELECT * FROM LOGINAUTHENTICATION WHERE useremail=?"
            stmt = ibm_db.prepare(conn, query)
            ibm_db.bind_param(stmt,1,email)
            ibm_db.execute(stmt)
            isUser = ibm_db.fetch_assoc(stmt)

            if not isUser:
                insert_sql = "INSERT INTO LOGINAUTHENTICATION(USERNAME, USEREMAIL,
PASSWORD) VALUES (?,?,?)"
                prep_stmt = ibm_db.prepare(conn, insert_sql)
                ibm_db.bind_param(prepare_stmt, 1, name)
                ibm_db.bind_param(prepare_stmt, 2, email)
                ibm_db.bind_param(prepare_stmt, 3, hash)
                ibm_db.execute(prepare_stmt)
                return render_template('login.html',success="You can login")
                # send_conformation_mail()
            else:
                return render_template('register.html',error='Invalid Credentials')

    return render_template('register.html')

@app.route("/login",methods=['GET','POST'])
def login():
    if request.method == 'POST':
        email = request.form['email']
        password = request.form['password']

        if not email or not password:

```

```

        return render_template('login.html',error='Please fill all fields')
    query = "SELECT * FROM LOGINAUTHENTICATION WHERE useremail=?"
    stmt = ibm_db.prepare(conn, query)
    ibm_db.bind_param(stmt,1,email)
    ibm_db.execute(stmt)
    isUser = ibm_db.fetch_assoc(stmt)
    print(isUser,password)

    if not isUser:
        return render_template('login.html',error='Invalid Credentials')
    #return render_template('login.html',error=isUser['PASSWORD'])
    isPasswordMatch = bcrypt.checkpw(password.encode('utf-8'),isUser['PASSWORD'].encode('utf-8'))

    if not isPasswordMatch:
        return render_template('login.html',error='Invalid Credentials')

    session['email'] = isUser['USEREMAIL']
    return redirect(url_for('home'))

    return render_template('login.html',name='Home')

@app.route('/user_map')
def user_map():
    return render_template('user_map.html',name='Map')

@app.route('/about')
def about():
    return render_template('about.html',name='Map')

@app.route('/success')
def success():
    # conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud;PORT=31198;SECURITY=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;PROTOCOL=TCPIP;UID=vxz92171;PWD=mCH7uu0w9WXH0h1Y",'','')
    # conn.row_factory = sql.Row

    # cur = con.cursor()
    # cur.execute("select * from LOCATION")

    # students = cur.fetchall();

    return render_template('success.html',name='Success')

```

```

@app.route('/addzone',methods=['GET','POST'])
def addzone():
    if request.method == 'POST':
        longitude = request.form['longitude']
        latitude = request.form['latitude']
        city = request.form['city']
        pincode = request.form['pincode']
        email = session['email']

        if not longitude or not latitude or not city or not pincode:
            return render_template('addzone.html',error='Please fill all fields')

        query = "SELECT * FROM LOGINAUTHENTICATION WHERE useremail=?"
        stmt = ibm_db.prepare(conn, query)
        ibm_db.bind_param(stmt,1,email)
        ibm_db.execute(stmt)
        isUser = ibm_db.fetch_assoc(stmt)

        if isUser:
            insert_sql = "INSERT INTO LOCATION(LONGITUDE, LATITUDE, CITY,PINCODE)
VALUES (?, ?, ?, ?)"
            prep_stmt = ibm_db.prepare(conn, insert_sql)
            ibm_db.bind_param(prep_stmt, 1, longitude)
            ibm_db.bind_param(prep_stmt, 2, latitude)
            ibm_db.bind_param(prep_stmt, 3, city)
            ibm_db.bind_param(prep_stmt, 4, pincode)

            ibm_db.execute(prep_stmt)
            return render_template('success.html')
            # send_conformation_mail()
        else:
            return render_template('login.html',error='Invalid Credentials')

    return render_template('addzone.html')

    # return render_template('addzone.html',name='Add')

@app.route('/removezone')
def removezone():
    return render_template('removezone.html',name='Remove')

@app.route('/table')
def table():
    return render_template('table.html',name='Table')

```



```
@app.route('/data')
def data():
    return render_template('data.html', name='Map')

@app.route('/logout')
def logout():
    session.pop('email', None)
    session.pop('name', None)
    return redirect(url_for('index'))

if __name__ == "__main__":
    app.run(debug=True)
```

DEMO VIDEO LINK

TEAM ID: PNT2022TMID16280

https://drive.google.com/file/d/1Wufv0CrgRQmA0IE6Zzfty2G23Xd7KXtZ/view?usp=share_link

Github Link:

<https://github.com/IBM-EPBL/IBM-Project-23470-1659883659>