DATE	09 NOVEMBER 2022
TEAM ID	PNT2022TMID49483
PROJECT NAME	DIGITAL NATURALIST – AI ENABLED TOOL FOR BIODIVERSITY RESEARCHERS
MAXMIMUM MARKS	8 MARKS

LOGIN PAGE

```html
<!DOCTYPE html>

<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

body {font-family: Arial, Helvetica, sans-serif;}


/* Full-width input fields */

input[type=text], input[type=password] {

 width: 100%;

 padding: 12px 20px;

 margin: 8px 0;

 display: inline-block;

 border: 1px solid #ccc;

 box-sizing: border-box;

}
```

```css
/* Set a style for all buttons */

button {

 background-color: #04AA6D;

 color: white;
 padding: 14px 20px;

 margin: 8px 0;

 border: none;

 cursor: pointer;

 width: 100%;

}


button:hover {

 opacity: 0.8;

}


/* Extra styles for the cancel button */

.cancelbtn {

 width: auto;

 padding: 10px 18px;

 background-color: #f44336;

}


/* Center the image and position the close button
```

```css
*/ .imgcontainer {

text-align: center;

margin: 24px 0 12px 0;

position: relative;

}
img.avatar {

width: 40%;

border-radius: 50%;

}


.container {

padding: 16px;

}


span.psw {

float: right;

padding-top: 16px;

}


/* The Modal (background) */
.modal {

display: none; /* Hidden by default */

position: fixed; /* Stay in place */

z-index: 1; /* Sit on top */

left: 0;
```

```css
  top: 0;

  width: 100%; /* Full width */

  height: 100%; /* Full height */

  overflow: auto; /* Enable scroll if needed */

background-color: rgb(0,0,0); /* Fallback color */

  background-color: rgba(0,0,0,0.4); /* Black w/ opacity */

  padding-top: 60px;

}


/* Modal Content/Box */

.modal-content {

background-color: #fefefe;

 margin: 5% auto 15% auto; /* 5% from the top, 15% from the bottom and centered */

border: 1px solid #888;

 width: 80%; /* Could be more or less, depending on screen size */

}


/* The Close Button (x) */

.close {

 position: absolute;

 right: 25px;

 top: 0;

 color: #000;

 font-size: 35px;
```

```css
  font-weight: bold;

}


.close:hover,

.close:focus {

 color: red;
 cursor: pointer;

}


/* Add Zoom Animation */

.animate {

 -webkit-animation: animatezoom 0.6s;

 animation: animatezoom 0.6s

}


@-webkit-keyframes animatezoom {

 from {-webkit-transform: scale(0)}

 to {-webkit-transform: scale(1)}

}


@keyframes animatezoom {

 from {transform: scale(0)}

 to {transform: scale(1)}

}
```

```css
/* Change styles for span and cancel button on extra small screens */

@media screen and (max-width: 300px) {

 span.psw {

 display: block;

 float: none;

 }
 .cancelbtn {

 width: 100%;

 }

}
```

```html
</style>

</head>

<body>


<h2>Modal Login Form</h2>


<button onclick="document.getElementById('id01').style.display='block'"
style="width:auto;">Login</button>


<div id="id01" class="modal">


 <form class="modal-content animate" action="/action_page.php" method="post">

<div class="imgcontainer">

 <span onclick="document.getElementById('id01').style.display='none'" class="close" title="Close
```

```html
Modal">&times;</span>

<img src="img_avatar2.png" alt="Avatar" class="avatar">

</div>


<div class="container">

<label for="uname"><b>Username</b></label>

<input type="text" placeholder="Enter Username" name="uname" required>
<label for="psw"><b>Password</b></label>

<input type="password" placeholder="Enter Password" name="psw" required>

<button type="submit">Login</button>

<label>

<input type="checkbox" checked="checked" name="remember"> Remember me

</label>

</div>


<div class="container" style="background-color:#f1f1f1">

<button type="button" onclick="document.getElementById('id01').style.display='none'"
class="cancelbtn">Cancel</button>

<span class="psw">Forgot <a href="#">password?</a></span>

</div>

</form>

</div>


<script>
// Get the modal

var modal = document.getElementById('id01');
```

```
// When the user clicks anywhere outside of the modal, close it

window.onclick = function(event) {

 if (event.target == modal) {

 modal.style.display = "none";

 }
}

</script>


</body>

</html>
```

REGISTERATION PAGE

```
<!DOCTYPE html>

<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

body {

 font-family: Arial, Helvetica, sans-serif;

 background-color: black;

}


* {

 box-sizing: border-box;
```

```css
}


/* Add padding to containers */

.container {

 padding: 16px;

 background-color: white;
}


/* Full-width input fields */

input[type=text], input[type=password]

{  width: 100%;

 padding: 15px;

 margin: 5px 0 22px 0;

 display: inline-block;

 border: none;

 background: #f1f1f1;

 }


input[type=text]:focus, input[type=password]:focus

{  background-color: #ddd;

 outline: none;

 }
```

```css
/* Overwrite default styles of hr */

hr {

 border: 1px solid #f1f1f1;

 margin-bottom: 25px;

}


/* Set a style for the submit button */
.registerbtn {

 background-color: #04AA6D;

 color: white;

 padding: 16px 20px;

 margin: 8px 0;

 border: none;

 cursor: pointer;

 width: 100%;

 opacity: 0.9;

}


.registerbtn:hover {

 opacity: 1;

}


/* Add a blue text color to links */
```

```css
a {

 color: dodgerblue;

}


/* Set a grey background color and center the text of the "sign in" section */

.signin {

 background-color: #f1f1f1;

 text-align: center;
}
</style>

</head>

<body>


<form action="/action_page.php">

 <div class="container">

 <h1>Register</h1>

 <p>Please fill in this form to create an account.</p>

 <hr>


 <label for="email"><b>Email</b></label>

 <input type="text" placeholder="Enter Email" name="email" id="email" required>


 <label for="psw"><b>Password</b></label>
```

```html
<input type="password" placeholder="Enter Password" name="psw" id="psw" required>

<label for="psw-repeat"><b>Repeat Password</b></label>

<input type="password" placeholder="Repeat Password" name="psw-repeat" id="psw repeat" required>

<hr>

<p>By creating an account you agree to our <a href="#">Terms & Privacy</a>.</p>

<button type="submit" class="registerbtn">Register</button>

</div>

<div class="container signin">

<p>Already have an account? <a href="#">Sign in</a>.</p>

</div>

</form>

</body>

</html>
```

FORGOT PASSWORD

```
@{

newPassword = Request["newPassword"];

confirmPassword = Request["confirmPassword"];
```

```
token = Request["token"];

if IsPost

{

    // input testing is ommitted here to save space

    retunValue = ResetPassword(token, newPassword);

}

}

<h1>Change Password</h1>



<form method="post" action="">



<label for="newPassword">New Password:</label>

<input type="password" id="newPassword" name="newPassword" title="New
password" />



<label for="confirmPassword">Confirm Password:</label>

<input type="password" id="confirmPassword" name="confirmPassword"
title="Confirm new password" />



<label for="token">Pasword Token:</label>

<input type="text" id="token" name="token" title="Password Token" />



<p class="form-actions">

<input type="submit" value="Change Password" title="Change password" />

</p>
```

```html
</form>
```