

SAMPLE

Team ID – PNT2022TMID04019

Part 1 - Building the CNN

#importing the Keras libraries and packages

from keras.models import Sequential

from keras.layers import Convolution2D

from keras.layers import MaxPooling2D

from keras.layers import Flatten

from keras.layers import Dense, Dropout

from keras import optimizers

Initialing the CNN

classifier = Sequential()

Step 1 - Convolution Layer

classifier.add(Convolution2D(32, 3, 3, input_shape = (64, 64, 3), activation = 'relu'))

#step 2 - Pooling

classifier.add(MaxPooling2D(pool_size =(2,2)))

Adding second convolution layer

classifier.add(Convolution2D(32, 3, 3, activation = 'relu'))

classifier.add(MaxPooling2D(pool_size =(2,2)))

#Adding 3rd Concolution Layer

classifier.add(Convolution2D(64, 3, 3, activation = 'relu'))

classifier.add(MaxPooling2D(pool_size =(2,2)))

#Step 3 - Flattening

```
classifier.add(Flatten())
```

```
#Step 4 - Full Connection
```

```
classifier.add(Dense(256, activation = 'relu'))
```

```
classifier.add(Dropout(0.5))
```

```
classifier.add(Dense(10, activation = 'softmax'))
```

```
#Compiling The CNN
```

```
classifier.compile(  
    optimizer = 'adam',  
    loss = 'categorical_crossentropy',  
    metrics = ['accuracy'])
```

```
#Part 2 Fitting the CNN to the image
```

```
from keras.preprocessing.image import ImageDataGenerator
```

```
train_datagen = ImageDataGenerator(  
    rescale=1./255,  
    shear_range=0.2,  
    zoom_range=0.2,  
    horizontal_flip=True)
```

```
test_datagen = ImageDataGenerator(rescale=1./255)
```

```
training_set = train_datagen.flow_from_directory(  
    'Data/train',  
    target_size=(64, 64),  
    batch_size=32,  
    class_mode='categorical')
```

```
test_set = test_datagen.flow_from_directory(  
    'Data/test',
```

```

        target_size=(64, 64),
        batch_size=32,
        class_mode='categorical')

model = classifier.fit_generator(
    training_set,
    steps_per_epoch=100,
    epochs=100,
    validation_data = test_set,
    validation_steps = 6500
)

#Saving the model
import h5py
classifier.save('Trained_Model.h5')

print(model.history.keys())
import matplotlib.pyplot as plt

# summarize history for accuracy
plt.plot(model.history['acc'])
plt.plot(model.history['val_acc'])
plt.title('model accuracy')
plt.ylabel('accuracy')
plt.xlabel('epoch')
plt.legend(['train', 'test'], loc='upper left')
plt.show()

# summarize history for loss
plt.plot(model.history['loss'])
plt.plot(model.history['val_loss'])

```

```
plt.title('model loss')  
plt.ylabel('loss')  
plt.xlabel('epoch')  
plt.legend(['train', 'test'], loc='upper left')  
plt.show()
```