

Creating service credentials

You can find the credentials for any service that is associated with your account.

Objectives

- Locate your service credentials in IBM Cloud.
- Understand your service credentials.

Prerequisites

- Create a service instance in the IBM Cloud dashboard by following the [Getting started with IBM Cloudant](#) tutorial.

Step 1: How to find your service credentials

1. Go to [IBM Cloud](#) and log in.
2. Find the service instance called `Cloudant-o7` and open it.
This instance is the one you created as a [prerequisite](#).

Resource list					Create resource +
▼ Name	↑ Group	Location	Status		
🔍 Filter by name or IP address...	Filter by group or org. ▼	Filter... ▼	🔍 Filter...		
▼ Devices (0)					
▼ VPC infrastructure (0)					
▼ Clusters (0)					
▼ Satellite (0)					
▼ Cloud Foundry apps (0)					
▼ Cloud Foundry services (0)					
^ Services (5)					
🔗 Cloudant-09	default	Dallas	✔ Active	⋮	
🔗 Cloudant-12-08	default	Dallas	✔ Active	⋮	
🔗 Cloudant-demo	default	Washington DC	✔ Active	⋮	
🔗 Cloudant-o7	default	Dallas	✔ Active	⋮	
🔗 Internet Services-doc	default	Global	✔ Active	⋮	
▼ Storage (0)					
▼ Network (0)					
▼ Functions namespaces (0)					
▼ Apps (0)					
▼ Developer tools (0)					
▼ VMware (0)					
▼ Schematics workspaces (0)					

Figure 1. Selecting the IBM Cloudant service

3. Click **Service credentials**.
4. Click the chevron next to the service credentials to see the credentials that are required to access the service.




Figure 2. Viewing the IBM Cloudant service credentials

Now, you can see the service credentials:

