

Project Development Phase
Sprint – 3

Date	9 November 2022
Team ID	PNT2022TMID18041
Project Name	Hazardous Area Monitoring for Industrial Plant powered by IoT
Maximum Marks	

Task:


A mobile application for monitoring the Environment parameters around the region of an industry has been developed using MIT App Inventor.

Screens Information:

1. **Screen – 1:** It is the entry screen of the mobile application and will be displayed only for 2000 milli-seconds.
2. **Screen – 2:** It is the login page of the application. Each user has their own user id and password, which is known only to them. After validating the credential, the user can access the data captured by the placed device.
3. **Screen – 3:** Environmental parameters in the area of the industry like temperature is obtained via sensors and is sent to the mobile device.


Screen 1:

Designer & Blocks



```
when Clock1.Timer
do open another screen screenName Screen2
```

Screen 2: Designer & Blocks




```
when Button1.Click
do
  if
    TextBox2.Text = "kaushik" and PasswordTextBox1.Text = "kaushik"
  then
    open another screen screenName Screen3
  else
    call Notifier1.ShowAlert
      notice "Invalid credentials"
```


Screen 3:


Designer & Blocks

Case 1 (When the temperature is within limit):



Case 2 (When temperature exceeds normal (95 C) value):





Source code:

```
import time
import sys
import ibmiotf.application
import ibmiotf.device
import random

# Provide your IBM Watson Device Credentials
organization = "c1n0yk"
deviceType = "Hazard"
deviceId = "2"
authMethod = "token"
authToken = "123456789"

# Initialize GPIO
def myCommandCallback(cmd):
    print(cmd)
    print("Command received: %s" % cmd.data['command'])
    status = cmd.data['command']
    if status == "lighton":
        print("led is on")
    elif status == "lightoff":
        print("led is off")
    else:
        print("please send proper command")

try:
    deviceOptions = {"org": organization, "type": deviceType, "id": deviceId,
"auth-method": authMethod,
                    "auth-token": authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions)
# .....
```

```

except ibmiotf.ConnectionException as e:
    print("Caught exception connecting device: %s" % str(e))
    sys.exit()
deviceCli.connect()

while True:
    # Get Sensor Data from DHT11

    temp = random.randint(50, 100)

    mydata = {'temp': temp}

    def on_publish():
        print("Published Temperature = %s C" % temp, "to IBM Watson")

    success = deviceCli.publishEvent("Temp sensor", "json", mydata, qos=0,
on_publish=on_publish)
    if not success:
        print("Not connected to IoTf")
        deviceCli.commandCallback = myCommandCallback
        time.sleep(5)

# Disconnect the device and application from the cloud
deviceCli.disconnect()

```

[MIT app inventor project link](#)