Assignment -3

Student Name	Vijayan J
Student Roll Number	1905155
Maximum Marks	2 Marks

Question:

- 1. Create a Bucket in IBM object storage.
- 2. Upload 5 images to IBM object storage and make it public.

write html code to displaying all the 5 images.

- 3. Upload a CSS file to the object storage and use the same css using external link in your HTML page.
- 4.Design a chatbot using IBM Watson assistant for hospital.

Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

 $\hbox{5.Create Watson assistant service with 10 steps and use 3 conditions in it.}\\$

Load that script in HTML page.

Solution:

IBM Watson.html <!DOCTYPE

html>

<html>

<head>

<title>Cloud Storage example Website</title>

<link rel="stylesheet" type="text/css" href="https://website-static.s3.jp-tok.cloudobjectstorage.appdomain.cloud/css/style.css">

k rel="preconnect" href="https://fonts.gstatic.com">

link

href="https://fonts.googleapis.com/css2?family=Josefin+Sans:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;1,100;1,200;1,300;1,400;1,500;1,600;1,700&display=swap" rel="stylesheet">

<link rel="stylesheet"</pre>

href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/5.15.3/css/all.min.css" integrity="sha512-iBBXm8fW90+nuLcSKlbmrPcLa0OT92xO1BIsZ+ywDWZCvqsWgccV3gFoRBv0z+8dLJgyAHlhR35VZc2oM/g l1w==" crossorigin="anonymous" referrerpolicy="no-referrer" />

<script>

window.watsonAssistantChatOptions = { integrationID: "66576f0c-5408-4edc-803b-

d9de1f553e8b", // The ID of this integration. region: "eu-gb", // The region your

integration is hosted in.

```
serviceInstanceID: "2607efc7-375b-465c-9e61-399a0f694519", // The ID of your service instance.
onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
const t=document.createElement('script');
t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') + "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});
</script>
</head>
<body>
<div class="hero">
<nav>
<h2 class="logo">He<span>llo</span></h2>
</nav>
<div class="content">
<h4>Hello, my name is</h4>
<h1>Sahasra S <span>R</span></h1>
<h3>I'am a Full Stack Developer</h3>
<div class="newslatter">
</div>
</div>
</div>
<!----About section start--- >
<section class="about">
<div class="main">
<img src="https://website-static.s3.jp-tok.cloud-object-storage.appdomain.cloud/img/BG.jpeg">
<div class="about-text">
<h2>About Me</h2>
<h5>Problem Solver</h5>
I am a Full stack developer.
</div>
</div>
</section>
```

```
<!---->
<div class="service">
<div class="title">
<h2>Our Services</h2>
</div>
<div class="box">
<div class="card">
<i class="fas fa-bars"></i>
<h5>Web Development</h5> <div
class="pra">
Every website should be built with two primary goals: Firstly, it needs to work across all devices.
Secondly, it needs to be fast as possible.
<a class="button" href="#">Read More</a>
</div>
</div>
<div class="card">
<i class="far fa-user"></i>
<h5>Web Development</h5> <div
class="pra">
Every website should be built with two primary goals: Firstly, it needs to work across all devices.
Secondly, it needs to be fast as possible.
<a class="button" href="#">Read More</a>
</div>
</div>
<div class="card">
<i class="far fa-bell"></i>
<h5>Web Development</h5> <div
class="pra">
Every website should be built with two primary goals: Firstly, it needs to work across all devices.
Secondly, it needs to be fast as possible.
```

```
<a class="button" href="#">Read More</a>
</div>
</div>
</div>
</div>
<!---->
<div class="contact-me">
Let Me Get You A Beautiful Website.
<a class="button-two" href="#">Hire Me</a>
</div>
<!---->
<footer>
Sahasra S 
<div class="social">
<a href="https://www.facebook.com/"><i class="fab fa-facebook-f"></i></a>
<a href="https://www.instagram.com"><i class="fab fa-instagram"></i></a>
</div>
CopyRight By Sahasra S
</footer>
</body>
</html>
```



