Sprint-(1)


Team ID	PNT2022TMID02546
Project Name	Smart waste management system for
	metropolitan cities

BIN 1:-

```
#include <WiFi.h>
#include <PubSubClient.h>
#include <ArduinoJson.h>
WiFiClient wifiClient;
#define ORG "nafgr4"
#define DEVICE TYPE "Bin1"
#define DEVICE_ID "Tiruvallur"
#define TOKEN "T12345678"
#define speed 0.034
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/status1/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
const int trigpin=5;
const int echopin=19;
String command;
String data="";
String latitude="13.1231";
String longitude="79.9120";
long duration;
int dist;
String icon;
void setup()
Serial.begin(115200);
pinMode(trigpin, OUTPUT);
pinMode(echopin, INPUT);
wifiConnect();
mqttConnect();
void loop() {
publishData();
delay(500);
if (!client.loop()) {
mqttConnect();
```

```
void wifiConnect() {
Serial.print("Connecting to ");
Serial.print("Wifi");
WiFi.begin("Wokwi-GUEST", "", 6);
while (WiFi.status() != WL_CONNECTED) {
delay(500);
Serial.print(".");
Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
void mqttConnect() {
if (!client.connected()) {
Serial.print("Reconnecting MQTT client to "); Serial.println(server);
while (!client.connect(clientId, authMethod, token)) {
Serial.print(".");
Serial.print("*");
delay(1000);
initManagedDevice();
Serial.println();
void initManagedDevice() {
if (client.subscribe(topic)) {
Serial.println(client.subscribe(topic));
Serial.println("subscribe to cmd OK");
else {
Serial.println("subscribe to cmd FAILED");
void publishData()
digitalWrite(trigpin, LOW);
digitalWrite(trigpin, HIGH);
delayMicroseconds(10);
digitalWrite(trigpin, LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<20){
icon="Bin is Full";
else{
icon="Bin is not Full";
DynamicJsonDocument doc(1024);
```

```
String payload;
doc["Latitude"]=latitude;
doc["Longitude"]=longitude;
doc["Distance"]=dist;
doc["Bin Status"]=icon;
serializeJson(doc, payload);
delay(3000);
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Publish OK");
}
else {
    Serial.println("Publish FAILED");
}
```



Circuit:

