## **SPRINT-2**

TEAM ID	PNT2022TMID49560
PROJECT NAME	CUSTOMER CARE REGISTRY

## **CODE:**

## **Userprofile.html:**

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
  <meta charset="utf-8">
  <title>Dashboard</title>
  <link rel="stylesheet" href="../static/profile.css">
  link rel="shortcut icon" type="image/jpg" href="../static/img3.jpg">
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css"/>
 </head>
  <body>
  <div class="navigation">
     <l>
       <1i>>
        <a href="#">
         <span class="icon"><ion-icon name="home-outline"></ion-icon></span>
         <span class="title">Customer care Registry</span>
        </a>
       <
        <a href="/profile">
         <span class="icon"><ion-icon name="person-circle-outline"></ion-icon></span>
         <span class="title">Profile</span>
        </a>
```

```
<
        <a href="#">
         <span class="icon"><ion-icon name="layers-outline"></ion-icon></span>
         <span class="title">Dashboard</span>
        </a>
       <
        <a href="/addcomplaint">
         <span class="icon"><ion-icon name="chatbox-ellipses-outline"></ion-</pre>
icon></span>
         <span class="title">Lodge Complaint</span>
        </a>
       <
        <a href="/logout">
         <span class="icon"><ion-icon name="log-out-outline"></ion-icon>
         </span>
         <span class="title">Logout</span>
        </a>
       <div class="toggle"></div>
    </div>
    <div class="float-container">
     <div class="float-child1">
     </div>
     <div class="float-child2">
       <div class="card">
         <div class="lines"></div>
         <div class="imgBx">
           <img src="{{url_for('static',filename='avatar.jpg')}}}">
         </div>
```

```
<div class="content">
           <div class="details">
              <h2>{{ fullname }}<br/>for><span>{{ email }}</span></h2>
              <div class="data">
                <h3>5<br/>omplaints</span></h3>
                <h3>4<br><span>Solved</span></h3>
                <h3>1<br/>br><span>Pending</span></h3>
              </div>
           </div>
         </div>
       </div>
     </div>
     </div>
<script type="module"</pre>
src="https://unpkg.com/ionicons@5.5.2/dist/ionicons/ionicons.esm.js"></script>
<script nomodule
src="https://unpkg.com/ionicons@5.5.2/dist/ionicons.js"></script>
<script>
 let navigation=document.querySelector('.navigation');
 let toggle=document.querySelector('.toggle');
 toggle.onclick=function(){
  navigation.classList.toggle('active')
 }
</script>
  </body>
</html>
Userprofile.css:
@import
url('https://fonts.googleapis.com/css?family=Ubuntu:wght@300;400;500;700&display=swap'
);
*{
 padding: 0;
```

```
margin: 0;
 box-sizing: border-box;
 font-family: 'Ubuntu', sans-serif;
}
body {
 min-height: 100vh;
 background:black;
. navigation \{\\
 position: fixed;
 inset: 20px;
 background: #ed4828;
 width:80px;
 border-left: 10px solid #ed4828;
 border-radius: 50px;
 overflow: hidden;
 box-shadow: 15px 15px 25px rgba(0,0,0,.05);
 transition: 0.5s;
. navigation. active \{
 width: 300px;
 border-radius: 20px;
}
.toggle{
 position: absolute;
 bottom: 15px;
 right: 15px;
 width: 50px;
 height:50px;
 background: #fff;
```

```
border-radius: 50%;
 box-shadow: 5px 5px 10px rgba(0,0,0,.15);
 cursor: pointer;
 display: flex;
 justify-content: center;
 align-items: center;
.toggle::before{
 content: ";
 position: absolute;
 width: 26px;
 height: 3px;
 border-radius: 3px;
 background: #ed4828;
 transform: translateY(-5px);
 transition: 1s;
.toggle::after{
 content: ";
 position: absolute;
 width: 26px;
 height: 3px;
 border-radius: 3px;
 background: #ed4828;
 transform: translateY(5px);
 transition: 1s;
.navigation.active .toggle::before{
 transform:translateY(0px) rotate(-405deg);
.navigation.active .toggle::after{
 transform:translateY(0px) rotate(255deg);
```

```
}
.navigation ul{
 position: absolute;
 top:0;
 left:0;
 width:100%;
.navigation ul li{
 position: relative;
 list-style:none;
 width: 100%;
 border-top-left-radius: 30px;
 border-bottom-left-radius: 30px;
 /*background:#fff;*/
.navigation ul li:hover{
 background: #fff;
 color: #222;
.navigation ul li:nth-child(1){
 top:20px;
 margin-bottom: 40px;
 background: none;
.navigation ul li:not(:first-child):hover::before{
 content: ";
 position: absolute;
 top: -20px;
 right: 0;
 width:20px;
 height:20px;
 background: transparent;
```

```
border-bottom-right-radius: 20px;
 box-shadow: 7.5px 7.5px 0 7.5px #fff;
.navigation ul li:not(:first-child):hover::after{
 content: ";
 position: absolute;
 bottom: -20px;
 right: 0;
 width:20px;
 height:20px;
 background: transparent;
 border-top-right-radius: 20px;
 box-shadow: 7.5px -7.5px 0 7.5px #fff;
.navigation ul li a{
 position: relative;
 display: block;
 width:100%;
 display: flex;
 text-decoration: none;
 color: #fff;
.navigation ul li:hover:not(:first-child) a {
 color: #ed4828;
}
.navigation ul li a .icon{
 position: relative;
 display: block;
 min-width: 60px;
```

```
height: 60px;
 line-height: 70px;
 text-align: center;
}
.navigation ul li a .icon ion-icon{
 font-size: 1.75em;
.navigation ul li a .title{
 position: relative;
 display: block;
 padding: 0 10px;
 height: 60px;
 line-height: 60px;
 text-align: start;
 white-space: nowrap;
. float\text{-}container \{
       height: 700px;
       width: 1000px;
       display: inline;
 margin-top: 100px;
 margin-left: 400px;
}
.float-child2{
 float: left;
 margin-left: 600px;
 width: 250px;
margin-top: 250px;
```

```
.float-child2 h1{
       font-size: 50px;
 text-align: center;
 font-weight: bold;
 -webkit-animation: glow 2s ease-in-out infinite alternate;
 -moz-animation: glow 2s ease-in-out infinite alternate;
 animation: glow 2s ease-in-out infinite alternate;
}
@keyframes glow {
   from {
   color: #fff;
  text-shadow: 0 0 10px #ed4828, 0 0 20px #ed4828, 0 0 30px #ed4828, 0 0 40px #ed4828,
0 0 50px #ed4828, 0 0 60px #ed4828, 0 0 70px #ed4828, 0 0 90px #ed4828;
 }
 to {
   color: gray;
  text-shadow: 0 0 20px #e92424, 0 0 30px #ed1e1e, 0 0 40px #ed2424, 0 0 50px #f72e2e, 0
0 60px #f02b2b, 0 0 70px #ef2a2a, 0 0 80px #f43535, 0 1 90px #ed2020;
 }
.card
  position: relative;
  width: 500px;
  height: 190px;
  background: black;
  transition: 0.5s;
```

```
}
.card:hover
  height: 400px;
}
.card .lines
  position: absolute;
  inset: 0;
  background: #000;
  overflow: hidden;
}
.card .lines::before
  content: ";
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate( -50%, -50%);
  width: 600px;
  height: 120px;
  background: linear-gradient(transparent,#d5321d,#d5321d,#d5321d,transparent);
  animation: animate 4s linear infinite;
@keyframes animate
{
  0%
    transform: translate(-50%, -50%) rotate(0deg);
  100%
```

```
{
    transform: translate(-50%, -50%) rotate(360deg);
  }
}
.card .lines::after
  content: ";
  position: absolute;
  inset: 3px;
  background: #292929;
}
.card .imgBx
  position: absolute;
  top: -30%;
  left: 50%;
  transform: translateX(-50%);
  width: 150px;
  height: 150px;
  background: #000;
  transition: 0.5s;
  z-index: 10;
  overflow: hidden;
}
.card:hover .imgBx
  width: 200px;
  height: 200px;
.card .imgBx::before
```

```
content: ";
  position: absolute;
  top: 50%;
  left: 50%;
  width: 500px;
  height: 150px;
  transform: translate(-50%, -50%);
  background: linear-gradient(transparent, white, white, white, transparent);
  animation: animate2 6s linear infinite;
}
@keyframes animate2
{
  0%
    transform: translate(-50%, -50%) rotate(360deg);
  100%
    transform: translate(-50%, -50%) rotate(0deg);
  }
.card .imgBx::after
  content: ";
  position: absolute;
  inset: 3px;
  background: #292929;
.card .imgBx img
  position: absolute;
  top: 10px;
```

```
left: 10px;
  z-index: 1;
  width: calc(100% - 20px);
  height: calc(100% - 20px);
  /*filter: grayscale(1);*/
}
.card .content
  position: absolute;
  width: 100%;
  height: 100%;
  display: flex;
  justify-content: center;
  align-items: flex-end;
  overflow: hidden;
}
.card .content .details
  padding: 40px;
  text-align: center;
  width: 100%;
  transition: 0.5s;
  transform: translateY(145px);
}
.card:hover .content .details
  transform: translateY(0px);
.card .content .details h2
  font-size: 1.25em;
```

```
font-weight: 600;
  color: #f64f32;
  line-height: 1.2em;
  margin-bottom: 70px;
}
.card .content .details h2 span
  font-size: 0.75em;
  font-weight: 500;
  color: #fff;
}
.card .content .details .data
  display: flex;
  justify-content: space-between;
  margin: 20px 0;
}
.card .content .details .data h3
  font-size: 1em;
  color: #f64f32;
  line-height: 1.2em;
  font-weight: 600;
}
.card .content .details .data h3 span
  font-size: 0.85em;
  font-weight: 400;
  color: #fff;
.card .content .details .actionBtn
```

```
display: flex;
  justify-content: space-between;
  gap: 20px;
}
.card .content .details .actionBtn button
  padding: 10px 30px;
  border: none;
  outline: none;
  border-radius: 5px;
  font-size: 1em;
  font-weight: 500;
  background: #45f3ff;
  color: #222;
  cursor: pointer;
  opacity: 0.9;
}
.card .content .details .actionBtn button:nth-child(2)
  background: #fff;
}
.card .content .details .actionBtn button:hover
  opacity: 1;
Complaint Register. html: \\
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
  <meta charset="utf-8">
  <title>Complaint registration form</title>
  k rel="stylesheet" href="../static/bootstrap.min.css">
```

```
k rel="stylesheet" href="../static/addcomplaint.css">
  link rel="shortcut icon" type="image/jpg" href="../static/img3.jpg">
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css"/>
 </head>
  <body>
    <div class="float-container">
     <div class="float-child1">
         <form class="signup-form" action="/addcomplaint" method="post">
           <!-- form header -->
           <div class="form-header">
              <div class="form-header">
                <h1>Create Account</h1>
               </div>
           </div>
           <!-- form body -->
           <div class="form-body">
              <div class="form-body">
                <!-- Firstname and Lastname -->
                <div class="horizontal-group">
                  <div class="form-group left">
                     <label for="firstname" class="label-title">Select Category</label>
                     <select name="selectcategory" required>
                       <option value="category"></option>
                       <option value="E-commerse">E-commerse</option>
                       <option value="general">General</option>
```

```
</select>
                   </div>
                   <div class="form-group right">
                     <label for="lastname" class="label-title">Date</label>
                     <input type="date" name="dt">
                   </div>
                </div>
                <!-- Email -->
<div class="form-group">
  <label for="email" class="label-title">Email*</label>
  <input type="email" id="email"name="email" class="form-input" placeholder="enter your</pre>
email" required="required">
 </div>
 <!-- Password and confirm password -->
 <div class="horizontal-group">
  <div class="form-group left">
   <label for="password" class="label-title">Phone number*</label>
   <input id="password" class="form-input" placeholder="enter your phone number"
name="phone" required="required">
  </div>
  <div class="form-group right">
   <label for="confirm-password" class="label-title">additional *</label>
   <input class="form-input" id="confirm-password" placeholder="enter your opinion"
name="additional" required="required">
  </div>
  <!-- Gender and Hobbies -->
<div class="horizontal-group">
  <div class="form-group left">
    <label class="label-title">Status:</label>
```

```
<div class="input-group">
       <label for="male">
         <input type="radio" name="status" value="male" id="male"> pending</label>
       <label for="female">
         <input type="radio" name="status" value="female" id="female">solved</label>
    </div>
  </div>
</div>
<!-- Source of Income and Income Amount -->
<div class="horizontal-group">
  <div class="form-group left" >
   <label class="label-title">State</label>
   <select class="form-input" name="state"id="level" >
    <option value="Tamil nadu">Tamil nadu
    <option value="Kerala">Kerala</option>
    <option value="others">others</option>
   </select>
  </div>
 </div>
 <!-- Bio -->
<div class="form-group">
  <label for="choose-file" class="label-title">complaint/label>
  <textarea class="form-input"name="complaint" rows="4" cols="50"
style="height:auto"></textarea>
 </div>
```

```
</div>
            </div>
            <!-- form footer -->
            <div class="form-footer">
              <!-- form footer -->
<div class="form-footer">
  <span>* required</span>
  <button type="submit" onclick=display() class="btn">Create</button>
 </div>
            </div>
         </form>
       </div>
      </div>
    </div>
    <script type="module"</pre>
src="https://unpkg.com/ionicons@5.5.2/dist/ionicons/ionicons.esm.js"></script>
<script nomodule
src="https://unpkg.com/ionicons@5.5.2/dist/ionicons.js"></script>
```

```
<!-- Script for range input label -->
<script>
  var rangeLabel = document.getElementById("range-label");
  var experience = document.getElementById("experience");
  function change() {
  rangeLabel.innerText = experience.value + "%pending";
  }
 </script>
<script>
 let navigation=document.querySelector('.navigation');
 let toggle=document.querySelector('.toggle');
 toggle.onclick=function(){
  navigation.classList.toggle('active')
 }
 function display(){
  alert("you successfully registered the complaints")
 }
</script>
  </body>
</html>
ComplaintRegister.css:
@import url('httpss://fonts.googleapis.com/css?family=Roboto');
body {
 background:black
.float-container{
       height: 700px;
       width: 1000px;
       display: inline;
 margin-top: 100px;
```

```
margin-left: 400px;
}
.float-child1{
 float: right;
 margin-top: 40px;
 margin-right:300px;
 width: 800px;
}
@keyframes glow {
   from {
   color: #fff;
  text-shadow: 0 0 10px #ed4828, 0 0 20px #ed4828, 0 0 30px #ed4828, 0 0 40px #ed4828,
0 0 50px #ed4828, 0 0 60px #ed4828, 0 0 70px #ed4828, 0 0 90px #ed4828;
 }
 to {
   color: gray;
  text-shadow: 0 0 20px #e92424, 0 0 30px #ed1e1e, 0 0 40px #ed2424, 0 0 50px #f72e2e, 0
0 60px #f02b2b, 0 0 70px #ef2a2a, 0 0 80px #f43535, 0 1 90px #ed2020;
 }
}
```

```
.signup-form {
 font-family: "Roboto", sans-serif;
 width:650px;
 margin-right: 600px;
 background:linear-gradient(to right, #050505 0%, #090909 50%, #060606 99%);
 border-radius: 10px;
 border-style: solid;
 border-color: #ed1e1e;
 border-width: 1px;
.form-header {
 background-color: #060606;
 border-top-left-radius: 10px;
 border-top-right-radius: 10px;
}
.form-header h1 {
 font-size: 30px;
 text-align:center;
 color:#ed1e1e;
 padding:20px 0;
 border-bottom:1px solid #ed1e1e;
/*_____*/
/* Form Body */
/*----*/
.form-body {
  padding:10px 40px;
  color:#ed1e1e;
```

```
. form\text{-}group \{
 margin-bottom:20px;
}
.form-body .label-title {
 color:#ed1e1e;
 font-size: 17px;
 font-weight: bold;
}
.form-body .form-input {
  font-size: 17px;
  box-sizing: border-box;
  width: 100%;
  height: 34px;
  padding-left: 10px;
  padding-right: 10px;
  color: #ed1e1e;
  text-align: left;
  border: 1px solid #ed1e1e;
  border-radius: 4px;
  background: black;
  outline: none;
}
. horizontal\text{-}group . left \{
 float:left;
 width:49%;
```

```
. horizontal\text{-}group . right \{\\
 float:right;
 width:49%;
}
input[type="file"] {
outline: none;
cursor:pointer;
font-size: 17px;
#range-label {
width:15%;
padding:5px;
background-color: #ed1e1e;
color:white;
border-radius: 5px;
font-size: 17px;
position: relative;
top:-8px;
}
::-webkit-input-placeholder {
color:white;
}
/*____*/
/* Form Footer */
/*____*/
.form-footer {
```

```
clear:both;
 }
 /*_____*/
/* Form Footer */
/*_____*/
.signup-form .form-footer {
  background-color: black;
  border-bottom-left-radius: 10px;
  border-bottom-right-radius: 10px;
  padding:10px 40px;
  text-align: right;
  border-top: 1px solid #ed1e1e;
 .form-footer span {
  float:left;
  margin-top: 10px;
  color:#ed1e1e;
  font-style: italic;
  font-weight: thin;
 .btn {
  display:inline-block;
  padding:10px 20px;
  background-color: #ed1e1e;
  font-size:17px;
  border:none;
  border-radius:5px;
  color:#bcf5e7;
  cursor:pointer;
```

```
.btn:hover {
  background-color: red;
  color:white;
 }
AgentCreation.html:
<!DOCTYPE html>
<html lang="en">
<head>
       <meta charset="UTF-8">
       <title>Agent Creation</title>
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="../static/login.css">
</head>
<body>
       <div class="container" >
              <div class="row">
                     <div class="column1">
                     </div>
                     <div class="column2">
                            <div class="contact-form">
                                   <img src="{{url_for('static',filename='a1.jpg')}}"</pre>
alt="" class="avatar">
                                   <h2> Agent Creation</h2>
                                   <form action="/agentdata" method="POST">
                                          email<input placeholder="Enter your"
name" type="text" name='username'>
```

```
Password<input placeholder="Enter password"
type="password" name='password'>
                   <input type="submit" value="Create">
                                 </form>
                                 <span class="alert {{indicator}}">{{a}}</span>
                                 <div class="links">
                                       click here for
dashboard <a href="/adminpage"> Click here</a>
                                 </div>
                          </div>
                   </div>
             </div>
      </div>
AgentCreation.css:
body {
      margin: 0;
      padding: 0;
      font-family: 'Poppins', sans-serif;
      background-color: black;
}
.row{
      height: 700px;
      width: 1300px;
      margin-top: 10px;
      border-radius: 20px;
}
.column1{
```

```
float: left;
       width: 900px;
       height: 650PX;
       background-image:url(../static/login.svg);
       background-repeat: no-repeat;
       background-attachment: fixed;
  object-fit: cover;
       background-position: left;
}
.column2\{\\
       float: right;
       width: 50%;
}
.hello {
       position: fixed;
       width: 100vw;
       height: 100vh;
       background-position: center center;
       background-repeat: no-repeat;
       background-attachment: fixed;
       -webkit-background-size: cover;
       background-size: cover;
       -webkit-filter: blur(10px);
       -moz-filter: blur(10px);
```

```
z-index: -1;
}
.contact-form {
       position: absolute;
       top: 50%;
       left: 50%;
       transform: translate(-50%, -50%);
       width: 300px;
       height: 350px;
       padding: 80px 40px;
       background: rgba(0, 0, 0, 0.3);
       border-width: 1px;
       border-color: #ed4828;
       border-style: solid;
       border-radius: 20px;
       margin-left: 400px;
       box-shadow: 0 0 8px 0 rgb(234, 13, 13);
}
.avatar {
       position: absolute;
       width: 90px;
       height: 80px;
       border-radius: 50%;
       overflow: hidden;
       top: calc(-80px/2);
       left: 150px;
.contact-form h2 {
       margin: 0;
       padding: 0 0 20px;
       color: #fff;
```

```
text-align: center;
       text-transform: uppercase;
}
.contact-form p {
       margin: 0;
       padding: 0;
       font-weight: bold;
       color: #fff;
}
.contact-form input {
       width: 100%;
       margin-bottom: 20px;
}
.contact-form input[type="password"] {
       border: none;
       border-bottom: 1px solid #fff;
       background: transparent;
       outline: none;
       height: 40px;
       color: #fff;
       font-size: 16px;
.contact-form input[type="text"]{
  border: none;
       border-bottom: 1px solid #fff;
       background: transparent;
       outline: none;
       height: 40px;
       color: #fff;
       font-size: 16px;
}
.contact-form input[type="password"]:focus{
```

```
border-color: black;
}
.contact-form input[type="text"]:focus{
       border-color: black;
}
.contact-form input[type=submit] {
       height: 30px;
       color: #fff;
       font-size: 15px;
       background:#ed4828;
       cursor: pointer;
       border-radius: 25px;
       border: none;
       outline: none;
       margin-top: 15%;
}
.contact-form input[type=submit]:hover{
  background-color:rgb(251, 116, 116);
       transition: 1s ease;
}
.alert {
  width:100%;
  height:40px;
  color: white;
  padding: 5px 10px;
  border-radius: 10px;
  font-size:14px;
```

```
}
.success {
  color:green;
  font-weight:bold;
  border: 2px solid green;
}
.failure {
  color:red;
  font-weight:bold;
  border: 2px solid red;
}
.links a{
       color: #ed4828;
}
AgentLogin.html:
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Agent Login Form</title>
    <link rel="stylesheet" href="../static/agentlogin.css">
  </head>
<body>
    <div class="box">
       <div class="form">
         <form action="/logindata" method="POST">
         <h2>Agent Login</h2>
         <div class="inputBox">
         <input type="text" name="username"required="required">
         <span>Email</span>
         <i></i>
```

```
</div>
        <div class="inputBox">
         <input type="password" name="password"required="required">
         <span>Password</span>
         <i></i>
        </div>
        <input type="submit" value="Login">
        </form>
     </div>
    </div>
</body>
</html>
AgentLogin.css:
@import url('https://fonts.googleapis.com/css2?
family=Poppins:wght@300;400;500;600;700;800;900& display=swap');
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Poppins', sans-serif;
}
body
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
  background: black;
}
```

```
.box
  position: relative;
  width: 380px;
  height: 420px;
  background: #2e2d2d;
  border-radius: 8px;
  overflow: hidden;
}
.box::before
  content: ";
  position: absolute;
  top: -50%;
  left: -50%;
  width: 380px;
  height: 420px;
  background: linear-gradient(Odeg,transparent,
  transparent,#ed4828);
  animation: animate 6s linear infinite;
  transform-origin: bottom right;
}
.box::after
  content: ";
  position: absolute;
  top: -50%;
  left: -80%;
  width: 380px;
  height: 420px;
```

```
background: linear-gradient(Odeg,transparent,
  transparent,#ed4828);
  animation: animate 6s linear infinite;
  animation-delay: -3s;
  transform-origin: bottom right;
}
@keyframes animate
{
  0%
    transform: rotate(0deg);
  }
  100%
    transform: rotate(360deg);
  }
.form
  position: absolute;
  inset: 2px;
  border-radius: 8px;
  background: black;
  z-index: 10;
  padding: 50px 40px;
  display: flex;
  flex-direction: column;
}
```

```
.form h2
  color: #ed4828;
  font-weight: 500;
  text-align: center;
  letter-spacing: 0.1em;
}
. input Box \\
  position: relative;
  width: 300px;
  margin-top: 35px;
}
. input \\ Box \ input
  position: relative;
  width: 100%;
  padding: 20px 10px 10px;
  background: transparent;
  border: none;
  outline: none;
  color: #ed4828;
  font-size: 1em;
  letter-spacing: 0.05em;
  z-index: 10;
.inputBox span
```

```
position: relative;
  left: 0;
  padding: 20px 0px 10px;
  font-size: 1em;
  color: #ed4828;
  pointer-events: none;
  letter-spacing: 0.05em;
  transition: 0.5s;
}
.inputBox input:valid ~ span,
.inputBox input:focus ~ span
  color: #ed4828;
  transform: translate X(0px) translate Y(-34px);
  font-size: 0.75em;
}
.inputBox i
  position: absolute;
  left: 0;
  bottom: 0;
  width: 100%;
  height: 2px;
  background: #ed4828;
  border-radius: 4px;
  transition: 0.5s;
  pointer-events: none;
  z-index: 9;
```

```
.inputBox input:valid \sim i,
.inputBox input:focus ~ i
  height: 44px;
}
.links
  display: flex;
  justify-content: space-between;
}
.links a
  margin: 10px 0;
  font-size: 0.75em;
  color: #ed4828;
  text-decoration: none;
}
.links a:hover,
.links a:nth-child(2)
  color: #ed4828;
}
input[type = "submit"]
  border: none;
  outline: none;
  background:#ed4828;
  padding: 11px 25px;
```

```
width: 100px;
  margin-top: 40px;
  border-radius: 4px;
  font-weight: 600;
  cursor: pointer;
}
input[type = "submit"]:active
{
  opacity: 0.8;
}
App.py:
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re
app = Flask(__name__)
app.secret_key='a'
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=9938aec0-8105-433e-8bf9-
0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud; PORT=32459;
Security=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=dmz49400;
PWD=gyRzSBXn1Biv7bk5;",",")
@app.route('/')
def home():
  return render_template('home.html')
@app.route('/registertemp',methods=["POST","GET"])
def registertemp():
  return render_template("register.html")
@app.route('/uploaddata',methods =['GET','POST'])
```

```
def register():
  msg = "
  if request.method == 'POST':
    firstname = request.form['firstname']
    lastname = request.form['lastname']
    username = request.form['username']
    email = request.form['email']
    password = request.form['password']
    address = request.form['address']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM user WHERE username = ?')
    ibm_db.bind_param(stmt, 1, username)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    if account:
       msg = 'Account already exists!'
    elif not re.match(r'[^{\alpha}@]+@[^{\alpha}@]+\.[^{\alpha}@]+', email):
       msg = 'Invalid email address!'
    elif not re.match(r'^[A-Za-z0-9_.-]*$', username):
       msg = 'name must contain only characters and numbers!'
    else:
       prep_stmt = ibm_db.prepare(conn, INSERT INTO user(firstname, lastname,
username, email, password, address) VALUES(?, ?, ?, ?, ?, ?)')
       ibm_db.bind_param(prep_stmt, 1, firstname)
       ibm_db.bind_param(prep_stmt, 2, lastname)
       ibm_db.bind_param(prep_stmt, 3, username)
       ibm_db.bind_param(prep_stmt, 4, email)
       ibm_db.bind_param(prep_stmt, 5, password)
       ibm_db.bind_param(prep_stmt, 6, address)
       ibm_db.execute(prep_stmt)
       msg = 'Dear % s You have successfully registered!'%(username)
    return render_template('register.html',a = msg,indicator="success")
  return render_template('register.html')
```

```
@app.route('/login',methods=["POST","GET"])
def login():
  return render_template("login.html")
@app.route('/logindata',methods=["POST","GET"])
def logindata():
  global userid
  msg = "
  if request.method == 'POST' and 'username' in request.form and 'password' in
request.form:
    username = request.form['username']
    password = request.form['password']
    stmt = ibm_db.prepare(conn, SELECT * FROM user WHERE username = ? AND
password = ?'
    ibm_db.bind_param(stmt,1,username)
    ibm_db.bind_param(stmt,2,password)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_tuple(stmt)
    if account:
       session['id'] = account[0]
       userid = account[0]
       session['username'] = account[1]
       return redirect(url_for('dashboard'))
    else:
       msg = 'Incorrect username / password !'
       return render_template('login.html', b = msg, indicator="failure")
@app.route('/home')
def dashboard():
  if 'id' in session:
    uid = session['id']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM user WHERE id = ?')
    ibm_db.bind_param(stmt, 1, uid)
    ibm_db.execute(stmt)
```

```
ibm_db.fetch_tuple(stmt)
    username = session['username']
    return render_template('user dashboard.html', name = username)
@app.route('/profile',methods=["POST","GET"])
def profile():
  if 'id' in session:
    uid = session['id']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM user WHERE id = ?')
    ibm_db.bind_param(stmt, 1, uid)
    ibm_db.execute(stmt)
    acc = ibm_db.fetch_tuple(stmt)
    return
render_template('userprofile.html',fullname=acc[1]+acc[2],email=acc[4],address=acc[6])
  return render_template('userprofile.html')
@app.route('/admin')
def admin():
  return render_template('admin.html')
@app.route('/adminpage')
def adminpage():
  return render_template('admin dashboard.html')
@app.route('/adminlog',methods=["POST","GET"])
def adminlog():
  msg = "
  email = request.form['email']
  password = request.form['password']
  stmt = ibm_db.prepare(conn, 'SELECT * FROM agentinfo WHERE email = ? and
password = ?'
  ibm_db.bind_param(stmt,1, email)
```

```
ibm_db.bind_param(stmt,2, password)
  ibm_db.execute(stmt)
  logged = ibm_db.fetch_assoc(stmt)
  if(logged):
    msg = 'successfully loggedin'
    return render_template("admin dashboard.html",a=msg)
  else:
    return render_template("admin.html",a="Incorrect email/password")
@app.route('/addcomplaint',methods=["POST","GET"])
def complaint():
  if request.method == "POST":
    if 'id' in session:
       msg = "
       uid=session['id']
       selectcategory = request.form['selectcategory']
       date = request.form['dt']
       phone = request.form['phone']
       additional = request.form['additional']
       state = request.form['state']
       email = request.form['email']
       complaint = request.form.get('complaint')
       stmt = ibm_db.prepare(conn, "SELECT * FROM user WHERE id = ?")
       ibm_db.bind_param(stmt, 1, uid)
       ibm_db.execute(stmt)
       ibm_db.fetch_assoc(stmt)
       prep_stmt = ibm_db.prepare(conn,'INSERT INTO complaintdetails(uid,
selectcategory, dt, phone, additional, state, email, complaint, status) VALUES (?, ?, ?, ?, ?, ?,
?, ?, ?)')
       ibm_db.bind_param(prep_stmt, 1, uid)
       ibm_db.bind_param(prep_stmt, 2, selectcategory)
       ibm_db.bind_param(prep_stmt, 3, date)
       ibm_db.bind_param(prep_stmt, 4, phone)
       ibm_db.bind_param(prep_stmt, 5, additional)
```


```
ibm_db.bind_param(prep_stmt, 6, state)
       ibm_db.bind_param(prep_stmt, 7, email)
       ibm_db.bind_param(prep_stmt, 8, complaint)
       ibm_db.bind_param(prep_stmt, 9, 'pending')
       ibm_db.execute(prep_stmt)
       msg = 'You have successfully registered your complaint'
       return render_template('userlodgecomp.html',a = msg)
  return render_template('userlodgecomp.html')
@app.route('/agent',methods=["POST","GET"])
def agent():
  return render_template('agent.html')
@app.route('/loggout')
def loggout():
  if 'id ' in session:
    session.pop('id',None)
    session.pop('email',None)
    session.pop('password',None)
  return redirect(url_for('home'))
@app.route('/logout')
def logout():
  session.pop('loggedin', None)
  session.pop('id', None)
  session.pop('username', None)
  return redirect(url_for('login'))
@app.route('/agentdata',methods=["POST","GET"])
def agentdata():
  msg = "
  username = request.form['username']
  password = request.form['password']
  stmt = ibm_db.prepare(conn, INSERT INTO agent(username, password) VALUES (?, ?)')
  ibm_db.bind_param(stmt, 1, username)
```


```
ibm_db.bind_param(stmt, 2, password)
ibm_db.execute(stmt)
msg = 'Agent has been created successfully'
return render_template('agent.html',a = msg,indicator="success")
@app.route('/agentlogin',methods=["POST","GET"])
def agentlogin():
    return render_template('agentlogin.html')

if __name__ == '__main__':
    app.debug=True
    app.run(host='0.0.0.0',port=8080)
```


# **Output:**


### **Profile Page:**







### **Complaint registered Page:**






### **Agent creation page:**





### Agent login page:



## **Complaint database:**

