Install IBM Cloud CLI

Team ID	PNT2022TMID03043
Project Name	CONTAINMENT ZONE ALERTING
	APPLICATION
Team Members	VENKTESH, SALMANKHAN,
	SARAVANAN, SRIRAM

SCREEN SHOTS:



Fig1. Installing Cloud CLI Using PowerShell

```
C:\Program Files\IBM\Cloud\bin\ibmcloud.exe - A command line tool to interact with IBM Cloud Find more information at: https://ibm.biz/cli-docs
 RSION:
2.12.1+b8488a1-2022-10-31T15:08:10+00:00
                                                  Manage accounts, users, orgs and spaces
Set or view target API endpoint
Retrieve usage and billing information
Manage catalog
Kun Cloud Foundry CLI with IBM Cloud CLI context
Write default values to the config
Create, develop, deploy, and monitor applications
Manage enterprise, account groups and accounts.
Hamage identities and access to resources
                                                 Manage identities and access to resources log user in log user out Manage plug-ins and plug-in repositories List all the regions Manage plug-ins and resources List all resources Plug-ins and resources List all resources Set or view the targeted region, account, resource group, org or space Update CLI to the latest version Print the version Print the version
  ter 'C:\Program Files\IBM\Cloud\bin\ibmcloud.exe help [command]' for more information about a command.
VIRONMENT VARIABLES:

IBMCLOUD, CORON-Faise Do not colorize output

A time limit for HTTP requests

A fine limit for HTTP requests

API Key used for login

The custom server URL to use when obtaining an instance identity token and IAM token as a VPC VSI compute resource. This value will replace the defa

t server endpoint of the VPC VSI instance identity token server.

Compute resource token used for login. Can either be a token string or a path to a @file.

IBMCLOUD_CR_PROFILE=profile_value

The name, ID, or CRN of the linked trusted IAM profile to be used when obtaining the IAM access token. If authenticating as a VPC VSI compute resour, only specifying a trusted profile CRN or ID is supported.

BINCLOUD_CR_PROFILE=profile_value

The name, ID, or CRN of the linked trusted IAM profile to be used when obtaining the IAM access token. If authenticating as a VPC VSI compute resour.

Print API request diagnostics to stdout

Print API request diagnostics to a log file

Path to config directory
```

Fig2. Installing Cloud CLI

```
PS C:\WINDOWS\system32> ibmcloud login
API endpoint: https://cloud.ibm.com
Email> 20euit509@skcct.ac.in

Password>
Authenticating...
OK

Targeted account Saravanan K J's Account (8f94319839204c648dee254094037bb5)

Select a region (or press enter to skip):
1. au-syd
2. in-che
3. jp-osa
4. jp-tok
5. kr-seo
6. eu-de
7. eu-gb
8. ca-tor
9. us-south
10. us-east
11. br-sao
Enter a number> 9
Targeted region us-south

API endpoint: https://cloud.ibm.com
Region: us-south
User: 20euit509@skcet.ac.in
Account: Saravanan K J's Account (8f94319839204c648dee254094037bb5)

Resource group: No resource group targeted, use 'C:\Program Files\IBM\Cloud\bin\ibmcloud.exe target -g RESOURCE_GROUP'
CF API endpoint: No resource group targeted, use 'C:\Program Files\IBM\Cloud\bin\ibmcloud.exe target -g RESOURCE_GROUP'
CF Space:
PS C:\WINDOWS\system32>
```

Fig3. Accessing IBM Cloud through CMD