

Assignment -3

Assignment Date	06 OCTOBER 2022
Student Name	DEVISRI S
Student Roll Number	4211191021020
Maximum Marks	2 Marks

1. Create a Bucket in IBM object storage.



Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Name	Public access	Location	Storage class	Created
alexaimages	Yes	jp-tok	Smart Tier	2022-10-20 9:21 AM

20:38 03-11-2022

2. Upload 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.



Html code:

```
bucket - Notepad
File Edit View

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title> Inventory Management System</title>
<style>
body {
background-color: MediumSeaGreen;
display: flex;
align-items: center;
justify-content: center;
flex-direction: column;
}
img {
height: 150px;
border-radius: 40px;
margin: 40px;
}
</style>
</head>
<body>
<h1>Welcome Inventory Management System</h1>
<div>












</div>
</body>
</html>
```

Output:



3. Upload a CSS page to the object storage and use the same page in your HTML code.



Html code:

```
style - Notepad
File Edit View

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Inventory Management System </title>
<link rel="stylesheet" href="https://alexaimages.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css">
</head>
<body>
<h1>Welcome To Inventory Management System</h1>
<div>





</div>
</body>
</html>

Ln 22, Col 1
110% Windows (CRLF) UTF-8
25°C Rain off and on 20:56 03-11-2022
```


Output:



4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.

<https://au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2Fc0730717ec23417f814b6cc45740b1bd%3Ac8f677f1-8199-4002-8f72-d193ebbbf75b%3A%3A/assistants/cd533d42-550d-43c2-9152-0f703135f260/actions/actions/custom>

https://au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2Fc0730717ec23417f814b6cc45740b1bd%3Ac8f677f1-8199-4002-8f72-d193ebbbf75b%3A%3A/assistants/cd533d42-550d-43c2-9152-0f703135f260/actions/actions/custom/edit/action_3978



5. Create Watson assistant service with 10 steps and use 3 conditions in it.
Load that script in HTML page.

Html page:

```

chat - Notepad
File Edit View

<html>
<head>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "e891df4f-e963-451d-89ee-c9b5d2458c10", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "c8f677f1-8199-4002-8f72-d193ebbbf75b", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest')
    + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
</head>
</html>

Ln 18, Col 8
100% Windows (CRLF) UTF-8
25°C Rain off and on 21:06 03-11-2022

```

Output:

