


Project Title	Project – Personal Expense Tracker
Team ID	PNT2022TMID47112

CREATE IBM CLOUD ACCOUNT:



INSTALL DOCKER CLI:

```
Terminal Shell Edit View Window Help
lokhesh -- -zsh — 204x63

A self-sufficient runtime for containers

Options:
  --config string      Location of client config files (default
                        "/Users/lokhesh/.docker")
  -c, --context string  Name of the context to use to connect to the
                        daemon (overrides DOCKER_HOST env var and
                        default context set with "docker context use")
  -D, --debug           Enable debug mode
  -H, --host list       Daemon socket(s) to connect to
  -l, --log-level string Set the logging level
                        ("debug"|"info"|"warn"|"error"|"fatal")
                        (default "info")
  --tls                Use TLS; implied by --tlsverify
  --tlscacert string    Trust certs signed only by this CA (default
                        "/Users/lokhesh/.docker/ca.pem")
  --tlscert string      Path to TLS certificate file (default
                        "/Users/lokhesh/.docker/cert.pem")
  --tlskey string       Path to TLS key file (default
                        "/Users/lokhesh/.docker/key.pem")
  --tlsverify           Use TLS and verify the remote
  -v, --version         Print version information and quit

Management Commands:
  builder      Manage builds
  buildx*      Docker Buildx (Docker Inc., v0.9.1)
  compose*     Docker Compose (Docker Inc., v2.12.2)
  config       Manage Docker configs
  container    Manage containers
  context      Manage contexts
  dev*         Docker Dev Environments (Docker Inc., v0.0.3)
  extension*   Manages Docker extensions (Docker Inc., v0.2.13)
  image        Manage images
  manifest     Manage Docker image manifests and manifest lists
  network      Manage networks
  node         Manage Swarm nodes
  plugin       Manage plugins
  sbom*        View the packaged-based Software Bill Of Materials (SBOM) for an image (Anchore Inc., 0.6.0)
  scan*        Docker Scan (Docker Inc., v0.21.0)
  secret       Manage Docker secrets
  service      Manage services
  stack        Manage Docker stacks
  swarm       Manage Swarm
  system       Manage Docker
  trust        Manage trust on Docker images
  volume       Manage volumes

Commands:
  attach      Attach local standard input, output, and error streams to a running container
  build       Build an image from a Dockerfile
  commit      Create a new image from a container's changes
  cp          Copy files/folders between a container and the local filesystem
  create      Create a new container
  diff        Inspect changes to files or directories on a container's filesystem
  events      Get real time events from the server
  exec        Run a command in a running container
  export      Export a container's filesystem as a tar archive
  history     Show the history of an image
```

INSTALL IBM CLOUD CLI:

```
lokhesh@lokheshs-MacBook-Pro ~ % ibmcloud
NAME:
  ibmcloud - A command line tool to interact with IBM Cloud
  Find more information at: https://ibm.biz/cli-docs

USAGE:
  [environment variables] ibmcloud [global options] command [arguments...] [command options]

VERSION:
  2.12.1+c66b736-2022-10-31T16:12:12+00:00

COMMANDS:
  account      Manage accounts, users, orgs and spaces
  api          Set or view target API endpoint
  billing      Retrieve usage and billing information
  catalog      Manage catalog
  cf           Run Cloud Foundry CLI with IBM Cloud CLI context
  config       Write default values to the config
  dev          Create, develop, deploy, and monitor applications
  enterprise   Manage enterprise, account groups and accounts.
  iam          Manage identities and access to resources
  login        Log user in
  logout       Log user out
  plugin       Manage plug-ins and plug-in repositories
  regions      List all the regions
  resource     Manage resource groups and resources
  resources    List all resources
  sl           Manage Classic infrastructure services
  target       Set or view the targeted region, account, resource group, org or space
  update       Update CLI to the latest version
  version      Print the version
  help, h      Show help

Enter 'ibmcloud help [command]' for more information about a command.

ENVIRONMENT VARIABLES:
  IBMCLCLOUD_COLOR=false          Do not colorize output
  IBMCLCLOUD_VERSION_CHECK=false  Do not check latest version for update
  IBMCLCLOUD_HTTP_TIMEOUT=5       A time limit for HTTP requests
  IBMCLCLOUD_API_KEY=api_key_value API Key used for login
  IBMCLCLOUD_CR_URL=url_value     The custom server URL to use when obtaining an instance identity token and IAM token as a VPC VSI compute resource. This value will replace the default server endpoint of the VPC VSI instance identity token service.
  IBMCLCLOUD_CR_TOKEN=cr_token_value Compute resource token used for login. Can either be a token string or a path to a @file.
  IBMCLCLOUD_CR_PROFILE=profile_value The name, ID, or CRN of the linked trusted IAM profile to be used when obtaining the IAM access token. If authenticating as a VPC VSI compute resource, only specifying a trusted profile CRN or ID is supported.
  IBMCLCLOUD_TRACE=true           Print API request diagnostics to stdout
  IBMCLCLOUD_TRACE=path/to/trace.log Append API request diagnostics to a log file
  IBMCLCLOUD_HOME=path/to/dir     Path to config directory

GLOBAL OPTIONS:
  --version, -v          Print the version
  --help, -h            Show help

lokhesh@lokheshs-MacBook-Pro ~ %
```