ESTIMATE THE CROP YIELD USING DATA ANALYTICS

TEAM ID - PNT2022TMID03011

TEAM LEADER - SNEHA R (727719EUIT151)

TEAM MEMBER - SINDHUJA R S (727719EUIT147)

TEAM MEMBER - SREE NANDINI M (727719EUIT158)

TEAM MEMBER - SHRINITHI S (727719EUIT143)

ABSTRACT

Agriculture is important for human survival because it serves the basic need. A well-known fact that the majority of population (≥55%) in India is into agriculture. Due to variations in climatic conditions, there exist bottlenecks for increasing the crop production in India. It has become challenging task to achieve desired targets in Agri based crop yield. Various factors are to be considered which have direct impact on the production, productivity of the crops. Crop yield prediction is one of the important factors in agriculture practices. Farmers need information regarding crop yield before sowing seeds in their fields to achieve enhanced crop yield. The use of technology in agriculture has increased in recent year and data analytics is one such trend that has penetrated into the agriculture field. The main challenge in using big data in agriculture is identification of effectiveness of big data analytics. Efforts are going on to understand how big data analytics can agriculture productivity. The present study gives insights on various data analytics methods applied to crop yield prediction and also signifies the important lacunae points' in the proposed area of research.

1. INTRODUCTION

1.1 PROJECT OVERVIEW:

In India crop yield is season dependent and majorly influenced by the biological and economic causes of an individual crop. Reporting of progressive agricultural yield in all the seasons is an ample task and an advantageous task for every nation with respect to assesses the overall crop yield prediction and estimation. At present a common issue worldwide is, farmers are stressed in producing higher crop yield due to the influence of unpredictable climatic changes and significant reduction of water resource worldwide. A

study was carried out to collect the data on world climatic changes and the available water resources which can be used to encourage advanced and novel approaches such as big data analytics to retrieve the information of the previous results to the crop yield prediction and estimation. Study imported that the selection and usage of the most desirable crop according to the existing conditions, support to achieve the higher and enhanced crop yield [11]. The accurate prediction of crop yield certainly benefits the farmers in choosing the right method to reduce the crop damage and gets best prices for their crops.

1.2 PURPOSE:

Agriculture is the widest economic sector and has an important role regarding the framework of socio-economic fabric of India. Farming depends on various factors like climate and economic factors like temperature, irrigation, cultivation, soil, rain fall, pesticide and fertilizers. Historical information regarding crop yield provides major input for companies engaged in this domain. The estimation of production of crop helps these companies in planning supply chain decision like production scheduling. The industries such as fertilizers, seed, agrochemicals and agricultural machinery plan production and activities like marketing based on the estimates of crop yield. Farmers experience was the only way for prediction of crop yield in the past days. Technology penetration into agriculture field has led to automation of the activities like yield estimation, crop health monitoring etc.

2. LITERATURE SURVEY:

2.1 EXISTING PROBLEM:

A) P. VINDHYA "CROP YIELD PREDICTION USING BIG DATA ANALYTICS" ANNA UNIVERSITY, TRICHY, TAMIL NADU, INDIA, 5 MAY 2015.

The proposed system suggests the accurate prediction of crop yield certainly benefits the farmers in choosing the right method to reduce the crop damage and get best prices for their crops. The factors involved in this method are Area under Cultivation (AUC) interims of hectors, Annual Rainfall (AR) rates and Food Price Index (FPI) and to develop relationships among these parameters. Regression Analysis (RA) methodology was applied to examine the selected factors and their impact on crop prediction and final yield. RA methodology is a multivariable investigation practice which can categorize the factors into groups such as explanatory and response variables and helps to assess their interaction to obtain a resolution. Crop yield gaps, measured as difference between expected yields based on the potency and actual farm yield received. In order to achieve the higher crop yield, farmers must tackle the influencing factors such as influence of change in climate conditions on the prospects of crop yields, and change in the usage of agricultural land to assess and ultimately reduce the crop yield gaps. Several researchers reported the applications of bio simulation models to estimate the crop yield gaps in the last decade. The critical challenge remaining with these methods is scaling up of these approaches to assess the data collated between different time intervals from the broader geographical regions.

B) M. A. JAYARAM AND NETRA MARAD, "FUZZY INFERENCE SYSTEM FOR CROP PREDICTION", JOURNAL OF INTELLIGENT SYSTEMS, 2012.

The proposed system suggests an attempt to develop fuzzy inference systems for crop yield prediction. Physio morphological features of Sorghum were considered. A huge database (around 1000 records) of physio morphological features such as days of 50 percent showering, dead heart percentage, plant height, panicle length, panicle weight and number of primaries and the corresponding yield were considered for the development of the model. In order to

and out the sensitivity of parameters, one-to-one, two-to-one and three-to-one combinations of input and output were considered. The results have clearly shown that panicle length contributes forth yield as the lone parameter with almost one-to-one matching between predicted yield and actual value while panicle length and panicle weight in combination seemed to play a decisive role in contributing for the yield with the prediction accuracy rejected by very low RMS value. In hybrid plants, the morphological features such as plant height, panicle length, panicle weight, number of primaries and length of the leaves cannot be determined or predicted accurately. Therefore, sometimes this becomes a failure model.

C) A. D. BOSE, "BIG DATA ANALYTICS IN AGRICULTURE".

The proposed system suggests how Big Data Analytics combined with various structured and unstructured data helps in providing insight to farmers to make a decision as to which crops to grow and reduce losses due to unexpected or unpredictable disasters. In Section I the paper states that we can collect the data produced by sensors from the official databases that are usually maintained and governed by institutions. Here the author suggests we can collect and analyze the data in different stages in agriculture and see their influence in the big picture. It is dependent on two major factors, the push and pull factor. Visualization of agricultural data is done to simplify the complex, structured, and unstructured data. Interpretation of data can be done using methods like overviews, verifiable models, or in an Ad-Hoc manner graphs. the implementation of analytic techniques in agriculture had been discussed. The first method is an Intelligent crop recommendation system that considers all the factors such as soil conditions, temperature, rainfall and location. This system is further split into two different systems: the crop predictor, whose main task is to help agriculturists by recommending crops and the rainfall prediction system that predicts the occurrence of rainfall for each month across the year. The next method discussed was Precision Agriculture using Map-Reduce used to allow variable rates and inputs which help in the understanding of time and space variability in criterion. Here the data is obtained and pre-processed. Then map-reduce is performed, and 3D visualization is done to visualize the output. Further crop prediction using various machine learning approaches were discussed. A few of them were 1) Grey wolf optimization (GWO) technique 2) K-means clustering 3) Apriori algorithm 4) Naive Baye. The author states that obstacles faced for agriculture are usually Technical or Organizational problems. The paper further mentions the problems faced in the big data analysis of agriculture data, majorly, availability, accessibility and scalability of data for analysis.

2.2 REFERENCE:


- https://www.degruyter.com/document/doi/10.1515/jisys-2012- 0016/html
- https://ieeexplore.ieee.org/document/8697806
- https://www.researchgate.net/publication/339102917_Big_data_analytics_in_Agricul ture

2.3 PROBLEM STATEMENT DEFINITION:

To create a dashboard and perform analysis of crop production in India using IBM Cognos analytic platform. Crop production in India is one of the most important sources of income and India is one of the top countries to produce crops. As per this project we will be analyzing some important visualization, creating a dashboard and by going through these we will get most of the insights of Crop production in India.

3. IDEATION & PROPOSED SYSTEM:

3.1 EMPATHY MAP CANVAS:




3.2 IDEATION & BRAINSTORMING:

A) BRAINSTORMING:



B) IDEA PRIORITIZATION:



3.3 PROPOSED SOLUTION:

S.No	Parameter	Description
1.	Problem Statement (Problem to be solved)	Crop production in India is one of the most important sources of income and India is one of the top countries to produce crops. As per this project we will be analyzing some important visualization, creating a dashboard and by going through these we will get most of the insights of Crop production in India.
2.	Idea / Solution description	The accurate prediction of crop yield certainly benefits the farmers in choosing the right method to reduce the crop damage and get best prices for the crops.
3.	Novelty / Uniqueness	If the production of a crop observes a declining trend then they can plan to implement the schemes at an early stage . This in return will save the state from shortage of a product
4.	Social Impact / Customer Satisfaction	It is used to monitor progress towards a global set by governments, non-governmental organizations, and other stakeholders.
5.	Business Model (Revenue Model)	According to the revenue side it will yield more revenue to the farmers as well as to the governments.
6.	Scalability of the Solution	The data which are present in the datasets will be up to date. So it will help the customer to act accordingly

3.4 PROBLEM SOLUTION FIT:

The Problem-Solution Fit simply means that you have found a problem with your customer and that the solution you have realized for it actually solves the customer's problem. It helps entrepreneurs, marketers and corporate innovators identify behavioral patterns and recognize what would work and why.

1. CUSTOMER SEGMENT(S)

Who is your customer? Ans: Our customers are Farmers

6. CUSTOMER CONSTRAINTS

What constraints prevent your customers from taking action or limit their choices of solutions?

- Seasons with average production
 State with crop production 1)
- Budget
- No čash

5. AVAILABLE SOLUTIONS

AS

Which solutions are available to the customers when they face the problem or need to get the job done? What have they tried in the past? What pros & cons do these solutions have?

Ans: They come to know about sowing of profitable crops in a specific seasons. When they face a problem of not knowing of which crops are should grown in which season, the database we provide will give them a provide the provide the provide the season. information regarding the profits of the other farmers which in turn will give some ideas to the struggled one.

2. JOBS-TO-BE-DONE / PROBLEMS

Which jobs-to-be-done (or problems) do you address for your customers?

Ans:

- To reduce the loss. 1)
- To increase the crop production.
- To predict which crop to be grown in which season.

9. PROBLEM ROOT CAUSE

What is the real reason that this problem exists? What is the back story behind the need to do this job? Ans:

- 1) Heavy loss in crop production for farmers.
- Helps the customers to use this prediction in case of changes in weather conditions.

7. BEHAVIOUR

What does your customer do to address the problem and get the job done?

Ans: Datas which are collected will be useful in prediction and helps the farmers to grow their crops without any loss.

3. TRIGGERS

TR

What triggers customers to act?

Ans: The data which are present in the datasets in appropriate manner. Due to diagrammatic representation of the models, the farmers who are not well educated can also be able to work on this and get benefits.

4. EMOTIONS: BEFORE / AFTER EM

How do customers feel when they face a problem or a job and afterwards?

Before: Depressed-> Due to heavy loss in crop production and revenue.

After: Satisfied-> Due to loss reduction in crop production and increment in revenue.

10. YOUR SOLUTION SL

Our projects will enlighten the lives of many farmers providing suitable information regarding the crop yield in a particular season, which in turn gives many profits to them even from the government side by giving agricultural loans etc,..

8. CHANNELS of BEHAVIOR



8.1 ONLINE

What kind of actions do customers take online?

In online mode they are given access to use all the options like crop yield, production, pesticides, agricultural loan, database, etc,..

8.2 OFFLINE

What kind of actions do customers take offline?

In Offline mode they won't be able to access some of the resources, but they can see the databases of the crop production.

4. REQUIREMENT ANALYSIS:

4.1 FUNCTIONAL REQUIREMENT:

FR	Functional			
No.	Requirement (Epic)	Sub Requirement (Story / Sub-Task)		
FR-1	User Registration	Registration through Form		
		Registration through Gmail		
		Registration through LinkedIN		
FR-2	User Confirmation	Confirmation via Email		
		Confirmation via OTP		
FR-3	User Profile	User Details Farm		
		Details		
FR-4	Required Data	The previous year crop yield data set		
		Farm yield methodology		
		User data of the farmer		
		Details of the Seasons and the Regions		
FR-5	Analysis	Cleaning and analysis of the past year crop yields		
		Visualizing the datasets using IBM Cognos		
FR-6	Estimation	Creating the perfect data module through attractive		
		stories, dashboard and reports to increase the		
		understandability of data.		

4.2 NON – FUNCTIONAL REQUIREMENT:


FR No.	Non-Functional	
	Requirement	Description
NFR-1	Usability	From the given datasets , analysis is done and a report is
		created.
		Accordingly, sowing of crops is recommended.
NFR-2	Security	Usage of IBM COGNOS, will provide secure user information(Data
		Visualization)
NFR-3	Reliability	Using the interactive data visual dashboards, we can easily
		understand the data reports.
NFR-4	Performance	Interaction makes better performance between all users and
		impresses by the data visuals advice.
NFR-5	Availability	The dashboard is easily available and accessible in smart
		phones and PC's.
NFR-6	Scalability	Prediction of crops for the forthcoming year can be done .It gives
		you a variety of crops to choose from our region. Also to know the
		better profitability of crops.

5. PROJECT DESIGN:

5.1 DATA FLOW DIAGRAM:

Project flow describes a preset sequence of activities required to plan, produce, deliver and maintain project product, along with information, materials, and resources required by the project. Project flow is a convenient way to define and plan projects.

Project flow for estimating the crop yield using data analytics is shown below.



5.2 SOLUTION AND TECHNOLOGY ARCHITECTURE:

The Deliverables hall include the architectural diagram as below and the information as per the table 1 & table 2.




Table-1: Components & Technologies:

S. No	Component	Description	Technology
1.	User Interface	How user	HTML, CSS,
		interacts with	JavaScript.
		application e.g.	
		Web UI, Mobile	
		App ,Chat bot	
		etc.	
2.	Applicationlogic1	Login as a user in the application	Java/Python
3.	Applicationlogic2	Login as admin in the application	IBM Watson STT
			service
4.	Applicationlogic3	Login as merchants in the	IBM Watson
		application	Assistant
5.	Database	Data related to crop production	MySQL, NoSQL,
		in previous and also crop data.	etc.
6.	Cloud Database	Database Service on Cloud	IBMDB2,IBM
			Cloudant etc.
7.	File Storage	File storage requirements	IBM Block
			Storage or
			Other
			Storage
			Service or
			Local File
			system
8.	ExternalAPI-1	Weather API are application	IBM Weather API
		programming interface that allow	,etc.
		you to connect to large databases.	

9.	ExternalAPI-2	Soil testing is a quick and	Soil API, etc.
		accurate method to determine	
		the relative acidity of the soil	
		and the level of	
		several essential nutrient needed.	
10.	Machine Learning Model	It is mostly used for finding out	Linear Regression
		the relationship between	
		variables and forecasting	
11.	Infrastructure(Server/Cloud)	Application Deployment on Local	Local , Cloud
		System/Cloud Local Server	Foundry
		Configuration	,Kubernetes ,etc.
		CloudServerConfiguration:l1	

Table-2:ApplicationCharacteristics:

S.	Characteristics	Description	Technology
No			
1.	Open-Source	Bootstrap is a free ,open	Bootstrap ,React
	Frameworks	source front-end development	etc.,
		frame work	
2.	Security	Improves user experience and	Authentication etc.
	Implementations	provides greater security.	
3.	Scalable	A3-tier architecture where in	IBM Cloud, IBM
	Architecture	application gets data from various	Cognos.
		sources ,manipulates	
		it, stores the min IBM Cloud and Cognos.	
4.	Availability	The application is being developed is	Cognos Analytics
		made available to all users	

5.	Performance	Multiple technologies and services	Robots, IOT
		that will improve the usability in	agriculture
		agriculture activities.	sensors.

5.3 USER STORIES:

User Story Number	User Story / Task	
USN-1	Understanding the data set .	
USN-2	Loading the data set.	
USN-3	Convert the data into required format	
USN-4	Explore the data's which is uploaded in the IBM cognos	
USN-5	Creating the data visualization chart	
USN-6	Creating a dashboard	
USN-7	Estimation of accuracy using random forest algorithm	
USN-8	Export the analytics	

6.PROJECT PLANNING AND SCHEDULING:

6.1 SPRINT PLANNING AND ESTIMATION:

Sprint	Functional	User	User Story / Task	Story Points	Priority	Team Members
	Requirement (Epic)	Story Number				
Sprint-1	Working with the data set	USN-1	Understanding the data set .	10	Medium	Sneha
Sprint-1	Working with the data set	USN-2	Loading the data set.	10	High	Sindhuja
Sprint-2	Prepare the data	USN-3	Convert the data into required format	10	Medium	Sree Nandini
Sprint-2	Data exploration	USN-4	Explore the data's which is uploaded in the IBM cognos	10	Medium	Shrinithi
Sprint-3	Data visualization	USN-5	Creating the data visualization chart	10	High	Sindhuja
Sprint-3	Dashboard	USN-6	Creating a dashboard	10	High	Sree Nandini
Sprint-3	Visualization	USN-7	Estimation of accuracy using random forest algorithm	10	High	Shrinth
Sprint-4	Export	USN-8	Export the analytics	10	High	Sneha


6.2 SPRINT DELIVERY SCHEDULE:


Sprint	Total storyp oints	Duratio n	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	4 Days	01 Nov 2022	04 Nov 2022	20	08 - 09 Nov 2022
Sprint-2	20	5 Days	05 Nov 2022	10 Nov 2022	20	10 - 13 Nov 2022
Sprint-3	20	4 Days	11 Nov 2022	14 Nov 2022	20	14 - 16 Nov 2022


Sprint-4	20	4 Days	15 Nov	19 Nov 2022	20	17 - 19 Nov 2022
			2022			


6.3 REPORT FROM JIRA:

A) SPRINT 1:













B) SPRINT 2:










C) SPRINT 3:










D) SPRINT 4:










7. CODING AND SOLUTIONING:

7.1 FEATURE 1:

A) DATA EXPLORATION:


1) Seasons with average production:



2) With years usage of area and production:

Area and Production for Crop_Year <						
	Area	Production				
1997	231,715,046	851,232,906				
1998	166,988,082	5,825,320,640.4				
1999	158,666,106	6,434,665,985.1				
2000	165,297,477	7,449,709,127.1				
2001	165,295,604.67	~~~~~~~~~				
2002	157,769,017.21	~~~~~~~~~~				
2003	172,088,098.54	~~~~~~~~~~				
2004	167,878,424.73	~~~~~~~~~~				
2005	163,136,376.32	~~~~~~~~~~				
2006	170,699,101.65	~~~~~~~~~				
2007	152,724,165.3	*****				
2008	171,232,070	~~~~~~~~~				
2009	165,694,709	~~~~~~~~~~				
2010	176,619,202.02	*****				
2011	153,629,160.88	********				
2012	152,469,799	~~~~~~~~~				
2013	141.524.909.29	****				
2013						
Production:	12,903,588,632	88.				

3) Top 10 states with the most area.




4) States with crop production with seasons:

Production		Autumn	Kharif	Rabi	Summer	Whole Year	Winter	Summary
Andaman and Ni	Arecanut	(no value)	14,500	5,800	(no value)	27,735.81	(no value)	48,035.81
	Arhar/Tur	(no value)	(no value)	104	(no value)	(no value)	(no value)	104
	Banana	(no value)	(no value)	(no value)	(no value)	97,424.65	(no value)	97,424.65
	Black pepper	(no value)	(no value)	120	(no value)	604.5	(no value)	724.5
	Cashewnut	(no value)	(no value)	310	(no value)	1,374.79	(no value)	1,684.79
	Coconut	(no value)	(no value)	(no value)	(no value)	717,790,000	(no value)	717,790,000
	Dry chillies	(no value)	(no value)	575	(no value)	3,443.3	(no value)	4,018.3
	Dry ginger	(no value)	(no value)	1,850	(no value)	10,825.6	(no value)	12,675.6
	Groundnut	(no value)	(no value)	14.4	(no value)	(no value)	(no value)	14.4
	Maize	(no value)	(no value)	367.62	(no value)	(no value)	(no value)	367.62
	Moong(Green Gr	(no value)	(no value)	575.5	(no value)	(no value)	(no value)	575.5
	Other Kharif puls	(no value)	649	(no value)	(no value)	(no value)	(no value)	649
	Rice	23,916	199,090.06	(no value)	(no value)	(no value)	(no value)	223,006.06
	Sugarcane	1,332.95	(no value)	(no value)	(no value)	29,305.72	(no value)	30,638.67
	Sunflower	(no value)	(no value)	2.4	(no value)	(no value)	(no value)	2.4
	Sweet potato	(no value)	(no value)	923	(no value)	2,142.35	(no value)	3,065.35


Production		Autumn	Kharif	Rabi	Summer	Whole Year	Winter	Summary
	Peas & beans (P	(no value)	(no value)	19,624	(no value)	(no value)	(no value)	19,6
	Potato	(no value)	(no value)	(no value)	(no value)	3,621,500	(no value)	3,621,5
	Rapeseed &Must	(no value)	(no value)	10,803,800	(no value)	(no value)	(no value)	10,803,8
	Rice	(no value)	49,318,300	(no value)	(no value)	(no value)	(no value)	49,318,3
	Sannhamp	(no value)	29	(no value)	(no value)	1,800	(no value)	1,0
	Sesamum	(no value)	18,379	(no value)	(no value)	(no value)	(no value)	18,
Haryana	Soyabean	(no value)	(no value)	(no value)	(no value)	(no value)	(no value)	(no val
	Sugarcane	(no value)	(no value)	(no value)	(no value)	112,680,900	(no value)	112,680,
	Sunflower	(no value)	18,900	146,500	(no value)	(no value)	(no value)	165,
	Sweet potato	(no value)	(no value)	(no value)	(no value)	16,900	(no value)	16,
	Tobacco	(no value)	(no value)	(no value)	(no value)	(no value)	(no value)	(no va
	Turmeric	(no value)	(no value)	(no value)	(no value)	965	(no value)	
	Urad	(no value)	11,318	(no value)	(no value)	(no value)	(no value)	11,
	Wheat	(no value)	(no value)	158,647,000	(no value)	(no value)	(no value)	158,647,
	other oilseeds	(no value)	(no value)	(no value)	(no value)	(no value)	(no value)	(no va
	Summary	(no value)	88,593,481	173,272,098	(no value)	119,408,311	(no value)	381,273,

5) States with crop production:





7.2 FEATURE 2:

B) CREATING THE DASHBOARD:










7.3 CODING:

https://colab.research.google.com/drive/14py8wcogYJRqZNE1vGeyyla2XAUI0H8H

8. RESULTS:

A) DATA EXPLORATION:


1) Seasons with average production:



2) With years usage of area and production:

	Area	Production
1997	231,715,046	851,232,900
1998	166,988,082	5,825,320,640.4
1999	158,666,106	6,434,665,985.5
2000	165,297,477	7,449,709,127.5
2001	165,295,604.67	#########
2002	157,769,017.21	#########
2003	172,088,098.54	#########
2004	167,878,424.73	************
2005	163,136,376.32	***********
2006	170,699,101.65	*************
2007	152,724,165.3	***************************************
2008	171,232,070	##########
2009	165,694,709	#########
2010	176,619,202.02	#########
2011	153,629,160.88	#########
2012	152,469,799	#########
2013	141.524.909.29	#########
2013		


3) Top 10 states with the most area.




4) States with crop production with seasons:


Production		Autumn	Kharif	Rabi	Summer	Whole Year	Winter	Summary
	Arecanut	(no value)	14,500	5,800	(no value)	27,735.81	(no value)	48,035.81
	Arhar/Tur	(no value)	(no value)	104	(no value)	(no value)	(no value)	104
	Banana	(no value)	(no value)	(no value)	(no value)	97,424.65	(no value)	97,424.65
	Black pepper	(no value)	(no value)	120	(no value)	604.5	(no value)	724.5
Andaman and Ni	Cashewnut	(no value)	(no value)	310	(no value)	1,374.79	(no value)	1,684.79
	Coconut	(no value)	(no value)	(no value)	(no value)	717,790,000	(no value)	717,790,000
	Dry chillies	(no value)	(no value)	575	(no value)	3,443.3	(no value)	4,018.3
	Dry ginger	(no value)	(no value)	1,850	(no value)	10,825.6	(no value)	12,675.6
	Groundnut	(no value)	(no value)	14.4	(no value)	(no value)	(no value)	14.4
	Maize	(no value)	(no value)	367.62	(no value)	(no value)	(no value)	367.62
	Moong(Green Gr	(no value)	(no value)	575.5	(no value)	(no value)	(no value)	575.5
	Other Kharif puls	(no value)	649	(no value)	(no value)	(no value)	(no value)	649
	Rice	23,916	199,090.06	(no value)	(no value)	(no value)	(no value)	223,006.06
	Sugarcane	1,332.95	(no value)	(no value)	(no value)	29,305.72	(no value)	30,638.67
	Sunflower	(no value)	(no value)	2.4	(no value)	(no value)	(no value)	2.4
	Sweet potato	(no value)	(no value)	923	(no value)	2,142.35	(no value)	3,065.35


5) States with crop production:




B)DASHBOARD:









8.ADVANTAGES:

- > Predicting productivity of crop in various climatic conditions can help farmer and other partners in essential basic leadership as far as agronomy and product decision.
- This model can be used to select the most excellent crops for the region and also its yield thereby improving the values and gain of farming also.
- This will help the policy makers of the state to determine the budget.
- ➤ If the production of a crop observes a declining trend then, they can plan to implement the schemes at an early stage. This in return will save the state from shortage of the product.
- Monitors the growth of healthy crops.
- Helps the government to frame the government policies.
- Yield data helps the farmer to determine how much they should plant next year.
- ➤ Helps the farmer in Seed Selection, Pest Management, Irrigation Scheduling, etc,...

CHALLENGES:

Challenges are the major basis which imminent the negative impacts on current project. Some of the challenges faced during crop yield prediction are:

- Choosing appropriate dataset, after choosing dataset tuning of the parameters which makes project more efficient to get the desired results.
- Model must be trained by taking consideration of less computational efficiency and power.
- Increase of error rate due to dynamically changing the environment.

9. CONCLUSION:

Our project will make policy maker of the state to determine the budget. If the production of a crop observes a declining trend then, they can plan to implement the schemes at an early stage. This in return will save the state from shortage of the product. Monitors the growth of healthy crops. Helps the government to frame the government policies. The productivity of agriculture has slightly increased as a result of technology's introduction. New ideas like digital agriculture, smart farming, precision agriculture, etc. have been made possible by the innovations. The analysis of agricultural productivity and the uncovering of hidden patterns utilizing data sets related to seasons and crop yields have been noted in the literature. Using IBM Cognos, we have observed and conducted analysis regarding various crops grown, areas, and productions in various states and districts. The scope of the project is to determine the crop yield of an area by considering dataset with some features which are important or related to crop production such as temperature, moisture, rainfall, and production of the crop in previous years. To predict a continuous value, regression models are used.

10. FUTURE SCOPE:

Our future scope is to add many more geographical features and predict using those features.

11. APPENDIX:

- https://www.degruyter.com/document/doi/10.1515/jisys-2012- 0016/html
- https://ieeexplore.ieee.org/document/8697806
- https://www.researchgate.net/publication/339102917_Big_data_analytics_in_Agricul ture
- https://www.agriculture.com/technology/crop-management/trimble-claas-todevelop-next-gen-precision-system-for-claas-ag-equipment
- https://www.ijert.org/crop-prediction-using-machine-learning-approaches