

## ASSIGNMENT 4

TEAM id :PNT2022TMID26684

NAME :RAM KUMAR.T

### CODE:

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient;

#define ORG "nhpwjc"
#define DEVICE_TYPE "NodeMCU"
#define DEVICE_ID "USE YOUR ID"
#define TOKEN "USE YOUR TOKEN"
#define speed 0.034
char server[] =
ORG
".messaging.internetofthings.ibmcloud.com"; char
publishTopic[] = "iot-2/evt/Data/fmt/json"; char topic[] =
"iot-2/cmd/home/fmt/String"; char authMethod[] = "usetoken-
auth"; char token[] = TOKEN; char clientId[] = "d:" ORG ":"
DEVICE_TYPE ":" DEVICE_ID; PubSubClient client(server,
1883, wifiClient); void publishData(); const int
trigpin=5;
const int echopin=18;
String command;
String data="";
long
duration;
float dist;
void
setup()
{
  Serial.begin(115200); pinMode(trigpin,
  OUTPUT);
```

## ASSIGNMENT 4

```
pinMode(echopin, INPUT); wifiConnect(); mqttConnect();
} void loop() {

    publishData(); delay(500);

    if (!client.loop()) {
mqttConnect(); } }

void wifiConnect() {
    Serial.print("Connecting to "); Serial.print("Wifi");
    WiFi.begin("Wokwi-GUEST", "", 6); while (WiFi.status() !=
    WL_CONNECTED) { delay(500);
    Serial.print("."); }
    Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
}

void mqttConnect() { if
    (!client.connected()) {
        Serial.print("Reconnecting MQTT client to "); Serial.println(server); while
        (!client.connect(clientId, authMethod, token)) { Serial.print(".");
        delay(500);
        } initManagedDevice();
    Serial.println(); } }


void initManagedDevice() { if
    (client.subscribe(topic)) {
        // Serial.println(client.subscribe(topic)); Serial.println("subscribe to cmd
        OK");
    } else {
        Serial.println("subscribe to cmd FAILED"); } }

void publishData()
{ digitalWrite(trigpin, LOW);
  digitalWrite(trigpin, HIGH);
```

## ASSIGNMENT 4



```
delayMicroseconds(10); digitalWrite(trigpin,LOW);  
duration=pulseIn(echopin,HIGH); dist=duration*speed/2; if(dist<100){  
  String payload = "{\\\"Alert distance\\\": \""; payload += dist; payload +=  
  "}";  
  Serial.print("\\n");  
  Serial.print("Sending payload: "); Serial.println(payload); if  
    (client.publish(publishTopic, (char*) payload.c_str()))  
  Serial.println("Publish OK");  
} else {  
  Serial.println("Publish FAILED"); } }  
}
```

## CONNECTIONS:



## OUTPUT:

## ASSIGNMENT 4



**WOKWI LINK - <https://wokwi.com/projects/346405970317935188>**