

CHILD MONITORING SYSTEM USING GPS CHILD TRACKING SYSTEM

Abstract— Today, parents are working hard and looking after their kids at the same time. Due to the increasing security risks faced by children, both the parents need to monitor their child's activities. This paper proposes a system that uses an Android phone to monitor the child's activities. The system can also provide the parents with the necessary information about their child's safety. The paper also shows how this system can be used to create a safety zone around the child. The system can monitor the child's activities and create a safety zone around the child. It can also provide the parents with the necessary information about the child's location. The system is equipped with a video camera that can be operated using the instructions from the Android phone's software hand function. The video camera can also be used to capture the child's movements. This project's major goal is to create an IoT-based Child Monitoring System that will allow parents to watch and detect their children's activities even when they are away from home. It is an innovative, smart, and protected Child Monitoring System designed to efficiently nurture a newborn. This approach takes into account all of the minor elements necessary for the child's care and protection at the institution and elsewhere. The usage of technologies/methodologies such as the Internet of Things (IoT), Live Video Monitoring System, Cloud Computing (Data Storage), and User Friendly Web Application helps to build smartness and innovation (for User Controls). Different Sensors/Modules are fitted to the child in order to detect each and every activity. All data collected from sensors/modules will be kept in the cloud and examined on a regular basis.

Keywords—component; child safety, live video monitoring, school bus tracking, web application.

I. INTRODUCTION

Things with identity communication devices were the

forerunners of the Internet of Things (IoT) idea. Remote computers linked to the Internet could track, control, and monitor the gadgets. The Internet of Things (IoT) expands the use of the Internet by allowing gadgets and physical things, or "Things," to communicate and so form a network. "Internet" and "things" are the two most important words in IoT.

These days, parents are concerned about their children's safety and want to keep a constant eye on them. Since this is physically impossible, we have developed a safety video monitoring system that allows parents to watch and track their children's activities from anywhere in the world. The big issue of a missing child can be remedied with the use of a child monitoring system. For elders this system is essential to keep track of their child. To find their child's position, the Web application employs GPS and telephonic services. As this application works in the background, it covertly obtains all of the Message Details, Video Details, and precise Location without their awareness, so, that no one can recognize it. also live video monitoring feature is added. We are also providing recording of video automatically so that when ever parent busy with some work they will watch it later. Child contain Sensor (transmitter) and Institution or Bus consist of Receiver when child get contact of the receiver it catches the child location details.

This programme delivers all of the data from the child's sensor to the server, and then from the server to the parent's phone in a short amount of time. This app is separated into two parts: one for parents to see all of their children's activities, and the other for teachers to see all of their students' activities., where the teacher can update the child information to the parents mobile through Application, so that it is very easy to collect all information about child. Along with parents can know about the growth of their child in the child caring institution. For the safety of the child this system build and it must be accepted by institution and parents. Internet of Things (IoT), International Journal of Engineering Applied Sciences and Technology, 2016 Live Video Monitoring System, Cloud Computing (Data Storage), and User-Friendly Web/Android

Application are some of the technologies used in this design (for User Controls).

We are all familiar with the difficulties that parents endure in raising their children, especially when both parents work. In such instances, giving 24 hours of time is nearly impossible. As a result, we need to create something unique that will allow parents to keep a constant eye on their child/infant and be notified if anything unusual happens. As a result, we've devised a plan to create a Smart Child Monitoring System based on the Internet of Things, which will allow parents to monitor their children even when they are away from home and detect every activity of the child from anywhere on the planet. Home & detect every activity of the Child from any distant corner of the world.

II. LITERATUREREVIEW

The global position system (GPS) based child care system using RSSI Technique [1]. This paper proposed the GPS technology helps to determine the exact position of the child. A data from received signal strength indicator (RSSI) is extracted out from the Bluetooth connection Using which the distance between parent and child is found.

An alert is triggered when the distance between the parent and child is far apart for a certain range. The Remote Video Monitoring System Based on Embedded Linux and GPRS [2]. This video monitoring system based on embedded Linux and GPRS (General Packet Radio Service) network. lo hardware takes ARM9 S3C2410 processor for centralization, in virtue of SDRAM, USB, GPRS module etc. the main function realized by C programming to achieve real-time camera data acquisition, image compression and network transmission through GPRS module. Monitoring center receives image data and displays after connects with the terminal. It is easier to be used in

windows system. Image data can be transmitted to the monitoring center in 3-6 seconds after JPEG compression. The Children Safety and School Bus Tracking Solution [3]. School bus monitoring is an effective major to restrict the mishaps. This paper proposes an embedded system which focuses on children safety, tracking of school bus and exact we also provide with the help of longitude and altitude positioning of GPS and sending information through SMS. Each student possesses an RFID tag on his own smartcard which is useful for identifying the student. Two IR sensors are used to check whether a student is arriving or leaving bus. Hence, we have proposed "LPC 2148" based embedded system which provides a complete solution to children safety and school bus tracking. IoT based School Bus Tracking System [4]. This project recommends an android based solution which assists parents to track their children location in real time. To track the location Active RFID module is used and to identify the identity of the child a biometric identification is used which is in built in the system. Whenever a child boards a bus, the biometric identification is done in the bus, and the system will identify the child and update log on a server will send notification to the parents which consist of current location and time. Parents can see the location of bus, they will be notified when the children is getting into a bus or getting down from a bus. Smart IOT Device for Child Safety and Tracking [5].Where the system is developed using Link It ONE board programmed in embedded C and interfaced with temperature, heartbeat, touch sensors and also GPS, GSM & digital camera modules. The novelty of the work is that the system automatically alerts the parent/caretaker by sending SMS, when immediate attention is required for the child during emergency.

Sl. NO.	NAME OF THE PAPER	TECHNOLOGIES USED	OBSERVATION MADE	SHORTFALLS/ DRAWBACKS
[1]	Childcare protection System (CPSS)	Childcare protection system of Embedded Linux and GPRS module device in Bluetooth application	Childcare protection system of Embedded Linux and GPRS module device in Bluetooth application	The proposed system is not a complete solution for the protection of child. There are many limitations in the system.
[2]	Remote Video Monitoring System	This video monitoring system is based on Embedded Linux and GPRS module device in Bluetooth application. The main function realized by C programming to achieve real-time camera data acquisition, image compression and network transmission through GPRS module.	This video monitoring system is based on Embedded Linux and GPRS module device in Bluetooth application. The main function realized by C programming to achieve real-time camera data acquisition, image compression and network transmission through GPRS module.	The system is not a complete solution for the protection of child. There are many limitations in the system.
[3]	Childcare protection System (CPSS)	Childcare protection system of Embedded Linux and GPRS module device in Bluetooth application	Childcare protection system of Embedded Linux and GPRS module device in Bluetooth application	The proposed system is not a complete solution for the protection of child. There are many limitations in the system.
[4]	Remote Video Monitoring System	This video monitoring system is based on Embedded Linux and GPRS module device in Bluetooth application. The main function realized by C programming to achieve real-time camera data acquisition, image compression and network transmission through GPRS module.	This video monitoring system is based on Embedded Linux and GPRS module device in Bluetooth application. The main function realized by C programming to achieve real-time camera data acquisition, image compression and network transmission through GPRS module.	The system is not a complete solution for the protection of child. There are many limitations in the system.
[5]	Childcare protection System (CPSS)	Childcare protection system of Embedded Linux and GPRS module device in Bluetooth application	Childcare protection system of Embedded Linux and GPRS module device in Bluetooth application	The proposed system is not a complete solution for the protection of child. There are many limitations in the system.

Figure1: Summary of Literature Review



Figure 1 : Block diagram of child Tracking System

Figure 2: Block diagram of Child Monitoring System




Figure3: Architecture Diagram

Camera:

The Camera is a component where some activity of the object or surrounding is recorded and shown through some output device like monitor or display screen. Here, we using live streaming videos to capture the activities of movable object and stored.

Power Supply:

The voltage regulator's shutdown is solely for the purpose of preventing the regulator from squandering power.

The quiescent current of a linear regulator is normally 10-20mA. With AT- Commands, you may effortlessly turn off the GSM Module.

As a result, the easiest option to power the module directly

would be using a single cell lipo battery.

Node MCU:

Open source prototyping board designs are available for NodeMCU, an open source firmware. The name "NodeMCU" will be a combining of the words "node" and "MCU" (micro-controller unit).

NodeMCU is an open source platform based on the ESP8266 that allows things to be connected and data to be transferred using the Wi-Fi protocol. Furthermore, it may resolve multiple of the project's demands on different way by providing some of the most significant functionalities of microcontrollers such as GPIO, PWM, ADC, and so on.



Figure 5: Node MCU

A. GPS Module:

GPS modules are made up of tiny processors and antennas that receive data directly from satellites via specific radio frequencies. It will then get timestamps from all visible satellites, as well as other information. The module's

antenna can precisely compute its position and time if it can identify four or more satellites.




Figure14: IOT device for Monitoring Child

VI CONCLUSION AND FUTURE SCOPE

One of the applications of modern Information and Communication Technologies (ICT) in video monitoring is a GPS-based vulnerable Child Tracking System. The next era of smart child safety will be based entirely on Internet of Things (IoT) technology, which has revolutionized every aspect of everyday life by making everything smart and intelligent.

The system analyses children's activities with video enhancement and instant WEB/ANDROID app notification for better kid monitoring, according to the system. Atomization of the system with a cloud-based real-time database and precise sensors makes kid monitoring simple. This design concept is simple to apply and very flexible to meet the needs of the user. The integration of several sensors with live video monitoring will improve kid monitoring in the classroom or on the bus. The big issue of a missing kid may be remedied with the use of a child monitoring system. For parents who need to keep track of their children's every move, this system is essential.

VII REFERENCES

- [1]. Kok Sun Wong, Wei Lun Ng, Jin Hui Chong, Chee Kyun Ng, AduwatiSali, Nor KamariahNoordin proposed the global position system (GPS) based child care system using RSSI Technique.
- [2]. Li Bing and Sun JianPing proposed Remote Video Monitoring System Based on Embedded Linux and GPRS.
- [3]. Mayur Bhor, Nikhil Kadam, Dinesh Shinde, Pranoti Mane proposed Children Safety and School Bus Tracking Solution.
- [4]. Jay Limbachiya, ApurvHarkhani, Nehil Jain, Suraj Gupta proposed IoT based School Bus Tracking System.
- [5]. Anwaar Al-Lawati, Shaikha Al-Jahdhami, Asma Al-Belushi, Dalal Al-Adawi, Medhat Awadalla and Dawood Al-Abri proposed the RFID-based System for School Children Transportation Safety Enhancement.
- [6]. V. Lavanya, C. Meenambigai, M. Suriyaa, S. Kavya, "Child Safety Wearable Device".
- [7]. Akash Moodbidri, Hamid Shahnasser, "Child safety wearable device," in IEEE Xplore, June 2017.
- [8]. Jatti, Anand & Kannan, Madhvi& M Alisha, R & Vijayalakshmi, P & Sinha, Shrestha.2016. Design and development of an IOT based wearable device for the safety and security of women and girl children.
- [9]. Child safety wearable device Gopinadh Jonnadula, Bhanu Prasad Davu, Hari Kishore Kandula, Vinod Donepudi, sivaiahEtukuri Student of ECE, VVIT, Guntur, Andhra Pradesh, India. International Journal for Research in Applied Science & Engineering Technology (IJRASET). Volume 6 Issue II, February2018. Jay Limbachiya, ApurvHarkhani, Nehil Jain, Suraj Gupta proposed IoT based School Bus Tracking System.
- [10]. Shahid Bangali,S.K.Shah, "review: Real Time School Bus Security System with Biometrics, GPS and GPRS using ARM Controller" International Journal of Advanced Research in Electronics and Communication Engineering (IJARECE)Volume 4, Issue 4,PP 730732, April 2015.