

Sprint 02

Signs with Smart Connectivity for Better Road Safety

Team ID - PNT2022TMID03062

Sprint Goals:

Push data from local code to cloud

Program Code:

> weather.py

This file is a utility function that fetches the weather from OpenWeatherAPI. It returns only certain required parameters of the API response.

Python code

import requests as reqs

def get(myLocation,APIKEY):

 apiURL =

 f"https://api.openweathermap.org/data/2.5/weather?q={myLocation}&appid={APIKEY}"

 responseJSON = (reqs.get(apiURL)).json()

 returnObject = {

 "temperature" : responseJSON['main']['temp'] - 273.15,

 "weather" : [responseJSON['weather'][_]['main'].lower() for _ in range(len(responseJSON['weather']))],

 "visibility" : responseJSON['visibility']/100, # visibility in percentage where 10km is 100% and 0km is 0%

 }

 if("rain" in responseJSON):

 returnObject["rain"] = [responseJSON["rain"][key] for key in

 responseJSON["rain"]]

 return(returnObject)

> publishData.py

This code pushes data to the cloud and logs data. IBM Cloud is configured such that the data is displayed in the following website: [CLICK TO OPEN NODE RED DASHBOARD](#)

```

# Python code
# IMPORT SECTION STARTS

import wiotp.sdk.device # python -m pip install wiotp
import time

# IMPORT SECTION ENDS
# _____
# API CONFIG SECTION STARTS

myConfig = {
    "identity" : {
        "orgId" : "epmoec",
        "typeId" : "testDevice",
        "deviceId" : "device0"
    },
    "auth" : {
        "token" : "?-KDXUPMvDo_TK2&b1"
    }
}

# API CONFIG SECTION ENDS
# _____
# FUNCTIONS SECTION STARTS

def myCommandCallback(cmd):
    print("recieved cmd : ",cmd)

def logData2Cloud(location,temperature,visibility):
    client = wiotp.sdk.device.DeviceClient(config=myConfig,logHandlers=None)
    client.connect()
    client.publishEvent(eventId="status",msgFormat="json",data={
        "temperature" : temperature,
        "visibility" : visibility,
        "location" : location
    },qos=0,onPublish=None)
    client.commandCallback = myCommandCallback
    client.disconnect()
    time.sleep(1)

```

```
# FUNCTIONS SECTION ENDS
```

```
> brain.py
```

This file is a utility function that returns only essential information to be displayed at the hardware side and abstracts all the unnecessary details. This is where the code flow logic is implemented.

```
from datetime import datetime as dt
from publishData import logData2Cloud as log2cloud
```

```
# IMPORT SECTION ENDS
```

```
# _____
```

```
# UTILITY LOGIC SECTION STARTS
```

```
def processConditions(myLocation,APIKEY,localityInfo):
    weatherData = weather.get(myLocation,APIKEY)
```

```
    log2cloud(myLocation,weatherData["temperature"],weatherData["visibility"])
```

```
    finalSpeed = localityInfo["usualSpeedLimit"] if "rain" not in weatherData else
localityInfo["usualSpeedLimit"]/2
    finalSpeed = finalSpeed if weatherData["visibility"]>35 else finalSpeed/2
```

```
    if(localityInfo["hospitalsNearby"]):
        # hospital zone
        doNotHonk = True
    else:
        if(localityInfo["schools"]["schoolZone"]==False):
            # neither school nor hospital zone
            doNotHonk = False
        else:
            # school zone
            now = [dt.now().hour,dt.now().minute]
            activeTime = [list(map(int,_.split(":"))) for _ in
localityInfo["schools"]["activeTime"]]
            doNotHonk = activeTime[0][0]<=now[0]<=activeTime[1][0] and
activeTime[0][1]<=now[1]<=activeTime[1][1]

    return({
        "speed" : finalSpeed,
        "doNotHonk" : doNotHonk
    })
```

```
# UTILITY LOGIC SECTION ENDS
```

```
> main.py
```

The code that runs in a forever loop in the micro-controller. This calls all the util functions from other python files and based on the return value transduces changes in the output hardware display.

```
# Python code
```

```
#IMPORT SECTION STARTS
```

```
import brain
```

```
# IMPORT SECTION ENDS
```

```
# _____
```

```
# USER INPUT SECTION STARTS
```

```
myLocation = "Chennai,IN"
```

```
APIKEY = "bf4a8d480ee05c00952bf65b78ae826b"
```

```
localityInfo = {  
    "schools" : {  
        "schoolZone" : True,  
        "activeTime" : ["7:00","17:30"] # schools active from 7 AM till 5:30 PM  
    },  
    "hospitalsNearby" : False,  
    "usualSpeedLimit" : 40 # in km/hr  
}
```

```
# USER INPUT SECTION ENDS
```

```
# _____
```

```
# MICRO-CONTROLLER CODE STARTS
```

```
while True :
```

```
    print(brain.processConditions(myLocation,APIKEY,localityInfo))
```

```
'''
```

MICRO CONTROLLER CODE WILL BE ADDED IN SPRINT 3 AS PER OUR PLANNED SPRINT SCHEDULE

```
'''
```

```
# MICRO-CONTROLLER CODE ENDS
```

Output :


LINK TO NODE RED DASHBOARD

Code Output


```
2022-11-06 21:38:33,452 wiotp.sdk.device.client.DeviceClient INFO
Connected successfully: d:epmoec:testDevice:device0
2022-11-06 21:38:33,452 wiotp.sdk.device.client.DeviceClient INFO
Disconnected from the IBM Watson IoT Platform
2022-11-06 21:38:33,452 wiotp.sdk.device.client.DeviceClient INFO    Closed
connection to the IBM Watson IoT Platform
{'speed': 40, 'doNotHonk': False}
2022-11-06 21:38:35,631 wiotp.sdk.device.client.DeviceClient INFO
Connected successfully: d:epmoec:testDevice:device0
2022-11-06 21:38:35,631 wiotp.sdk.device.client.DeviceClient INFO
Disconnected from the IBM Watson IoT Platform
2022-11-06 21:38:35,631 wiotp.sdk.device.client.DeviceClient INFO    Closed
connection to the IBM Watson IoT Platform
{'speed': 40, 'doNotHonk': False}
.
.
.
... repeats every 1 sec
```

Images :

OutputImage2



Output Image



The image shows a Visual Studio Code editor window with a Python file named `main.py` open. The file is part of a project named "Project Development Phase" under a folder named "Sprint 2". The code in `main.py` is as follows:

```
19     "hospitalsNearby" : False,
20     "usualSpeedLimit" : 40 # in km/hr
21 }
22
23 # USER INPUT SECTION ENDS
24 # -----
25 # MICRO-CONTROLLER CODE STARTS
26 while True :
27     print(brain.processConditions(myLocation,APIKEY,localityInfo))
28
29
30 MICRO CONTROLLER CODE WILL BE ADDED IN SPRINT 2 AS PER OUR PLANNED
31
32
```

The terminal output shows the execution of the script, which connects to the IBM Watson IoT Platform and prints the output of the `brain.processConditions` function. The output is as follows:

```
P:\temp\IBM\Project Development Phase\Sprint 2\python main.py
2022-11-06 21:32:02,167 wiotp.sdk.device.client.DeviceClient INFO Connected successfully: d:epmoec:testDevice:device0
2022-11-06 21:32:02,182 wiotp.sdk.device.client.DeviceClient INFO Disconnected from the IBM Watson IoT Platform
2022-11-06 21:32:02,182 wiotp.sdk.device.client.DeviceClient INFO Closed connection to the IBM Watson IoT Platform
('speed': 40, 'donothink': False)
2022-11-06 21:32:04,330 wiotp.sdk.device.client.DeviceClient INFO Connected successfully: d:epmoec:testDevice:device0
2022-11-06 21:32:04,330 wiotp.sdk.device.client.DeviceClient INFO Disconnected from the IBM Watson IoT Platform
2022-11-06 21:32:04,330 wiotp.sdk.device.client.DeviceClient INFO Disconnected from the IBM Watson IoT Platform
('speed': 40, 'donothink': False)
2022-11-06 21:32:04,330 wiotp.sdk.device.client.DeviceClient INFO Closed connection to the IBM Watson IoT Platform
```