

# **SIGNS WITH SMART CONNECTIVITY FOR BETTER ROAD SAFETY**

**TEAM ID : PNT2022TMID03059**

## **Team Members:**

- ◇ ARJUN A S
- ◇ ANUSHREE S
- ◇ ANUSHA R
- ◇ ARIVUMANI S

## **1. INTRODUCTION:**

With new pressures for cities to develop more effective roadways and highways, smart infrastructure is essential for modernization. Smart roads built on IoT and information and communications technology (ICT) can make it possible for cities and transportation authorities to collect and analyze data to improve day-to-day traffic management. Smart road infrastructure can also help cities adapt for long-term sustainable transportation needs. With IoT sensors, cameras, radar, and 5G-equipped technologies, data can be analyzed in near-real time and used to improve congested roadways, streamlining traffic flow. Data can also be sent to the cloud for long-term analysis, providing critical insight for efforts such as reducing CO2 emissions.

### **1.1 PROJECT OVERVIEW:**

This project is to replace the static signboards, smart connected sign boards are used. These smart connected sign boards get the speed limitations from a web app using weather API and update automatically.

Based on the weather changes the speed may increase or decrease Based on the traffic and fatal situations the diversion signs are displayed. Guide(Schools), Warning and Service(Hospitals, Restaurant) signs are also displayed accordingly. Different modes of operations can be selected with the help of buttons and methods of this project are,

1. To replace the static signboards, smart connected sign boards are used.
2. These smart connected sign boards get the speed limitations from a web app using weather API and update automatically.
3. Based on the weather changes the speed may increase or decrease.
4. Based on the traffic and fatal situations the diversion signs are displayed.
5. Guide (Schools), Warning and Service (Hospitals, Restaurant) signs are also displayed accordingly.
6. Different modes of operations can be selected with the help of buttons.

## **1.2 PURPOSED WORK:**

Smart traffic signs provide the necessary information and warn of potential dangers. They are an important part of keeping drivers and pedestrians safe on the road. The Bedrock expert team can assist you if you are unsure why traffic signs are important or which traffic signs will work best in your construction site. Before traffic signs can be installed on a road, a municipality or construction company will hire an engineer to conduct a study to determine whether certain signs are necessary or even

useful in a given location. When traffic signs aren't placed correctly, they can actually cause more traffic accidents instead of preventing them. In order to avoid confusion for drivers operating a vehicle in unfamiliar areas, traffic signs are kept fairly consistent in every country.

## **2 LITRATURE SURVEY:**

### **2.1 EXISTING PROBLEMS:**

- From the beginning of civilizations, transportation has been one of the most important requirements for humans. Over the years, it has been evolved to modern transportation systems such as road, train, and air transportation. With the development of technology, intelligent transportation systems have been enriched with Information and Communications Technology (ICT). Nowadays, smart city concept that integrates ICT and Internet-of-Things (IoT) have been appeared to optimize the efficiency of city operations and services. Recently, several IoT-based smart applications for smart cities have been developed. Among these applications, smart services for transportation are highly required to ease the issues especially regarding to road safety. In this context, this study presents a literature review that elaborates the existing IoT-based smart transportation systems especially in terms of road safety. In this way, the current state of IoT-based smart transportation systems for safer roads are provided. Then, the current research efforts undertaken by the authors to provide an IoT-based safe smart traffic system are briefly introduced. It is emphasized that road safety can be improved using Vehicle-to-Infrastructure (V2I) communication technologies via-the cloud (Infrastructure[1]to-Cloud – I2C). Therefore, it is believed

that this study offers useful information to researchers for developing safer roads in smart cities.

- According to United Nations (UN) 2030 agenda, the transportation system needs to be enhanced for the establishment of access to safe, affordable, accessible, and sustainable transport systems along with enhanced road safety. The highway road transport system is one of the transport systems that enables to transits goods and humans from one location to another location. The agenda of UN 2030 for the transport system will be accomplished with the assistance of digital technologies like the internet of things (IoT) and artificial intelligence (AI). The implementation of these digital technologies on highways empowers to provide reliable, smarter, intelligent, and renewable energy sources experience to the users travelling along the highways. This study discusses the significance of the digitization of highways that supporting and realizing a sustainable environment on the highways. To discuss the significance of digitization, the study has categorized digitalization into five subcomponents namely smart highway lighting system, smart traffic and emergency management system, renewable energy sources on highways, smart display and AI in highways. An architecture-for smart highway lighting, smart traffic, and emergency management are proposed and discussed in the study. The significance of implementing smart display boards and renewable sources with real-time applications is also addressed in this study. Moreover, the integration of AI in highways is addressed with the perspective of enhancing road safety. The integration of deep learning (DL) in the edge-based vision node for predicting the patterns of traffic flow, highway road safety, and maintenance of quality roads have been addressed in the discussion section. Embedding the deep learning techniques in the vision node at the traffic junction and the highway lighting controller is able to deliver an intelligent system that provides sustained experience and

management of the highways. Smart reflectors, adoption of renewable energy, developing vehicle-to-vehicle communication in vehicles, and smart lamppost are the few recommendations for the implementation of digitalizing highways.

## 2.2 REFERENCES:

- Francis John Gichaga et al, Road Safety and Road Safety Audit in India: A Review. ISSN: 2347 - 4718 This paper had reviewed the concept of the road safety audit and its stages. Objective of the RSA is to evaluate ventures for potential mishaps and lessening on the premise of road client learning, characteristics and aptitudes, day/night, wet/dry road conditions. It suggested on outline and before planning of agreement archives, to evaluate itemized intersection design, markings, signs, signals, lighting points of interest, Detail Design of junctions, Design of geometrics, Cross-fall Marking and Signs, Side drains, Embankment slopes, Presence of clear zone, Traffic Signals Lighting.
- M. Derawi, Y. Dalveren and F. A. Cheikh, "Internet-of-Things-Based Smart Transportation Systems for Safer Roads," 2020 IEEE 6th World Forum on Internet of Things (WF-IoT), 2020, pp. 1-4, doi: 10.1109/WF-IoT48130.2020.9221208.
- Singh, Rajesh, et al. "Highway 4.0: Digitalization of highways for vulnerable road safety development with intelligent IoT sensors and machine learning." Safety science 143 (2021): 105407.
- Adweek, 2018. These Digital Billboards from McDonald's Change Depending on How Bad the Traffic is. Retrieved from: < [https://www.adweek.com/digital/these-](https://www.adweek.com/digital/these-digital-out-of-home-ads-from-) digital-out-ofhome-ads-from-

mcdonalds-change-depending-on-how-bad-the-traffic-is/ > .

- Ady, R.W., 1967. An investigation of the relationship between illuminated advertising signs and expressway accidents. *Traffic Saf. Res. Rev.* 11 (3), 9–11.
- Asbridge, M., Desapriya, E., Ogilvie, R., Cartwright, J., Mehrnoush, V., Ishikawa, T., Weerasinghe, D.N., 2017. The impact of restricted driver's licenses on crash risk for older drivers: a systematic review. *Transport. Res. Part A: Policy Practice* 97, 137–145.
- Beanland, V., Fitzharris, M., Young, K.L., Lenné, M.G., 2013. Driver inattention and driver distraction in serious casualty crashes: data from the Australian National Crash In-depth Study. *Accid. Anal. Prev.* 54, 99–107.
- Beijer, D., Smiley, A., Eizenman, M., 2004. Observed driver glance behavior at roadside advertising signs. *Transport. Res. Record: J. Transport. Res. Board* 1899, 96–103.
- Belyusar, D., Reimer, B., Mehler, B., Coughlin, J.F., 2016. A field study on the effects of digital billboards on glance behavior during highway driving. *Accid. Anal. Prev.* 88, 88–96.
- Birdsall, M.S., 2008. The debate over digital billboards: can new technology inform drivers without distracting them? *Inst. Transport. Eng. ITE J.* 78 (4), 22–27.
- Borowsky, A., Horrey, W.J., Liang, Y., Garabet, A., Simmons, L., Fisher, D.L., 2016. The effects of brief visual interruption tasks on drivers' ability to resume their visualearch for a pre-cued hazard. *Accid. Anal. Prev.* 93, 207–216.
- Cairney, P., Gunatillake, T., 2000. *Roadside Advertising Signs – A Review of the Literature and Recommendations for Policy*. ARRB Transport Research for RACV.
- Chan, M., Madan, C.R., Singhal, A., 2016. The effects of taboo-related distraction on driving performance. *Acta Psychol.* 168, 20–26.
- Chan, M., Singhal, A., 2013. The emotional side of cognitive distraction: implications for road safety. *Accid. Anal. Prev.* 50,

147–154.

- Chattington, M., Reed, N., Basacik, D., Flint, A., Parkes, A., 2009. Investigating Driver Distraction: The Effects of Video and Static Advertising: A Driving Simulator Study (No. 409). Transport Research Laboratory, London.
- Clark, B., Parkhurst, G., Ricci, M., 2016. Understanding the socioeconomic adoption scenarios for autonomous vehicles: A literature review. Project Report. University of the West of England, Bristol, UK. Available from: .
- CTC, Associates, L. L. C., 2012. Effects of Outdoor Advertising Displays on Driver Safety. Preliminary Investigation requested by Caltrans Division of Design.
- Decker, J.S., Stannard, S.J., McManus, B., Wittig, S.M., Sisiopiku, V.P., Stavrinos, D., 2015. The impact of billboards on driver visual behavior: a systematic literature review. *Traffic Inj. Prev.* 16 (3), 234–239. <https://doi.org/10.1080/15389588.2014.936407>.
- Dia, H., 2015. Driverless cars will change the way we think of car ownership. *The Conversation*. Viewed 10 July 2017. < <https://theconversation.com/driverless-cars-will-change-the-way-we-think-of-car-ownership-50125> > .
- Dukic, T., Ahlstrom, C., Patten, C., Kettwich, C., Kircher, K., 2013. Effects of electronic billboards on driver distraction. *Traffic Inj. Prev.* 14 (5), 469–476. <https://doi.org/10.1080/15389588.2012.731546>.
- Dulebenets, M.A., Ozguven, E.E., Moses, R., 2018. The highway beautification act: towards improving efficiency of the federal outdoor advertising control program. *Transport. Res. Part A: Policy Practice* 110, 88–106.
- Edquist, J., Horberry, T., Hosking, S., Johnston, I., 2011. Effects of advertising billboards during simulated driving. *Appl. Ergon.* 42 (4), 619–626. <https://doi.org/10.1016/j.apergo.2010.08.013>.
- Farbry, J., Wochinger, K., Shafer, T., Owens, N., Nedzesky, A., 2001. Research review of potential safety effects of electronic billboards on driver attention and distraction. Washington, DC. Retrieved from <

<https://rosap.ntl.bts.gov/view/dot/14745> > .

- Filtiness, A.J., Reyner, L.A., Horne, J.A., 2012. Driver sleepiness—comparisons between young and older men during a monotonous afternoon simulated drive. *Biol. Psychol.* 89 (3), 580–583.
- Fofanova, J., Vollrath, M., 2011. Distraction while driving: the case of older drivers. *Transport. Res. Part F: Traffic Psychol. Behaviour* 14 (6), 638–648. Fuller, R., 2000. The task-capability interface model of the driving process. *Recherche Transports Sécurité* 66, 47–57. [https://doi.org/10.1016/S0761-8980\(00\)90006-2](https://doi.org/10.1016/S0761-8980(00)90006-2).
- Fuller, R., 2011. Driver control theory: from task difficulty homeostasis to risk allostasis. *Handbook Traffic Psychol.* 13–26. <https://doi.org/10.1016/B978-0-12-381984-0.10002-5>.
- Global Marketing Alliance, 2018. 5 Emerging Tech Trends for the Global Marketer. Retrieved from: < <https://www.thegma.com/emerging-tech-trends> > .
- Hasan, A., 2015. Hazardous attraction: external-to-vehicle distraction caused by billboard advertisements in Lahore. *Global Med. J.: Pakistan Ed.* 8 (2).
- Hawkins Jr., H.G., Kuo, P., Lord, D., 2012. Statistical Analysis of the Relationship Between On-premise Digital Signage and Traffic Safety. Signage Foundation, Inc. & Texas Engineering EXTension Service, Washington, DC. Herrstedt, L., Greibe, P., Andersson, P.K., 2013. Driver attention is captured by roadside advertising signs. In: 16th International Conference Road Safety on Four Continents. Beijing, China
- Useche, S., Montoro, L., Alonso, F., Oviedo-Trespalacios, O., 2018. Infrastructural and human factors affecting safety outcomes of cyclists. *Sustainability* 10 (2), 299. <https://doi.org/10.3390/su10020299>.
- Wallace, B., 2003. Driver distraction by advertising: genuine risk or urban myth? *Municipal Eng.* 156 (3), 185–190.



<https://doi.org/10.1680/muen.2003.156.3.185>.

- Wilson, R.T., Casper, J., 2016. The role of location and visual saliency in capturing attention to outdoor advertising: how location attributes increase the likelihood for a driver to notice a billboard ad. *J. Advertising Res.* 56 (3), 259–273. World Health Organization (WHO), 2011. *Mobile Phone Use: A Global Problem of Driver Distraction*. World Health organization, Geneva, Switzerland. World Health Organization (WHO), 2015. *Global Status Report on Road Safety*. Geneva, Switzerland: World Health Organization. < [http://www.who.int/violence\\_injury\\_prevention/road\\_safety\\_status/2015/en/](http://www.who.int/violence_injury_prevention/road_safety_status/2015/en/) > .
- Yan, X., Abdel-Aty, M., Radwan, E., Wang, X., Chilakapati, P., 2008. Validating a driving simulator using surrogate safety measures. *Accid. Anal. Prev.* 40 (1), 274–288.
- Yannis, G., Papadimitriou, E., Papantoniou, P., Voulgari, C., 2013. A statistical analysis of the impact of advertising signs on road safety. *Int. J. Injury Control Safety Promotion* 20 (2), 111–120. <https://doi.org/10.1080/17457300.2012.686042>.
- Yellappan, K., Ghani, Y., Musa, M., Siam, M.F., Tan, C.Y., 2016. *EXposure and Perception on Distraction Towards Roadside Digital Advertisements*. Malaysian Institute of Road Safety Research, Malaysia. [https://www.miros.gov.my/1/publications.php?id\\_page=19&id\\_event=469](https://www.miros.gov.my/1/publications.php?id_page=19&id_event=469).
- Young, M.S., Mahfoud, J.M., 2007. *Driven to distraction: Determining the effects of roadside advertising on driver attention*. Final report of a Study Funded by The Rees Jeffreys Road Fund. Brunel University of West London, UXbridge, Middlesex.
- Young, K.L., Stephens, A.N., Logan, D.B., Lenné, M.G., 2017. Investigating the impact of static roadside advertising on drivers' situation awareness. *Appl. Ergon.* 60, 136–145.
- Zahabi, M., Machado, P., Lau, M.Y., Deng, Y., Pankok Jr, C., Hummer, J.,

et al., 2017. Driver performance and attention allocation in use of logo signs on freeway exit ramps. *Appl. Ergon.* 65, 70–80.

- Zalesinska, M., 2018. The impact of the luminance, size and location of LED billboards on drivers' visual performance—laboratory tests. *Accid. Anal. Prev.* 117, 439–448.
- Zhang, L., Zhang, J., Liu, Y., Guo, J., 2017. The impact of over-bright highway billboards on driving behavior. In: Paper Presented at the 3rd International Conference on Vehicle Technology and Intelligent Transport Systems, Porto, Portugal.
- Roberts, P., Boddington, K., Rodwell, L., Austroads, 2013. Impact of Roadside Advertising on Road Safety. <  
[https://www.onlinepublications.austroads.com.au/ items/APR420-13](https://www.onlinepublications.austroads.com.au/items/APR420-13)  
> .
- Rodd, H., 2017. Roadside Advertisements: Effects of Valence and Arousal on Driver Performance. Doctoral dissertation. The University of Guelph.
- Rothengatter, T., 1997. Psychological aspects of road user behaviour. *Appl. Psychol.* 46 (3), 223–234.  
<https://doi.org/10.1080/026999497378331>.
- Schieber, F., Limrick, K., McCall, R., Beck, A., 2014. Evaluation of the visual demands of digital billboards using a hybrid driving simulator. In: Proceedings of the Human Factors and Ergonomics Society Annual Meeting, vol. 58, no. 1. Sage Publications, Sage CA: Los Angeles, pp. 2214–2218.
- Scott-Parker, B., Goode, N., Salmon, P., 2015. The driver, the road, the rules... and the rest? A systems-based approach to young driver road safety. *Accid. Anal. Prev.* 74, 297–305.
- Sharpe, S.C., 2011. Between beauty and beer signs: why digital billboards violate the letter and spirit of the highway beautification act of 1965. *Rutgers L. Rev.* 64, 515.
- Sisiopiku, V.P., Stavrinou, D., Sullivan, A., Islam, M.M., Wittig, S.M., Haleem, K., et al., 2015. Digital Advertising Billboards and Driver Distraction. National Center for Transportation Systems Productivity and Management, Atlanta, United States of America.

- Smiley, A., Persaud, B., Bahar, G., Mollett, C., Lyon, C., Smahel, T., Kelman, W., 2005. Traffic safety evaluation of video advertising signs. *Transport. Res. Rec.: J. Transport. Res. Board* 1937, 105–112.
- Smith, B.W., 2016. Automated driving policy. In: *Road Vehicle Automation*. Springer, Cham, pp. 53–58. Staffeld, P.R., 1953. Accidents related to access points and advertising signs in study. *Traffic Quarterly* 7 (1).
- Stavrinos, D., Mosley, P.R., Wittig, S.M., Johnson, H.D., Decker, J.S., Sisiopiku, V.P., Welburn, S.C., 2016. Visual behavior differences in drivers across the lifespan: a digital billboard simulator study. *Transport. Res. Part F: Traffic Psychol. Behaviour* 41, 19–28. <https://doi.org/10.1016/j.trf.2016.06.001>.
- Svensson, Å., Hydén, C., 2006. Estimating the severity of safety related behaviour. *Accid. Anal. Prev.* 38 (2), 379–385.
- Targosiński, T., 2017. Preliminary simulation research of driver behaviour in response to outdoor advertisements. In: *MATEC Web of Conferences*, 122, 03009. < <https://doi.org/10.1051/matecconf/201712203009> > .
- OMA, 2013. OMA Response to Austroads Research Report – Impact of roadside advertising on road safety. Retrieved from Outdoor Media Association. Oviedo-Trespalacios, O., 2018. Getting away with texting: behavioural adaptation of drivers engaging in visual-manual tasks while driving. *Transport. Res. Part A: Policy Practice* 116, 112–121.
- Oviedo-Trespalacios, O., Haque, M.M., King, M., Demmel, S., 2018. Driving behaviour while self-regulating mobile phone interactions: a human-machine system approach. *Accid. Anal. Prev.* 118, 253–262.
- Oviedo-Trespalacios, O., Haque, M.M., King, M., Washington, S., 2017a. Effects of road infrastructure and traffic complexity in speed adaptation behaviour of distracted drivers. *Accid. Anal. Prev.* 101, 67–77.
- Oviedo-Trespalacios, O., Haque, M.M., King, M., Washington, S., 2017b. Self-regulation of driving speed among distracted drivers: an

application of driver behavioral adaptation theory. *Traffic Inj. Prev.* 18 (6), 599–605.

- Oviedo-Trespalacios, O., Haque, M.M., King, M., Washington, S., 2016. Understanding the impacts of mobile phone distraction on driving performance: a systematic review. *Transport. Res. Part C: Emerging Technol.* 72, 360–380.
- Perez, W., Bertola, M., Kennedy, J., Molino, J., 2012. Driver Visual Behavior in the Presence of Commercial Electronic Variable Message Signs (CEVMS). Federal Highway Administration Final Report.
- Megías, A., Maldonado, A., Catena, A., Di Stasi, L.L., Serrano, J., Cándido, A., 2011. Modulation of attention and urgent decisions by affect-laden roadside advertisement in risky driving scenarios. *Saf. Sci.* 49 (10), 1388–1393. <https://doi.org/10.1016/j.ssci.2011.06.001>.
- Metz, B., Krüger, H.P., 2014. Do supplementary signs distract the driver? *Transport. Res. Part F: Traffic Psychol. Behaviour* 23, 1–14.
- Meuleners, L., Fraser, M., 2015. A validation study of driving errors using a driving simulator. *Transport. Res. Part F: Traffic Psychol. Behaviour* 29, 14–21.
- Missokefalou, E., Eliou, N., 2012. Recording and evaluation procedure of drivers' distraction: the case of thessaloniki ring road. *Proc.-Soc. Behav. Sci.* 48, 3159–3169. <https://doi.org/10.1016/j.sbspro.2012.06.1282>.
- Misokefalou, E., Papadimitriou, F., Kopelias, P., Eliou, N., 2016. Evaluating driver distraction factors in urban motorways. A naturalistic study conducted in Attica Tollway, Greece. *Transport. Res. Proc.* 15, 771–782.
- Moher, D., Liberati, A., Tetzlaff, J., Altman, D.G., Prisma Group, 2009. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS Med.* 6 (7), e1000097.
- Molino, J.A., Wachtel, J., Farbry, J.E., Hermosillo, M.B., Granda, T.M., 2009. The Effects of Commercial Electronic Variable Message Signs (CEVMS) on Driver Attention and Distraction: An Update (No. FHWA-

HRT-09-018). Turner-Fairbank Highway Research Center.

- Olejniczak-Serowiec, A., Maliszewski, N., Ziętek, K., 2017. Social attitudes towards roadside advertising. In: MATEC Web of Conferences, vol. 122. EDP Sciences, pp. 03006. <https://doi.org/10.1051/matecconf/201712203006>.
- Ahlstrom, C., 2013. Response to letter to the editor: electronic billboards and driver distraction. *Traffic Inj. Prev.* 14 (5).
- Aplin, G., 2013. Report on the inquiry into road user distraction/Joint Standing Committee on Road Safety (Staysafe), Parliament of New South Wales. [Sydney, N. S.W].
- Beijer, D., Smiley, A., Eizenman, M. Observed driver glance behavior at roadside advertising signs. *Transport. Res. Record: J. Transport. Res. Board*.
- Belyusar, D., Reimer, B., Mehler, B., Coughlin, J.F., 2016. A field study on the effects of digital billboards on glance behavior during highway driving. *Accid. Anal. Prev.* 88, 88–96.
- Bendak, S., Al-Saleh, K., 2010. The role of roadside advertising signs in distracting drivers. *Int. J. Ind. Ergon.* 40 (3), 233–236.
- Bichajlo, L., 2017. Visual Perception by Drivers of the Advertisements Located at Selected Major Routes. Paper presented at IOP Conference Series: Materials Science and Engineering, Dubai, United Arab Emirates.
- Birdsall, M.S., 2008. The debate over digital billboards: can new technology inform Drivers Without Distracting Them? *Inst. Transp. Eng. ITE J.* 78 (4), 22–27.
- Cairney, Gunatillake, 2000. Roadside advertising signs – a review of the literature and recommendations for policy.
- Chan, M., Singhal, A., 2013. The emotional side of cognitive distraction: implications for road safety. *Accid. Anal. Prev.* 50, 147–154.
- Chan, M., Madan, C.R., Singhal, A., 2016. The effects of taboo-related distraction on driving performance. *Acta Psychol.* 168, 20–26.
- Chattington, M., Reed, N., Basacik, D., Flint, A., Parkes, A., Trl., 2009.

Investigating driver distraction: the effects of video and static advertising: a driving simulator study.

- Crundall, D., Van Loon, E., Underwood, G., 2006. Attraction and distraction of attention with roadside advertisements. *Accid. Anal. Prev.* 38 (4), 671–677.
- Ctc, Associates, L.L.C., 2012. Effects of Outdoor Advertising Displays on Driver Safety. Preliminary Investigation requested by Caltrans Division of Research and Innovation.
- Daluge et al., 2011. Outdoor Advertising Control Practices in Australia, Europe and Japan. International Technoloigcal Scanning Program Report no. FHWA-PL-10- 031.
- Decker, J.S., Stannard, S.J., McManus, B., Wittig, S.M., Sisiopiku, V.P., Stavrinou, D., 2015. The impact of billboards on driver visual behavior: a systematic literature review. *Traffic Inj. Prev.* 16 (3), 234–239.
- Divekar, G., Pradhan, A., Pollatsek, A., Fisher, D., 2012. Effect of external distractions: behavior and vehicle control of novice and experienced drivers evaluated. *Transp. Res. Record: J. Transp. Res. Board* 2321, 15–22.
- Dukic, T., Ahlstrom, C., Patten, C., Kettwich, C., Kircher, K., 2012. Effects of electronic billboards on driver distraction. *Traffic Inj. Prev.* 14 (5), 469–476.
- K., Ghani, Y., Musa, M., Siam, M.F., Tan, C.Y., Malaysian Institute of Road Safety, R., 2016. EXposure and perception on distraction towards roadside digital advertisements.
- Young, K.L., Stephens, A.N., Logan, D.B., Lenné, M.G., 2017. Investigating the impact of static roadside advertising on drivers' situation awareness. *Appl. Ergon.* 60, 136–145.
- Young, M.S., Mahfoud, J.M., 2007. Driven to distraction: the effects of roadside advertising on driver attention. Final Report of a study funded by the Rees Jeffreys Road Fund.
- Young, M.S., Mahfoud, J.M., Stanton, N.A., Salmon, P.M., Jenkins, D.P., Walker, G.H., 2009. Conflicts of interest: the implications of roadside advertising for driver attention. *Transp. Res. Part F: Psychol. Behav.*

12 (5), 381–388.


- Zahabi, M., Machado, P., Lau, M.Y., Deng, Y., Pankok Jr, C., Hummer, J., et al., 2017. Driver performance and attention allocation in use of logo signs on freeway exit ramps. *Appl. Ergon.* 65, 70–80. Zalesinska, M., 2018. The impact of the luminance, size and location of LED billboards on drivers' visual performance—laboratory tests.

### **2.3 PROBLEM STATEMENT DEFINITION:**

- The weather and temperature details are obtained from the OpenWeatherMap API. Using these details, the speed limit will be updated automatically in accordance with the weather conditions. Also, the details regarding any accidents and traffic congestion faced on the particular road are obtained .Based on this,the traffic is diverted followed by a change in map path and the traffic is cleared.
- So in the traffic sign board , some buttons will be placed which will be used to make it generic; where each button will be given a functionality such as changing the warning signs, which are predefined and separate signs will be present for both school and hospital zones. By activating this button, either through the web application or the physical buttons, sign of the board can be changed accordingly, and the speed limit will also be set depending upon the zones.
- Also, the pedestrians are given an option to change the traffic signs if they want to cross the road. If the pedestrian presses the button that is present on the post at the end of the road, then the traffic will be analyzed immediately. Accordingly, the sign of the traffic signal will be changed. This inturn reduces the frequent changing of the traffic signs even if the pedestrians are not present.

### 3 IDEATION AND PROPOSED SOLUTION:


#### 3.1 EMPATHY MAP CANVAS:






## 3.2 IDEATION AND BRAINSTROMING:


### ARJUN A S




### ANUSHA R



### ARIVUMANI S



### ANUSHREE S



3

### Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you can break it up into smaller sub-groups.

20 minutes

In this Architecture helps to travellers behaviour towards the awareness of travel

Intimation of speed range depend upon the roadway condition

Guiding a traveller to choose a best path, when crowding / accident may occur

Making the travel easy through the idea notification

Prediction of data gives them a fair and better understanding about their upcoming of road events

**TP**  
Addition of the sign to the system is also a good idea. It can be used to inform the driver about the road condition.

4

### Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

20 minutes



### 3.3 PROPOSED SOLUTION:

S.no	Parameter	Description
1.	Problem Statement	<p>To replace the static signboards, smart connected sign boards are used. These smart connected sign boards get the speed limitations from a web app using weather API and update automatically. Based on the weather changes the speed may increase or decrease. Based on the traffic and fatal situations the diversion signs are displayed. Guide (Schools), warning and Service (Hospitals, Restaurant) signs are also displayed accordingly. Different modes of operations can be selected with the help of buttons.</p>

2.	Idea description	<p>The weather and temperature details are obtained from the OpenWeatherMap API. Using these details, the speed limit will be updated automatically in accordance with the weather conditions. Also, the details regarding any accidents and traffic congestion faced on the particular road are obtained. Based on this, the traffic is diverted followed by a change in map path and the traffic is cleared. So, in the traffic sign board, some buttons will be placed which will be used to make it generic; where each button will be given a functionality such as changing the warning signs, which are predefined and separate signs will be present for both school and hospital zones by activating this button, either through the web application or the physical buttons, sign of the board can be changed</p>
----	------------------	---

		<p>accordingly, and the speed limit will also be set depending upon the zones. Also, the pedestrians are given an option to change the traffic signs if they want to cross the road. If the pedestrian presses the button that is present on the post at the end of the road, then the traffic will be analyzed immediately. Accordingly, the sign of the traffic signal will be changed. This in turn reduces the frequent changing of the traffic signs even if the pedestrians are not present.</p>
3.	Novelty	<p>Generic Sign board for all applications that uses both buttons and webservice for update. Pedestrians are given the access to request the sign change of the signal to cross the road.</p>
4.	Customer Satisfaction	<p>Diversion reasons will be displayed. If there is no traffic, pedestrians can cross the street without</p>

		waiting. Customer can reach the destination before the expected time.
5.	Business Model	<p>Since APIs are used to actively monitor the customer's environment, this project employs a business strategy in which revenue will be generated on the basis of the length of time in which the customers actively interact with the product. This product is aimed to be free of cost to the public, but the revenue will be generated by selling this product to the government at a low cost, so there will be less accidents and the public will be aware of the discrepancies or accidents in the particular road. The public will also gain all the information about the road, even if they are checking for an alternate path because of some mishaps that happen on the roads and these functionalities will increase the value of the</p>

		product in the global market.
6.	Scalability of the Solution	In the future, if any update is required either on the hardware or software side, it can be easily implemented. The hardware components can be directly interfaced with the microcontroller and small modifications can be made in the programming of the existing product. In case of the software, the website application has to be updated with the additional functionality by creating a new section for the updated hardware. So, this will not affect the existing functionality of the product and new

		<p>functionality can be easily integrated. In addition, a separate circuit will be kept along with the hardware to addition, a separate circuit will be kept along with the hardware to detect any problem which informs the web application.</p>
--	--	---



### 3.4 SOLUTION FIT TEMPLATE:

Problem-Solution fit canvas 2.0		Signs with Smart Connectivity for Better Road Safety	
Define CS, fit into CC	<b>1. CUSTOMER SEGMENT(S)</b> <span>CS</span> Who is your customer? ➤ highway ➤ division	<b>6. CUSTOMER CONSTRAINTS</b> <span>CC</span> What constraints prevent your customers from taking action or limit their choices of solutions? The impact of the network on the tests was a significant and unexpected element. Given the quantity of sensors, this IoT-based system was successful in simulating a large-scale smart agricultural setting.	<b>5. AVAILABLE SOLUTIONS</b> <span>AS</span> Which solutions are available to the customers when they face the problem need to get the job done? What have they tried in the past? What pros & cons do these solutions have? Along roadways, static signs with clear directions are put as potential fixes.
	<b>2. JOBS-TO-BE-DONE / PROBLEMS</b> <span>J&amp;P</span> Which jobs-to-be-done (or problems) do you address for your customers? Among its many duties, the Smartboard Connectivity is in charge of keeping correct temperature sensor readings and informing the board of the speed of the customer's vehicle.	<b>9. PROBLEM ROOT CAUSE</b> <span>RC</span> What is the real reason that this problem exists? What is the back story behind the need to do this job? No sensor readings from the weather would alter the speed restriction if there was no internet connection. Unnecessary pressing of the accident indicator button by some people could lead to problems.	<b>7. BEHAVIOUR</b> <span>BE</span> What does your customer do to address the problem and get the job done? As a teacher, the IOT cloud updates the smartboard on the condition of the roads on a regular basis.
Focus on J&P, tap into C	<b>3. TRIGGERS</b> <span>TR</span> What triggers customers to act? Poor weather conditions prevail. The vehicle should be moving at threshold speed. The sensor value should be shown on the smart board to alert the customer.	<b>10. YOUR SOLUTION</b> <span>SL</span> We employ smart linked sign boards as an alternative to static signboards. With the help of a web app and weather API, these intelligent connected sign boards automatically update with the current speed limits. The speed may rise or fall in response to variations in the weather. The display of diversion signs determined by traffic and potentially fatal situations. As appropriate, there are also signs that read "Guide (Schools), Warning, and Service" (Hospitals, Restaurants). Using buttons, it is possible to choose from a variety of operating modes.	<b>8. CHANNELS of BEHAVIOUR</b> <span>CH</span> <b>3.1 ONLINE</b> What kind of actions do customers take online? The departments can receive direct emails or messages from customers. (Officers on nearby patrol). <b>3.2 What kind of actions do customers take offline?</b> Following directions is one of the main tasks for the traveller, but they can utilize the smartboard signs to check the state of the road from wherever they are.
Identify strong TR & EM	<b>4. EMOTIONS: BEFORE / AFTER</b> <span>EM</span> How do customers feel when they face a problem or a job and afterwards? Clients will feel better after selecting an operation mode with the use of smartboard connectivity, and they will then follow the instructions on the smartboard.		Extract online & offline CH of BE

## 4. REQUIRMENT ANALYSIS:

### 4.1 Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Visibility	Sign Boards should be made of bright coloured LEDs capable of attracting driver's attention Not too distracting to cause accidents
FR-2	User Understanding	Should display information through means like images/illustrations with text so that the user can understand the signs correctly
FR-3	User Convenience	Display should be big enough to display all the signs correctly so that it is visible even to far away drivers

### 4.2 Non-functional Requirements:


Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Should be able to dynamically update with respect to time
NFR-2	Security	Should be secure enough that only the intended messages are

		displayed in the display.
NFR-3	Reliability	Should convey the traffic information correctly.
NFR-4	Performance	Display should update dynamically whenever the weather or traffic values are updated
NFR-5	Availability	Should be on service 24/7
NFR-6	Scalability	Should be modular and hence able to scale on servers horizontally.

## 5 PROJECT DESIGN:


### 5.1 DATA FLOW DIAGRAM:



## **5.2 SOLUTION AND TECHNICAL ARCHITECTURE:**

### **SOLUTION ARCHITECTURE:**

## TECHNICAL ARCHITECTURE:



## 5.3 USER STORIES:

<b>● Personas</b> <small>Personas are fictional characters that represent different user categories that have been identified through research.</small>	The users must have the conscious about the traffic signs.			The NFC tag would be compulsorily placed in all vehicles.			Use Heart beat sensor to detect the driver status.			To reduce the accidents it is important to manage the vehicles properly.		
<b>● Steps</b> <small>Steps are the actions that users take to interact with the system.</small>	The drivers must have the driving license.	Knowledge of traffic rules and regulations.	Develop the right attitude about driving.	Identify and tracking using radio waves.	Install speed governor device.	Use NFC tags to communicate with active NFC devices.	Use ultrasonic sensor to detect the object distance.	Using LCD display,Traffic congestion are displayed.	GPS sensors placed in the vehicles.	Drivers should maintain the vehicles in proper condition.	To maintain oil and coolant levels.	Warning light that reminds drivers that their vehicle needs a service.
<b>● Findings</b> <small>Findings are the results of the research that help to understand the user's needs and expectations.</small>	NFC technology brings more benefits.	To avoid accidents and keep the passengers safe.	This technology improves road conditions in pit area.	To provide more efficient travel.	More strategic traffic management.	To provide Accident free techniques.	Less risk of damage.	This technique provides flexible service.	Prevent accidents and injuries	Provide better traffic signs.	Speed limits are detected early.	Cheapest and most profitable.
	Main cause of accidents and crashes are due to human errors.	There will be occur violation charges.	Vehicle damage leads to financial problems.	Huge economic losses because of slow transportation.	Traffic congestions which make lost a lot of time	Emotional injuries and medical costs.	There can be traffic delays and breakdowns.	Toll charges are high.	Risk of goods being damaged,especially over long distances.	Speeding remains a leading cause of accidents.	Major causes of environmental factor and mechanical factor.	Crowded at rush hours.
<b>● Pain points</b> <small>Pain points are the problems that users face while using the system.</small>	Fatalities occurring has attained its peak with more death rates.	The volume of traffic and passengers are very large.	Direct consequences of accidents like injury and property damage.	Roads are inadequate and bad.	Due to poor lighting there will be occur accidents.	Due to wrong indication of traffic signs.	Many check points will be irritate for drivers.	Bad weather conditions affects the driving.	Road signs are ignored because of their mentality.	Increase traffic can increase carbon emissions.	Severity of air pollution.	Lack of coordination.
<b>● Recommendations</b> <small>Recommendations are the suggestions that help to improve the system and meet the user's needs.</small>	To provide the latest NFC technique.	Reduce the vehicles speed.	Avoid the accidental death rate.	NFC is an low cost way to connect android.	Provides data transfer that allows smartphones.	NFC enabled card payments are more secure.	Improves the road safety measures.	NFC tags are available in affordable prices.	Goods for location tracking and identity verification.	Tags have a long lifespan.	Drain is going to be very less.	This NFC provides the best service to the drivers.

## 6. PROJECT PLANNING:


### 6.1 SPRIT DELIVERY PLAN:

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Functional Requirement (Epic)	User Story / Task	Story Points	Priority	Team Members
Resources Initialization	Create and initialize accounts in various public APIs like OpenWeatherMap API.	1	LOW	Anushree S, Arjun A S, Anusha R, Arivumani S
Local Server/Software Run	Write a Python program that outputs results given the inputs like weather and location.	1	MEDIUM	Anushree S, Arjun A S, Anusha R, Arivumani S
Push the server/software to cloud	Push the code from Sprint 1 to cloud so it can be accessed from anywhere	2	MEDIUM	Anushree S, Arjun A S, Anusha R, Arivumani S
Hardware initialization	Integrate the hardware to be able to access the cloud functions and provide inputs to the same.	2	HIGH	Anushree S, Arjun A S, Anusha R, Arivumani S
UI/UX Optimization & Debugging	Optimize all the shortcomings and provide better user experience.	2	LOW	Anushree S, Arjun A S, Anusha R, Arivumani S

Burndown Chart:

BURNDOWN CHART





## **7.CODING & SOLUTIONING:**

### **7.1 IMPORTING REQUESTS MODULE:**

- Requests library is one of the integral part of Python for making HTTP requests to a specified URL. Whether it be REST APIs or Web Scrapping, requests is must to be learned for proceeding further with these technologies.
- When one makes a request to a URI, it returns a response. Python requests provides inbuilt functionalities for managing both the request and response.

### **7.2 TO MAKE A PUBLISHER AND SUBSCRIBER IN THE PROCESS OF PYTHON AND IBM CLOUD:**

Publish/subscribe is a style of messaging application in which the providers of information (publishers) have no direct link to specific consumers of that information (subscribers), but the interactions between publishers and subscribers are controlled by pub/sub brokers.

In a publish/subscribe system, a publisher does not need to know who uses the information (publication) that it provides, and a subscriber does not need to know who provides the information that it receives as the result of a subscription. Publications are sent from publishers to the pub/sub broker, subscriptions are sent from subscribers to the pub/sub broker, and the pub/sub broker forwards the publications to the subscribers.

### **7.3 ADDING WEATHER MODULE:**

A free and asynchronous weather API wrapper made in python, for python.

### **7.4 TEST MODEL APPLICATION:**

Project evaluation is a systematic and objective assessment of an ongoing or completed project. The aim is to determine the relevance and level of achievement of project objectives, development effectiveness, efficiency, impact and sustainability.

## **8. ADVANTAGES AND DISADVANTAGES:**

### **ADVANTAGES:**

- Preventing Wrong-way Crashes – As discussed in a Phys.org article in 2018, the National Highway Traffic Safety Administration has stated that hundreds of lives are lost annually to wrong-way crashes. In addition, thousands of people sustain injuries in such accidents. Based on research and field tests performed by the Florida Department of Transportation, certain kinds of intelligent road indicators may effectively catch the attention of people driving the wrong way on a roadway. The indicators that were tested included blank indicators that light up when they detect the presence of wrong-way vehicles. Another type of sign was designed with lights that light up in an asynchronous manner. Once a driver is alerted by the lights and can see the “Wrong Way” lettering, that person can turn around and proceed in the correct direction. This could save numerous lives and prevent countless injuries.

- Better Traffic Management and Safety – Through refined telematics and intelligent technology, it can be easier to “read” the locations and speeds of vehicles, such as those in a fleet. When vehicles and smart traffic control systems are connected via the cloud, the end results may be more manageable traffic, decreased gridlock, and better traffic
- Increased Cost Efficiency – We need to explore more cost-effective ways to strengthen the infrastructure. Building roads is expensive. While there is no substitution for new and upgraded roads, smart roadway indicators can be added to increase efficiency. They provide innovative ways to improve traffic flow, reduce congestion, regulate the patterns of traffic, and create an optimal balance of public and private transportation.
- Combating Poor Visibility – Road placards cannot help us if we are unable to read them. Many factors may cause drivers to misinterpret roadside signage or to miss it altogether. Aging drivers can have difficulty seeing roadway signs as they drive past them. Inexperienced drivers can easily misunderstand their meanings. Even those of us who have driven for years may find it challenging to remember the messages conveyed by conventional road signs. Additionally, bad lighting and weather can further decrease our capacity to use the signage as intended. Smart road indicators make it easier for us to detect and implement their alerts and instructions.

## **DISADVANTAGES:**

You should note that these signals may not be a solution to various problems that occur in road intersections. For instance, an unwarranted signal can affect the efficiency and safety of the traffic. This means that it can cause these disadvantages:

- Increasing traffic congestion, air pollution, and fuel consumption
- Some drivers disobey these signals
- Increase in use of less-adequate roads to avoid traffic signs
- Excessive delay due to time allocated by the traffic signals

## **9. CONCLUSIONS:**

A future trend in intelligent transportation systems is smart road signs equipped with smart codes. In addition to incorporating relatively larger amount of information, smart codes constructed via error-correction methods can provide robustness against small scale perturbations. We have introduced a game theoretical adversarial intervention detection mechanism for reliable smart road signs against threats that can perturb the smart codes at small or large scales intelligently. This has enabled us transform the problem into an LP with considerably small computational complexity. Finally, we have examined the performance numerically over various scenarios. A network of smart vehicles can lead to more reliable traffic networks. Particularly, a detection mechanism faces a trade-off between detecting an adversarial intervention and avoiding false alarms.

**GITHUB LINK:**

<https://github.com/IBM-EPBL/IBM-Project-24776-1659948738>