
IOT ENABLED SMART FARMING APPLICATION.

Build A Web Application Using Node-RED

TEAM ID: PNT2022TMID03050

Configuration of Node-Red to collect IBM cloud data


The node IBM IOT App In is added to Node-Red workflow. Then the appropriate device credentials obtained earlier are entered into the node to connect and fetch device telemetry to Node-Red




- Once it is connected Node-Red receives data from the device
- Display the data using debug node for verification
- Connect function node and write the Java script code to get each reading separately.
- The Java script code for the function node is: msg.payload=msg.payload.d.temperature return msg;
- Finally connect Gauge nodes from dashboard to see the data in UI

```
Published Temperature = 109 C Humidity = 64 % to IBM Watson
Published Temperature = 105 C Humidity = 86 % to IBM Watson
Published Temperature = 105 C Humidity = 86 % to IBM Watson
Published Temperature = 105 C Humidity = 86 % to IBM Watson
Published Temperature = 102 C Humidity = 86 % to IBM Watson
Published Temperature = 103 C Humidity = 83 % to IBM Watson
Published Temperature = 106 C Humidity = 83 % to IBM Watson
Published Temperature = 106 C Humidity = 85 % to IBM Watson
Published Temperature = 106 C Humidity = 84 % to IBM Watson
Published Temperature = 95 C Humidity = 74 % to IBM Watson
Published Temperature = 97 C Humidity = 73 % to IBM Watson
Published Temperature = 99 C Humidity = 74 % to IBM Watson
Published Temperature = 99 C Humidity = 80 % to IBM Watson
Published Temperature = 98 C Humidity = 80 % to IBM Watson
Published Temperature = 98 C Humidity = 87 % to IBM Watson
Published Temperature = 98 C Humidity = 76 % to IBM Watson
Published Temperature = 98 C Humidity = 76 % to IBM Watson
Published Temperature = 98 C Humidity = 76 % to IBM Watson
Published Temperature = 98 C Humidity = 76 % to IBM Watson
Published Temperature = 99 C Humidity = 76 % to IBM Watson
Published Temperature = 99 C Humidity = 76 % to IBM Watson
Published Temperature = 99 C Humidity = 66 % to IBM Watson
Published Temperature = 99 C Humidity = 66 % to IBM Watson
Published Temperature = 99 C Humidity = 66 % to IBM Watson
Published Temperature = 99 C Humidity = 66 % to IBM Watson
```

Data received from the cloud in Node-Red console



Nodes connected in following manner to get each reading separately



This is the Java script code I written for the function node to get Temperature separately.

Configuration of Node-Red to collect data from Open Weather

- The Node-Red also receive data from the Open Weather API by HTTP GET request. An inject trigger is added to perform HTTP request for every certain interval.
- HTTP request node is configured with URL
- Thedata we receive from Open Weather after request is in below JSON

format:{"coord":{"lon":79.85,"lat":14.13},"weather":[{"id":803,"main":"Clouds","description":"brokenclouds","icon":"04n"}],"base":"stations","main":{"temp":30759,"feels_like":305.5,"temp_min":307.59,"temp_max":307.59,"pressure":1002,"humidity":35,"sea_level":1002,"grnd_level":1000},"wind":{"speed":6.23,"deg":170},"clouds":{"all":68},"dt":1589991979,"sys":{"country":"IN","sunrise":1589933553,"sun

set":1589979720},"timezone":19800,"id":1270791,"name":"Gūdūr"," cod":20 0}

In order to parse the JSON string we use Java script functions and get each parameters

var temperature = msg.payload.main.temp;
temperature = temperature-273.15;
return {payload : temperature.toFixed(2)};

In the above Java script code we take temperature parameter into a new variable and convert it from kelvin to Celsius

Then we add Gauge and text nodes to represent data visually in UI.

