

# **Smart Farmer - IoT Enabled Smart Farming Application**

**TEAM ID: PNT2022TMID02873**

**TEAM MEMBERS:**

- **ANTRO SAFIN.M**
- **AKILAN BIMBY.A**
- **ARUN KUMAR.M**
- **ANBU SELVAN.N**

**MENTOR: U.M. RAMYA**

# CONTENTS

1. Introduction
2. Problem Statement
3. Proposed Solution
4. Theoretical Analysis
  - 4.1. Block Diagram
  - 4.2. Required Software installation
    - 4.2.1. Node-Red
    - 4.2.2. IBM Watson IoT Platform
    - 4.2.3. Python IDE
5. Building Project
  - 5.1. Create And Configure IBM Cloud Services
  - 5.2. Develop a Python Script
  - 5.3. Build A Web Application Using Node-RED
  - 5.4. Develop the Mobile Application
6. Flow chart
7. Observations & Results
8. Advantages & Disadvantages
9. Conclusion
10. Bibliography

## Introduction:

The main aim of this project is to help farmers automate their farms by providing them with a Web and Mobile App through which they can monitor the parameters of the field like Temperature, soil moisture, humidity and etc and control the equipment like water motor and other devices remotely via internet without their actual presence in the field.

## Problem Statement:

Farmers are to be present at farm for its maintenance irrespective of the weather conditions. They have to ensure that the crops are well watered and the farm status is monitored by them physically. Farmer have to stay most of the time in field in order to get a good yield. In difficult times like in the presence of pandemic also they have to work hard in their fields risking their lives to provide food for the country.


## Proposed Solution:

In order to improve the farmer's working conditions and make them easier, we introduce IoT services to him in which we use cloud services and internet to enable farmer to continue his work remotely via internet. He can monitor the field parameters and control the devices in farm.

## Theoretical Analysis:

### Block Diagram:


In order to implement the solution , the following approach as shown in the block diagram is used



## Required Software Installation:

### Node-Red:

Node-RED is a flow-based development tool for visual programming developed originally by IBM for wiring together hardware devices, APIs and online services as part of the Internet of Things. Node-RED provides a web browser-based flow editor, which can be used to create JavaScript functions.



### Installation:

- Find the node-red app in ibm cloud catalog
- Install node-red app

### To run the application:

- In resources find node-red app
- Click and visit the app url.
- Then open node-red editor.


### Installation of IBM IoT and Dashboard nodes for Node-Red:

In order to connect to IBM Watson IoT platform and create the Web App UI these nodes are required

- IBM IoT node
- Dashboard node


# IBM Watson IoT Platform:

A fully managed, cloud-hosted service with capabilities for device registration, connectivity, control, rapid visualization and data storage. IBM Watson IoT Platform is a managed, cloud-hosted service designed to make it simple to derive value from your IoT devices.



## Steps to configure:

- Create an account in IBM cloud using your email ID
- Create IBM Watson Platform in services in your IBM cloud account
- Launch the IBM Watson IoT Platform
- Create a new device
- Give credentials like device type, device ID, Auth. Token
- Create API key and store API key and token elsewhere.



# Python IDE

## Install Python3 compiler


Install any python IDE to execute python scripts, in my case I used python IDLE to execute the code.

```
Python 3.7 (64-bit)
Python 3.7.5 (tags/v3.7.5:5c82a39a0b, Oct 15 2019, 00:11:34) [MSC v.1916 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
```

## Building Project:


### 1) Create The IBM Watson IoT Platform:

- IBM Watson IoT platform acts as the mediator to connect the web application to IoT device, so create the IBM Watson IoT platform.



## 2) Create The IBM Watson IoT Platform device:

- In order to connect the IoT device to the IBM cloud, create a device in the IBM Watson IoT platform and get the device credentials.



- **Device credentials:**

"orgId": "dzlyo8",

"typeId": "device1",

"deviceId": "1234"

"token": "123456789"

## Create API Key:

- Configure the connection security and create API keys that are used in the Node-RED service for accessing the IBM IoT Platform.

The screenshot shows the 'Browse API Keys' page in the IBM Watson IoT Platform. The page title is 'Browse API Keys'. Below the title, there is a search bar with the placeholder text 'Type the app description to search for'. A table lists the API keys. The table has columns: Key, Description, Role, Expires, and a delete icon. There is one result shown: Key 'a-dzlyo8-msxo8djns6', Description 'NODE\_RED', Role 'Backend Trusted Application', and Expires '-'. A 'Generate API Key' button is visible in the top right corner.

Key	Description	Role	Expires
a-dzlyo8-msxo8djns6	NODE_RED	Backend Trusted Application	-

## Create Node-red App:

The screenshot shows the 'Node RED XBHYG 2022-11-09' application details page in the IBM Cloud console. The page is titled 'Node RED XBHYG 2022-11-09' and shows the application is 'Running'. The 'Instances' section shows a health of 100% and 1/1 instance(s) are running. The 'Runtime' section shows a Node.js runtime with 256 MB total allocation and 1.75 GB still available. The 'Runtime cost' section shows a current and estimated cost of \$0.00. The 'Connections (1)' section shows a connection to 'node-red-xbhyg-2022--cloudant-1667984239240-13999'.

**Instances**

Health: 100%  
1/1 instance(s) are running

Instances: 1

MB memory per instance: 0 to 2048 (256 selected)

**Runtime**

Node.js

256 Total MB allocation

1.75 GB still available

**Runtime cost**



Current and estimated cost excludes connected services.

\$0.00 | \$0.00

**Connections (1)**

node-red-xbhyg-2022--cloudant-1667984239240-13999





## Develop a Python Script:

- Develop the python script to publish the data and subscribe the data from the IBM Watson IoT Platform.
- Install the package wiot-sdk to make use of the watson iot platform functions in python script.
- Get the device credentials from the iot platform device.

## **Python Code:**

### **#import packages**

```
import wiotp.sdk.device
import time
import os
import datetime
import random
```

### **#CallBack function to receive the commands from cloud**

```
def myCommandCallback(cmd):
    print ("Message received from IBM IoT Platform: %s" % cmd.data['command'])
    m = cmd.data['command']
    if(m=="motoron"):
        print("Motor is switched on")
    elif(m=="motoroff"):
        print("Motor is switched OFF")
    print(" ")
```

### **#Device credentials**

```
myConfig = {
    "identity": {
        "orgId": "dzlyo8",
        "typeId": "device1",
        "deviceId": "1234"
    },
    "auth": {
        "token": "123456789"
    }
}
```

### **#Making Connection to cloud**

```
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
```

## #Sending data for every 2 seconds to cloud

while True:

```
    soil=random.randint(0, 100)
```

```
    temp=random.randint(-20,125)
```

```
    hum=random.randint(0, 100)
```

```
    myData={'soil_moisture': soil, 'temperature': temp, 'humidity':hum}
```

```
    client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0,
```

```
onPublish = None)
```

```
    print("Published data Successfully: %s", myData)
```


```
    time.sleep(2)
```

```
    client.commandCallback = myCommandCallback
```


## #Disconnected from cloud

```
client.disconnect()
```

## Output:




```
Python 3.9.6 (tags/v3.9.6:db3ff76, Jun 28 2021, 15:26:21) [MSC v.1929 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: D:\IBM project\Rough_Copies\Code\IBM_Project_code.py =====
2022-11-15 07:04:01,272  wiotp.sdk.device.client.DeviceClient INFO      Connected successfully: d1d21yo8:device1:1234
Published data Successfully: %s ('soil_moisture': 21, 'temperature': 60, 'humidity': 64)
Published data Successfully: %s ('soil_moisture': 40, 'temperature': 93, 'humidity': 83)
Published data Successfully: %s ('soil_moisture': 54, 'temperature': 18, 'humidity': 88)
Published data Successfully: %s ('soil_moisture': 64, 'temperature': 111, 'humidity': 74)
Published data Successfully: %s ('soil_moisture': 6, 'temperature': 23, 'humidity': 64)
Published data Successfully: %s ('soil_moisture': 26, 'temperature': 12, 'humidity': 65)
Published data Successfully: %s ('soil_moisture': 89, 'temperature': 113, 'humidity': 61)
Published data Successfully: %s ('soil_moisture': 31, 'temperature': 100, 'humidity': 55)
Published data Successfully: %s ('soil_moisture': 41, 'temperature': 112, 'humidity': 51)
Published data Successfully: %s ('soil_moisture': 37, 'temperature': 123, 'humidity': 69)
```




## Build A Web Application Using Node-RED:

### 1) Install node-red-dashboard:


- To install node-red-dashboard, Search node red dashboard in the manage palette and install it.




2)Node-Red flow:




IBM IOT Node Details:



Web UI:




Output:





## Develop the Mobile Application:

- Develop the mobile application using MIT App inventor which should display all the sensor parameters and have the buttons to control the motors.
- The mobile app should have the following features
  - Display the sensor parameters
  - Buttons for controlling the motors
  - Should communicate with IBM cloud using APIs to get the sensor data and send the commands.

## Front-End:




# Back-End Code:






**Output:**

**Android (.apk) Application:**



# Flow Chart:



# Observations & Results:

```
Python 3.9.6 (tags/v3.9.6:db3ff76, Jun 28 2021, 15:26:21) [MSC v.1929 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: D:\IBM project\Rough_Copies\Code\IBM_Project_code.py =====
2022-11-15 07:04:01,272 wiotp.sdk.device.client.DeviceClient INFO Connected successfully: d:d21yo8:device1:1234
Published data Successfully: %s ('soil_moisture': 21, 'temperature': 60, 'humidity': 64)
Published data Successfully: %s ('soil_moisture': 40, 'temperature': 93, 'humidity': 83)
Published data Successfully: %s ('soil_moisture': 54, 'temperature': 18, 'humidity': 88)
Published data Successfully: %s ('soil_moisture': 64, 'temperature': 111, 'humidity': 74)
Published data Successfully: %s ('soil_moisture': 6, 'temperature': 23, 'humidity': 64)
Published data Successfully: %s ('soil_moisture': 26, 'temperature': 12, 'humidity': 65)
Published data Successfully: %s ('soil_moisture': 83, 'temperature': 113, 'humidity': 61)
Published data Successfully: %s ('soil_moisture': 31, 'temperature': 100, 'humidity': 55)
Published data Successfully: %s ('soil_moisture': 41, 'temperature': 112, 'humidity': 51)
Published data Successfully: %s ('soil_moisture': 37, 'temperature': 123, 'humidity': 69)
```

## **Advantages & Disadvantages:**

### **Advantages:**

- Farms can be monitored and controlled remotely.
- Increase in convenience to farmers.
- Less labor cost.
- Better standards of living.

### **Disadvantages:**

- Lack of internet/connectivity issues.
- Added cost of internet and internet gateway infrastructure.
- Farmers wanted to adapt the use of WebApp.

## **Conclusion:**

Thus the objective of the project to implement an IoT system in order to help farmers to control and monitor their farms has been implemented successfully.

## **Bibliography:**

IBM cloud reference: <https://cloud.ibm.com/>

Python code reference: <https://github.com/rachuriharish23/ibmsubscribe>

IoT simulator : <https://watson-iot-sensor-simulator.mybluemix.net/>