



# DELIVERY OF SPRINT – 3

## Node Red Connection to IBM Cloudant


<b>Date</b>	04 November 2022
<b>Team ID</b>	PNT2022TMID03066
<b>Project Name</b>	Smart Waste Management System for Metropolitan Cities

### 1. Node-RED Connection setup for data transmission from IBM Watson IOT platform to Node-RED

dashboard.




2.Simulate Wokwi connection to transmit data from wokwi account to IBM Watson IOT platform and then to Node Red dashboard.



The screenshot shows the Wokwi IDE interface. On the left, the code editor displays an ESP32 sketch named 'esp32-blink.ino'. The code includes logic for sending distance data and triggering alerts based on distance thresholds. On the right, the 'Simulation' window shows a virtual circuit diagram of an ESP32 board connected to a PIR Motion Sensor and a buzzer. Below the diagram, a log window displays the following messages:

```
Sending distance: 26.94
Publish OK
Motion Detected
Lid Opened
High Alert!!!,Trash bin is about to be full
Lid Closed
```


3.Data transfer to Watson IOT platform.



The screenshot shows the IBM Watson IoT Platform dashboard. The top navigation bar includes 'Browse', 'Action', 'Device Types', and 'Interfaces'. The main content area displays a table of recent events for a device with ID '9gbe4w'. The table has four columns: 'Event', 'Value', 'Format', and 'Last Received'.

Event	Value	Format	Last Received
data	{"Warning":28.95}	json	a few seconds ago
data	{"Warning":28.95}	json	a few seconds ago
data	{"Warning":49.98}	json	a minute ago
data	{"Warning":49.98}	json	a minute ago
data	{"Warning":11.03}	json	a minute ago

#### 4.Data transfer from IBM Watson IOT platform and wokwi to Node red.



## 5. Storing database in IBM cloudant DB.

Database name

Create Database

{ } 350N

## Databases

Your Databases

Name	Size	# of Docs	Partitioned	Actions
login_credentials	13.7 KB	111	No	<div></div> <div></div> <div></div>
noderedwjldy20221105	37.4 KB	4	No	<div></div> <div></div> <div></div>
sample	59.4 KB	351	No	<div></div> <div></div> <div></div>
sensor_data	15.7 KB	90	No	<div></div> <div></div> <div></div>

Showing 1–4 of 4 databases.

Databases per page 20

1

id	key	value
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-cde2dd17c519394df..."}
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-d26c5b40891e13c6c..."}
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-cde2dd17c519394df..."}
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-f96eb0460bc16cfab0..."}
1a921f21cbe229b86f599acb45...	1a921f21cbe229b86f599acb45...	{"rev": "1-7226f08794cd47b7c..."}
1a921f21cbe229b86f599acb45...	1a921f21cbe229b86f599acb45...	{"rev": "1-1bbdd9a985bd56cf9..."}
20a854e5445fa818e6c1de049...	20a854e5445fa818e6c1de049...	{"rev": "1-7226f08794cd47b7c..."}
20a854e5445fa818e6c1de049...	20a854e5445fa818e6c1de049...	{"rev": "1-3ad288ecad57f039e..."}
20a854e5445fa818e6c1de049...	20a854e5445fa818e6c1de049...	{"rev": "1-1bbdd9a985bd56cf9..."}
298ed6fbd9b3b815f5ac7c061e...	298ed6fbd9b3b815f5ac7c061e...	{"rev": "1-4e7240f6e5307a1b9..."}

6.Data is stored in JSON format

```

1 {
2   "_id": "0198213c192cb2c244cc2433f1802b91",
3   "_rev": "1-cde2dd17c519394df774738c495f8b",
4   "topic": "iot-2/type/SWMSMC/id/ibmproject/evt/data/fmt/json",
5   "payload": {
6     "Warning!!": "244.971eleft"
7   },
8   "deviceId": "ibmproject",
9   "deviceType": "SWMSMC",
10  "eventType": "data",
11  "format": "json"
12 }

```