Date	1 November 2022
Team ID	PNT2022TMID18695
Project name	Natural Disasters Intensity Analysis and Classification using Artificial Intelligence

HTML CODE

<!DOCTYPE html>

<html lang="en">

<title>Home – Natural Disasters Database</title>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet" href=https://www.w3schools.com/w3css/4/w3.css>
<link rel="stylesheet" href=https://fonts.googleapis.com/css?family=Lato>
<link rel="stylesheet" href=https://fonts.googleapis.com/css?family=Montserrat>

<link rel="stylesheet" href=https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css>

<style>

Body,h1,h2,h3,h4,h5,h6 {font-family: "Lato", sans-serif}

.w3-bar,h1,button {font-family: "Montserrat", sans-serif}

.fa-anchor,.fa-coffee {font-size:200px}

</style>

<body>

<!—Navbar →

<div class="w3-top">

```html
<div class="w3-bar w3-black w3-card w3-left-align w3-large">

  <a class="w3-bar-item w3-button w3-hide-medium w3-hide-large w3-right w3-padding-large
w3- hover-white w3-large w3-red" href="javascript:void(0);" onclick="myFunction()"
title="Toggle Navigation Menu"><i class="fa fa-bars"></i></a>

  <a href="{% url 'home' %}" class="w3-bar-item w3-button w3-hide-small w3-padding-large w3-
hover- white">Home</a>

  <a class="w3-bar-item w3-button w3-padding-large w3-white">Earthquake</a>

  <a href="{%url 'tsunami'%}" class="w3-bar-item w3-button w3-hide-small w3-padding-large
w3- hover-white">Tsunami</a>

  <a href="{%url 'tornado'%}" class="w3-bar-item w3-button w3-hide-small w3-padding-large
w3- hover-white">Tornado</a>

  <a href="{%url 'volcano'%}" class="w3-bar-item w3-button w3-hide-small w3-padding-large
    w3hover-
white">Volcanic Activity</a>

 </div>


 <!—Navbar on small screens →
 <div id="navDemo" class="w3-bar-block w3-white w3-hide w3-hide-large w3-hide-medium w3-
  large">

  <a href="#" class="w3-bar-item w3-button w3-padding-large">Earthquake</a>

  <a href="#" class="w3-bar-item w3-button w3-padding-large">Tsunami</a>

  <a href="#" class="w3-bar-item w3-button w3-padding-large">Tornado</a>

  <a href="#" class="w3-bar-item w3-button w3-padding-large">Volcanic Activity</a>

 </div>
</div>


<!—Header →
<header class="w3-container w3-grey w3-center" style="padding:128px 16px">

 <h1 class="w3-margin w3-jumbo">Earthquakes</h1>

 <p class="w3-xlarge">Natural Disasters Database</p>

</header>
```

```html
<div class="w3-container">
  <h2>Earthquakes</h2>
  <table class="w3-table-all">

   <tr>
    <th>Earthquake_id</th>
    <th>Intensity</th>
    <th>Date</th>
    <th>Country</th>
    <th>Place</th>
    <th>Latitude</th>
    <th>Longitude</th>
   {% for quake in all_quakes %}
    <tr>
     <td>{{quake.earthquake_id}}</td>
     <td>{{quake.intensity}}</td>
     <td>{{quake.date}}</td>
     <td>{{quake.country}}</td> <td>{{quake.place}}</td>
     <td>{{quake.latitude}}</td>
     <td>{{quake.longitude}}</td>
    </tr>
   {% endfor %}

  </table>
</div>

<div class="w3-container">
  <h2>Damage caused by the quakes</h2>
  <table class="w3-table-all">
```

```
        <tr>
            <th>Earthquake_id</th>
            <th>Amount (in million)</th>

            <th>Deaths (in thousands)</th>
            <th>House_destroyed (in thousands)</th>
        </tr>
        {% for d in damage %}
            <tr>
                <td>{{d.earthquake_id}}</td>
                <td>{{d.amount}}</td>
                <td>{{d.deaths}}</td>
                <td>{{d.house_destroyed}}</td>
            </tr>
        {% endfor %}


    </table>
</div>


<div class="w3-container w3-black w3-center w3-opacity w3-padding-50">
    <h1 class="w3-margin w3-xlarge">Thanks for visiting the website</h1>
</div>


<!—Footer →
<footer class="w3-container w3-padding-40 w3-center w3-opacity">
    <div class="w3-xlarge w3-padding-20">
        <h1>A Database project </h1>
</footer>
```

```
<script>
// Used to toggle the menu on small screens when clicking on the menu button
Function myFunction() {
  Var x = document.getElementById("navDemo");

  If (x.className.indexOf("w3-show") == -1) {
    x.className += " w3-show";
  } else {
    x.className = x.className.replace(" w3-show", "");
  }

}
</script>


</body>
      1. </html>
```