

## STEPS TO CREATE IBM DB2 AND CONNECTION WITH PYTHON

## STEP 1: Import the ibm\_db Python library:

```
!pip install --force-reinstall ibm_db==3.1.0 ibm_db_sa==0.3.7 import ibm_db
```

# **STEP 2: Identify the database connection credentials:**

## STEP 3: Create the DB2 database connection:

```
dsn = (
  "DRIVER={0};"
  "DATABASE={1};"
  "HOSTNAME={2};"
  "PORT={3};"
  "PROTOCOL={4};"
  "UID={5};"
  "PWD={6};"
  "SECURITY={7};").format(dsn_driver, dsn_database, dsn_hostname, dsn_port, dsn_protocol,
dsn_uid, dsn_pwd,dsn_security)
print(dsn)
Now establish the connection to the database
try:
  conn = ibm db.connect(dsn, "", "")
  print ("Connected to database: ", dsn database, "as user: ", dsn uid, "on host: ", dsn hostname)
except:
```

```
print ("Unable to connect: ", ibm_db.conn_errormsg())

server = ibm_db.server_info(conn)

print ("DBMS_NAME: ", server.DBMS_NAME)

print ("DBMS_VER: ", server.DBMS_VER)

print ("DB_NAME: ", server.DB_NAME)

client = ibm_db.client_info(conn)

print ("DRIVER_NAME: ", client.DRIVER_NAME)

print ("DRIVER_VER: ", client.DRIVER_VER)

print ("DATA_SOURCE_NAME: ", client.DATA_SOURCE_NAME)

print ("DRIVER_ODBC_VER: ", client.DRIVER_ODBC_VER)

print ("ODBC_VER: ", client.ODBC_VER)

print ("ODBC_SQL_CONFORMANCE: ", client.ODBC_SQL_CONFORMANCE)

print ("APPL_CODEPAGE: ", client.APPL_CODEPAGE)

print ("CONN_CODEPAGE: ", client.CONN_CODEPAGE)
```

## **STEP 4: Close the Connection:**

ibm\_db.close(conn)