

Date	15 Nov 2022
Team Id	PNT2022TMID23400
Title	SMART FASHION RECOMMENDOR

Create flask app

Home page

```
<!DOCTYPE html>

<html lang="en">

<head>

<title>Home</title>

<!-- Connect Bootstrap -->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/b
ootstrap.min.css" rel="stylesheet" /> </head>

<body background="C:\Users\Shiva\Desktop\Ass\img\img1.jpg" style="back
ground-size: cover;">

<!-- NAVBAR -->

<nav class="navbar navbar-expand bglight"> <div class="container-fluid">

<a class="navbarbrand" href="."/> <strong>Smart Fashion Recommender Application</strong
> </a>

<ul class="navbar-nav ms-auto mb-2 mb-lg-0">

<li class="nav-item">

<a class="nav-link active" href="/">Home</a> </li>

<li class="nav-item">

<a class="nav-link active"
href='C:\Users\Shiva\Desktop\Ass\about.html'>About
Us</a> </li>
```

```
<li class="nav-item">

<a class="nav-link active"

href="C:\Users\Shiva\Desktop\Ass\signin.html">Signin</

a> </li>

<li class="nav-item">

<a class="nav-link active"

href="C:\Users\Shiva\Desktop\Ass\signup.html">Sig

nup</a> </li>

</ul>

</div>

</nav>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/b

ootstrap.bundle.min.js"></script>

<br/>

<h1 style="text-align: center;color: rgb(87, 0, 250);">Smart Fashion Recommender Applic

ation</h1>

<p align="center" style="padding: 5rem;color: rgb(0, 255, 255); fontweight: 900; fontsize:60px;

font">Welcome to Smart Fashion Recommender Application.</p>

</body>

</html>
```

About page

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width,  
initial-scale=1.0">
```

```
<title>Document</title>
```

```
</head>
```

```
<body background="C:\Users\Rakesh\Desktop\Ass\img\img2.jpg" style="backg  
round-size: cover;">
```

```
<h1 style="text-align: center;">About us</h1>
```

```
<p style="font-family: Verdana, Geneva, Tahoma, sans-serif;fontsize: large;">Retailers worldwide have  
started deploying smart service
```

innovations in their stores to regain market

share lost to online competitors. Against this backdrop, this p

aper focuses on the design of product

recommendation systems for fashion stores. Our research particu

larly aims at answering the issues of

whether and to what extent (i) the sensing capabilities of smar

t fashion retail environments and (ii) the

integration of contextual information can improve the quality o

f such recommendations. To this end,

we consider smart fitting rooms with the ability to detect prod

ucts and customers as a showcase; a

transaction dataset from a leading German fashion retailer; and contextual information about the time of purchase, the store type, and the weather conditions. Our preliminary analyses indicate that sensor information regarding garment and user identification, as well as further context data help to improve product recommendations in fashion stores.

</p>

</body>

</html>

Add to bootstrap



Sign in

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width,  
initial-scale=1.0">

```
<title>Document</title>

<!-- CSS only -->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi" crossorigin="anonymous">

</head>

<body>

<form>

<!-- Email input -->

<div class="mb-2">

<input type="email" id="form2Example1" class="form-control" />

<label class="form-label" for="form2Example1">Email address</label>

</div>

<!-- Password input -->

<div class="mb-4">

<input type="password" id="form2Example2" class="form-control" />

<label class="form-label" for="form2Example2">Password</label>

</div>

<!-- 2 column grid layout for inline styling -->

<div class="row mb-4">

<div class="col d-flex justify-content-center">

<div class="col">

<!-- Submit button -->

<button type="button" class="btn btn-primary btn-block
```

```
mb-4">Sign in</button>

<!-- Register buttons -->

<div class="text-center">

<p>Not a member? <a href="signup.html">Signup</a>

<button type="button" class="btn btn-link btn-floating mx1"> <i class="fab fa-facebook-f"></i>

</button>

<button type="button" class="btn btn-link btn-floating mx1"> <i class="fab fa-google"></i>

</button>

<button type="button" class="btn btn-link btn-floating mx1"> <i class="fab fa-twitter"></i>

</button>

<button type="button" class="btn btn-link btn-floating mx1"> <i class="fab fa-github"></i>

</button>

</div>

</form>

<!-- JavaScript Bundle with Popper -->

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/boots
trap.bundle.min.js" integrity="sha384-
OERcA2EqjJCMA+/3y+gxIOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Qbsw3" cross
origin="anonymous"></script>

</body>

</html>
```



Email address

Password

[Sign in](#)

Not a member? [Signup](#)